



Sanford Medical Center
Community Health Needs Assessment
2012-2013

dba Sanford USD Medical Center EIN# 46-0227855

Sanford USD Medical Center

Community Health Needs Assessment
2012-2013

rev. 6/11/13

Table of Contents

	<u>Page</u>
Purpose	5
Acknowledgements	6
Executive Summary	9-15
Description of Sanford USD Medical Center	17
Description of the Community Served	17
Study Design and Methodology	18
Primary Research	20
Summary of the Survey Results	
• Community Assets/Best Things about the Community	21
○ Figure 1. Level of agreement with statements about the community regarding PEOPLE	
○ Figure 2. Level of agreement with statements about the community regarding SERVICES AND RESOURCES	
○ Figure 3. Level of agreement with statements about the community regarding QUALITY OF LIFE	
○ Figure 4. Level of agreement with statements about the community regarding GEOGRAPHIC SETTING	
○ Figure 5. Level of agreement with statements about the community regarding ACTIVITIES	
• General Concerns about the Community	25
○ Figure 6. Level of concern with statements about the community regarding ECONOMIC ISSUES	
○ Figure 7. Level of concern with statements about the community regarding SERVICES AND RESOURCES	
○ Figure 8. Level of concern with statements about the community regarding TRANSPORTATION	
○ Figure 9. Level of concern with statements about the community regarding ENVIRONMENTAL POLLUTION	
○ Figure 10. Level of concern with statements about the community regarding YOUTH CONCERNS	
○ Figure 11. Level of concern with statements about the community regarding SAFETY CONCERNS	
• Community Health and Wellness Concerns	28
○ Figure 12. Level of concern with statements about the community regarding ACCESS TO HEALTH CARE	
○ Figure 13. Level of concern with statements about the community regarding SUBSTANCE USE AND ABUSE	
○ Figure 14. Level of concern with statements about the community regarding PHYSICAL HEALTH	
○ Figure 15. Level of concern with statements about the community regarding MENTAL HEALTH	
○ Figure 16. Level of concern with statements about the community regarding ILLNESS	

<ul style="list-style-type: none"> • Delivery of Health Care in the Community ○ Figure 17. How well topics related to DELIVERY OF HEALTH CARE in the community are being addressed 	31
<ul style="list-style-type: none"> • Personal Health Care Information ○ Cancer Screening ○ Health Care Coverage ○ Primary Care Provider ○ Respondent’s Primary Care Provider ○ Respondents Representing Chronic Disease ○ Distance to Medical Care 	32
<ul style="list-style-type: none"> • Demographic Information ○ Age ○ Education ○ Gender ○ Race/Ethnicity ○ Income 	36
<p>Secondary Research</p> <ul style="list-style-type: none"> • Health Outcomes <ul style="list-style-type: none"> ○ Mortality ○ Morbidity • Health Factors <ul style="list-style-type: none"> ○ Health Behaviors ○ Clinical Care ○ Social and Economic Factors ○ Physical Environment ○ Demographics ○ Population by Age ○ Housing ○ Economic Security ○ Diversity Profile 	38
<p>Health Needs Identified</p> <ul style="list-style-type: none"> • Community Assets/Prioritization Process 	46
<p>Implementation Strategy</p>	47
<p>Appendix</p> <ul style="list-style-type: none"> • 2011 County Health Profiles – Minnehaha & Lincoln Counties • Definitions of Health Variables • Aging Profiles • Diversity Profiles 	50

- Maps:
 - Mortality – Map 1 – Premature Death
 - Morbidity – Maps 2-5
 - Health Factors – Maps 6-12
 - Clinical Care – Maps 13-20
 - Social and Economic – Maps 21-27
 - Physical Environment – Maps 28-31
 - Demographic – Maps 32-36
- Table 1 – Asset Map
- Table 2 – Prioritization Worksheet
- 2012 CHANGE Assessment Results
- Community Health Status Report – Sioux Falls Health Department, 2012

Sanford USD Medical Center Community Health Needs Assessment 2012-2013

Purpose

Sanford USD Medical Center is part of Sanford Health, an integrated health system headquartered in the Dakotas and the largest, rural, not-for-profit health care system in the nation with locations in 126 communities in 8 states.

Sanford USD Medical Center has undertaken a community health needs assessment as required by the Patient Protection and Affordable Care Act, and as part of the IRS 990 requirement for a not-for-profit health system to address issues that have been assessed as unmet needs in the community.

The PPACA requires that each hospital must have: (1) conducted a community health needs assessment in the applicable taxable year; (2) adopted an implementation strategy for meeting the community health needs identified in the assessment; and (3) created transparency by making the information widely available. For tax-exempt hospital organizations that own and operate more than one hospital facility, as within Sanford Health, the new tax exemption requirements apply to each individual hospital. The first required needs assessment falls within the fiscal year July 1, 2012 through June 30, 2013.

The purpose of a community health needs assessment is to develop a global view of the population's health and the prevalence of disease and health issues within the community. Findings from the assessment serve as a catalyst to align expertise and develop a Community Investment/Community Benefit plan of action. There is great intrinsic value in a community health needs assessment when it serves to validate, justify and defend not-for-profit status and create opportunity to identify and address public health issues from a broad perspective.

A community health needs assessment is critical to a vital Community Investment/Community Benefit Program that builds on community assets, promotes collaboration, improves community health, and promotes innovation and research. A community health needs assessment also serves to validate progress made toward organizational strategies and provides further evidence for retaining not-for-profit status.

Acknowledgements

Sanford Health would like to acknowledge and thank the Steering Committees for their expertise while performing the assessment and analysis of the community health data. The assessment provides support for the future direction of our work as the region's leading health care system.

Sanford Enterprise Steering Group:

- *Enterprise Lead:* Carrie McLeod, MBA, MM, LRD,CDE; Office of Health Care Reform, Community Benefit/Community Health Improvement
- *Sioux Falls Region Co-Lead:* Bruce Viessman, CFO, Sanford Health Network Sioux Falls
- Mike Begeman, Chief of Staff/Vice President of Public Affairs
- Maxine Brinkman, CPA; Director of Financial Decisions and Operations Support
- Michelle Bruhn, CPA; CFO, Health Services Division
- Randy Bury, COO, Sanford USD Medical Center
- Jane Heilman, BA; Senior Corporate Communication Strategist
- Kristie Invie, BS, MBA; Vice President for Clinical Performance
- Joy Johnson, Bemidji Region Co-Lead, VP, Business Development and Marketing, Bemidji
- Ashley King, Bemidji Co-Lead, Intern in Bemidji
- JoAnn Kunkel, CFO, Sanford Health
- Tiffany Lawrence, CPA; Fargo Region Co-Lead, CFO, Sanford Medical Center Fargo
- Martha Leclerc, MS; Vice President, Office of Health Reform and Strategic Payment
- Doug Nowak, MBA; Executive Director, Decision Support
- Heather Vanmeveren, CPA; Director of Accounting

Sanford Sioux Falls Network Steering Group:

- *Enterprise Lead:* Carrie McLeod, MBA, MM, LRD,CDE; Office of Health Care Reform, Community Benefit/Community Health Improvement
- *Sioux Falls Region Co-Lead:* Bruce Viessman, CFO, Sanford Health Network Sioux Falls
- Michelle Bruhn, CPA; CFO, Health Services Division
- Mike Daly, Director, Public Affairs
- Doug Nowak, Executive Director, Decision Support
- Jeff Rotert, COO/CFO, Sanford Worthington Medical Center
- Cindy Schuck, Manager, Accreditation Standards Program
- Dan Staebell, Communications Department
- Justin Tiffany, Project Specialist, Health Network, Sanford Medical Center

We express our gratitude to the following individuals and groups for their participation in this study.

We extend special thanks to the city mayors, city council/commission members, physicians, nurses, school superintendents and school board members, parish nurses, representatives from the Native American community, Faith Community Leaders, as well as legal services, mentally and physically disabled, social services, non-profit organizations, and financial services for their participation in this work. Together we are reaching our vision "to improve the human condition through exceptional care, innovation and discovery."

Our Guiding Principles:

- All health care is a community asset
- Care should be delivered as close to home as possible
- Access to health care must be provided regionally
- Integrated care delivers the best quality and efficiency
- Community involvement and support is essential to success
- Sanford Health is invited into the communities we serve

The following key community stakeholders participated in this assessment work:

- Alison Anderson, Underwriting Associate, CAN Surety, Sioux Falls, SD
- Kenneth Anderson, Jr., City Employees, Sioux Falls, SD
- Bill Baker, Banker, Sioux Falls, SD
- Sheri Baker, Account Executive, NGMS, Sioux Falls, SD
- Slater Barr, President, Sioux Falls Development Foundation, Sioux Falls, SD
- Miles Beacom, President/CEO, Premier Bankcard, Sioux Falls, SD
- Melissa Beck, Independent Insurance Agent, Hartford, SD
- Gerald Beninga, President/CEO, Active Generations, Sioux Falls, SD
- Steve Bianchi, CEO, Home Federal Bank, Sioux Falls, SD
- Pam Boehm, Client Services Manager, SD Technology Business Center, Sioux Falls, SD
- Vernon Brown, Marketing Dir., SDN Communications, & City Council Member, Sioux Falls, SD
- Dean Buckneberg, CPA, Eide Bailly LLP, Sioux Falls, SD
- Paige Carda, Executive Director, Sioux Falls Literacy Council, Sioux Falls, SD
- Kim Cerwick, Executive Director, Chamber of Commerce, Brandon, SD
- Cathy Clark, Senior VP, Wells Fargo Bank, Sioux Falls, SD
- Lyle Dabbert, President, Brown & Saenger, Sioux Falls, SD
- Rochelle Degroot, Social Worker, Sanford Sioux Falls
- Jessica DeNeui, Client Services Executive, Sioux Falls, SD
- Steve Egger, Retired Chairman of the Board, Egger Steel Company, Sioux Falls, SD
- Kristin Fox, Director, Senior Companions of SD, Sioux Falls, SD
- Rich Garry, Partner, Garry Associates, LLP, Sioux Falls, SD
- Matt Gassen, Executive Director, Feeding South Dakota, Sioux Falls, SD
- Mike Gulick, CEO, YMCA, Sioux Falls, SD
- Tami Haug-Davis, CEO, Girl Scouts, Sioux Falls, SD
- Amy Hoback, Kleenrite Company, Sioux Falls, SD
- Jeffrey Holcomb, President, Southeast Technical Institute, Sioux Falls, SD
- Lisa Howard, Program Director, Sioux Falls, SD
- Jeff Huskey, Director, Wellness Center, SDSU, Brookings, SD
- Don Jacobs, Market Manager, Results Radio. Sioux Falls, SD
- Nancy Jelen, Social Worker, Sanford Sioux Falls
- Molly Keegan, Program Director, Active Generations, Sioux Falls, SD
- Janet Kittams-Lalley, Executive Director, Helpline Center, Sioux Falls, SD
- Laurie Knutson, CEO, YWCA, Sioux Falls, SD
- Gary Kolbeck, President, LodgeNet Healthcare, Sioux Falls, SD
- Scott Lawrence, President/CEO, Lawrence & Schiller, Sioux Falls, SD
- Mark Lee, Executive Dean, University Center, Sioux Falls, SD
- Kristi Masterson, Grocery Store Manager, Sioux Falls, SD
- Mason Melcher, Owner/Manager, Brandon Ace Hardware, Tea, SD
- Jennifer Mentele, Sales, Sioux Falls, SD

- Mark Millage, President, Kilian Community College, Sioux Falls, SD
- Jessica Murphy, Social Worker, Sanford Sioux Falls
- Jerry Nachtigal, Senior VP, CitiBank, Sioux Falls, SD
- Aaron Neiman, Branch Manager, Dacotah Bank, Sioux Falls, SD
- Evan Nolte, President, Chamber of Commerce, Sioux Falls, SD
- Robert O'Connell, Public Affairs Director, Chamber of Commerce, Sioux Falls, SD
- Chris Peters, CFO, Henry Carlson Company, Sioux Falls, SD
- Bill Peterson, Director, Government Relations, CNA, Sioux Falls, SD
- Tiffany Reilly, Director of Human Services, Howalt & McDowell Insurance, Sioux Falls, SD
- Bill Rezac, Boen & Associates, Inc., Sioux Falls, SD
- Rex Rolwing, Sales Director, Midland National Life, Sioux Falls, SD
- Dave Rozenboom, President, First Premier Bank, Sioux Falls, SD
- Ruth Schlueter, Social Worker, Sanford Sioux Falls
- W. Tom Simmons, Senior VP of Public Policy, Midcontinent Communications, Sioux Falls, SD
- Thomas Smotherman, Executive, Boy Scouts of America, Sioux Falls, SD
- Chrissy Spoo, Dir. of Corporate & Media Relations, American Heart Association, Sioux Falls, SD
- Dave Stadheim, President, ReCom, Inc., Sioux Falls, SD
- Nicole Stadlman, Human Resources worker, Saint Katharine Drexel, Sioux Falls, SD
- Barb Stork, Chair, Chamber of Commerce, Sioux Falls, SD
- Renee Storm, Director of Human Resources, Showplace Wood Products, Inc., Harrisburg, SD
- Robert Thimjon, CFO, Ramkota Companies, Sioux Falls, SD
- Melissa Townsend, Nutrition Program Director, Active Generations, Sioux Falls, SD
- Lou Vogt, Executive Director, Family Connection, Sioux Falls, SD
- Linda Wahle, Social Worker, Sanford Sioux Falls
- Sheena Watkins, Community Health Nurse, Bright Start, Sioux Falls, SD
- Jody Wilson, Senior Human Resources Manager, Hematech, Inc., Sioux Falls, SD
- Angie Wrightsman, Teacher, Brandon, SD
- Bill Ziegler, Case Manager, Sioux Falls Housing, Sioux Falls, SD
- Jill, Insurance Agent, American Family Insurance, Sioux Falls, SD

Sanford USD Medical Center Community Health Needs Assessment 2012-2013

Executive Summary

Purpose

The purpose of a community health needs assessment is to develop a global view of the population's health and the prevalence of disease and health issues within the community. Findings from the assessment serve as a catalyst to align expertise and develop a Community Investment/Community Benefit plan of action. There is great intrinsic value in a community health needs assessment when it serves to validate, justify and defend not-for-profit status and create opportunity to identify and address public health issues from a broad perspective. A community health needs assessment is critical to a vital Community Investment/Community Benefit Program that builds on community assets, promotes collaboration, improves community health, and promotes innovation and research. A community health needs assessment also serves to validate progress made toward organizational strategies and provides further evidence for retaining our not-for-profit status.

Study Design and Methodology

The following qualitative data sets were studied:

- Community Health Needs Assessment of Community Leaders
- Community Health Needs Assessment of Residents
- City of Sioux Falls Health Department- Live Well Sioux Falls CHANGE Assessment Results

The following quantitative data sets were studied:

- 2011 County Health Profiles for Minnehaha and Lincoln Counties
- Aging Profiles for Minnehaha and Lincoln Counties
- Diversity Profiles for Minnehaha and Lincoln Counties

Asset mapping was conducted by reviewing the data and identifying the unmet needs from the various surveys and data sets. The process implemented in this work was based on the McKnight Foundation model - Mapping Community Capacity by John L. McKnight and John P. Kretzmann, Institute for Policy Research at Northwestern University.

Each unmet need was researched to determine what resources were available in the community to address the needs. The steering group performed the asset mapping and reviewed the findings. The group conducted an informal gap analysis to determine what needs remained after resources were thoroughly researched. Once gaps were determined, the group proceeded to the prioritization process.

The multi-voting methodology was implemented to determine what top priorities would be further developed into implementation strategies.

Key Findings – Primary Research

Sanford USD Medical Center distributed the community health needs assessment survey tool that was developed by the Greater Fargo-Moorhead Community Health Needs Assessment Collaborative to key stakeholder groups as a method of gathering input from a broad cross section of the Sioux Falls community.

The Internal Revenue Code 501 (r) statute requires that a broad base of key community stakeholders have input into the needs of the community. Those community members specified in the statute include: persons who represent the broad interests of the community served by the hospital facility including those with special expertise in public health; Federal, tribal, regional, state and or local health or other departments or agencies with information relevant to the health needs of the community served; leaders, representatives, or members of medically underserved, low-income, and minority populations.

Sanford extended a good faith effort to engage all of the aforementioned community representatives in the survey process. The list of individuals who agreed to take the survey and also submit their names are included in the acknowledgement section of this report. In some cases there were surveys that were submitted without names or without a specified area of expertise or affiliation. We worked closely with public health experts throughout the assessment process.

Public comments and response to the community health needs assessment and the implementations strategies are welcome on the Sanford website under “About Sanford” in the Community Health Needs Assessment section.

The findings discussed in this section are a result of the analysis of the survey qualitative data.

Respondents had very high levels of agreement that the people in their community are friendly, helpful and supportive, there is quality health care, the community is a good place to raise kids and is a safe and healthy place to live with quality higher education opportunities, school systems and programs for youth. However, respondents agreed the least that there is tolerance, inclusion, and open-mindedness, effective transportation and cultural richness in their community.

Respondents were most concerned about child abuse and neglect, substance abuse, domestic violence and issues regarding the aging population (e.g. availability and cost of long-term care, and availability of resources to help elderly stay in their homes). Respondents were also concerned with issues regarding children and youth (e.g. availability and cost of quality child care, bullying, availability and cost of services for youth, and child abuse and neglect). Environmental issues regarding garbage and litter, water quality, air quality, and noise levels were not a large concern.

Among health and wellness concerns, respondents were most concerned about the costs associated with health insurance, health care, and prescription drugs. Respondents were also concerned about physical health issues, particularly obesity, poor nutrition and eating habits, and inactivity or lack of exercise. The adequacy of health insurance (e.g. amount of co-pays and deductibles) and access to health insurance coverage (e.g. pre-existing conditions), as well as chronic disease (e.g. diabetes, health disease, multiple sclerosis) stress and depression were also among the top health and wellness concerns

among respondents. Respondents were least concerned about patient confidentiality and distance to health care services.

Respondents had moderate levels of concern with respect to the availability of employment opportunities and low wages, economic disparities between higher and lower classes, hunger, homelessness, poverty, and with the cost of living.

Respondents were moderately concerned with the availability of public transportation, road conditions and road rage. Respondents were least concerned with traffic congestion.

Respondents were not very concerned with environmental issues in their community. There is high agreement that the community has a general cleanness.

The levels of concern among respondents regarding substance use and abuse issues in their community were fairly high. Respondents were most concerned about drug and alcohol use and abuse and smoking. Although still moderately high, respondents were least concerned about the presence of drug dealers in the community.

The top reasons respondents gave for their choice of primary health care provider were location, quality of services, availability of services and the sense of being valued as a patient. Influence by health insurance ranked the lowest reason for primary care provider choice.

More than 50% (56.4%) of respondents said they had not had a cancer screening or cancer care in the past year. The most common reason for not having done so was because their doctor had not suggested it or it was considered not necessary. Fear, unfamiliarity with recommendations, and not knowing who to see were not reasons that the majority of respondents gave.

A majority of respondents (88.5%) said they had paid for health care costs over the last 12 months by health insurance through an employer. Medicare, personal income and private health insurance and veteran's health care benefits were also used.

Respondents were asked which provider they used for their primary health care. Four out of five respondents said they use Sanford Health as their primary health care provider. One in five said that they use other services.

Live Well Sioux Falls – CHANGE Assessment Results

The Sioux Falls Health Department conducted a community health needs assessment utilizing the Centers for Disease Control and Prevention Community Health Assessment and Group Evaluation (CHANGE) tool. The CHANGE tool allows local stakeholders to work together in a collaborative process to survey their community; offers suggestions and examples of policy, systems, and environmental change strategies; and provides feedback to communities as they institute local-level change for healthy living.

There are Five Sectors of the CHANGE Tool, and for each sector, the tool includes specific questions to be answered in the areas of demographics, physical activity, nutrition, tobacco, chronic disease management, and leadership. In addition, the school sector includes questions related to the school district and after-school program.

The results of the 2012 Sioux Falls Department of Health Community Assessment are published in the 2012 Community Health Status Report at www.cityofsiouxfalls.org/health/comm.-health-status.aspx and in the Appendix of this report.

The top five identified needs include:

- Chronic Disease management
- Leadership engagement
- Physical Activity
- Nutrition
- Tobacco Use

Live Well Sioux Falls leadership and partners have developed key strategies to address the identified needs at the sector level. Each sector has identified a main strategy for implementation. Community wide strategies continue to evolve. Sanford Medical Center- USD is committed to serve the City of Sioux Falls Health Department by working in partnership to meet the community needs.

Key Findings - Secondary Research

Health Outcomes

The mortality health outcomes indicate that South Dakota as a state has more premature deaths than the national benchmark. While the state has more premature deaths than the national benchmark, Lincoln County, South Dakota has a lower rate than the national benchmark, and Minnehaha County has a slightly higher rate than the national benchmark.

The morbidity health outcomes indicate that South Dakota citizens report more days of poor health than the national benchmark, however, Minnehaha County reports equal to the national benchmark and Lincoln County reports slightly better health days. South Dakota and Minnehaha County report more physically unhealthy days than the national benchmark, while Lincoln County reports a low percentage of poor health days.

South Dakota and Minnehaha County report more mentally unhealthy days than the national benchmark, while Lincoln County reports substantially better mental health days.

South Dakota and Minnehaha County have a higher percentage of low birth weight than the national benchmark, while Lincoln County is near the national benchmark.

Health Factors

The health behavior outcomes indicate that South Dakota and Minnehaha County have higher percentages of adult smokers than the national benchmark; however, Lincoln County has a lower rate. Adult obesity is also higher in the state of South Dakota and Minnehaha County, while Lincoln County is near the national benchmark. South Dakota and Minnehaha County have a higher percentage of physical inactivity than the national benchmark, while Lincoln County falls only one percentage point higher than the national benchmark.

South Dakota and Minnehaha and Lincoln counties have a higher percentage of binge drinking reports than the national benchmark, and Lincoln County is substantially higher than all of them in binge

drinking. Motor vehicle crash death rates are nearly double the national benchmark in South Dakota, and slightly higher than the national benchmark in Minnehaha and Lincoln counties.

Sexually transmitted infections rank substantially higher than the national benchmark for South Dakota (371.3 vs. national benchmark of 83.0), and Minnehaha County (433.1); however, this is lower than the national benchmark in Lincoln County (60.4).

The teen birth rate is higher in South Dakota and Minnehaha County than the national benchmark, but is lower in Lincoln County.

The clinical care outcomes indicate that South Dakota has a higher percentage of uninsured adults than the national benchmark, while Minnehaha and Lincoln counties have a lower percentage. The percentage of uninsured youth in Minnehaha County is slightly lower than the national benchmark, but is slightly higher in Lincoln County and South Dakota as a whole.

The ratio of population to primary care physicians is higher in South Dakota and Minnehaha and Lincoln counties than the national benchmark.

The ratio of population to mental health providers is much higher in South Dakota and Minnehaha County than the national benchmark; however, Lincoln County falls substantially better than the national benchmark. The number of professionally active dentists is lower than the national benchmark in South Dakota and Minnehaha County, but is better in Lincoln County. Preventable hospital stays are higher than the national benchmark in South Dakota and both Minnehaha and Lincoln counties.

Diabetes screening in South Dakota and in Minnehaha County is slightly lower than the national benchmark, but is slightly higher than the national benchmark in Lincoln County.

The social and economic factor outcomes indicate that South Dakota and Minnehaha and Lincoln counties all have a lower high school graduation rate than the national benchmark, and both South Dakota and Minnehaha County have a lower percentage of post secondary education than the national benchmark, while Lincoln County has a higher percentage. The unemployment rate was lower in South Dakota and Minnehaha and Lincoln counties than the national benchmark. The percentage of child poverty is substantially higher in South Dakota than the national benchmark; however, Minnehaha County is at the national benchmark for child poverty, and Lincoln County is much lower than the national benchmark.

Inadequate social support is higher in South Dakota and Minnehaha County but is lower in Lincoln County than the national benchmark.

The percentage of children in single parent households is higher than the national benchmark in South Dakota and Minnehaha County but is lower in Lincoln County. The number of homicide deaths in South Dakota and Minnehaha County is higher than the national benchmark.

The physical environment outcomes indicate that there is no air pollution or ozone pollution in this area. Access to healthy food is ranked far below the national benchmark. There can be a far distance to travel to grocery stores, and there are food deserts in some communities where only a gas station convenience store is close to home. Access to recreational facilities ranks lower than the national benchmark for South Dakota and Minnehaha and Lincoln counties.

Youth account for 24% of the population in Minnehaha County and 29% of the population in Lincoln County. Elderly account for 12% of the population in Minnehaha County and for 6% of the population in Lincoln County. Fifteen percent (15%) of Minnehaha County is rural compared to 48% of South Dakota and 21% as the national benchmark. Sixty-one percent (61%) of Lincoln County is rural.

Only 2% of South Dakotans, 4% of Minnehaha County, and 1% of Lincoln County population is not proficient in English compared to the national benchmark of 9%. South Dakota's illiteracy rate is 7%, Minnehaha County is at 7%, and Lincoln County is at 5%, compared to the national benchmark of 15%.

The population for this area is relatively young with only 1% in Lincoln County and 2% in Minnehaha County older than 85 years of age, and only 9% and 11% respectively older than 65 years of age. Fourteen percent (14%) of South Dakotans are older than 65 years of age and only 2% are older than 85.

The gender distribution is 50-50 in these counties and 50-50 for the state of South Dakota.

The majority of individuals in these counties own their homes with the largest percentage of home ownership in Lincoln County at 78% and Minnehaha County at 65%. Sixty-eight percent (68%) of South Dakotans own their own home.

According to the 2010 Census Data, the population of working age in the labor force is 75% in Minnehaha County and 80% in Lincoln County. The percentage of those who are living at less than 100% of the poverty level is 14% in South Dakota, 10% in Minnehaha County, and 4% in Lincoln County. In South Dakota, 33% are at less than 200% of the poverty level.

The median annual household income in South Dakota is \$46,369 while Minnehaha County is at \$51,799 and Lincoln County is at \$67,365 annual income.

The population distribution by race demonstrates that South Dakota is predominantly white, followed by American Indian alone, then Hispanic origin of any race, and Black alone. The Asian population ranks fifth in South Dakota.

In Minnehaha County the ranking is White, Hispanic, Black, American Indian and Asian, while in Lincoln County the ranking is White, Hispanic, Asian, Black and American Indian.

Implementation Strategy

The following unmet needs were identified through a formal community health needs assessment, resource mapping and prioritization process for Sanford Sheldon:

- Dental care
- Services for the elderly

Implementation Strategy: Elderly Services

- Consider the recruitment of Geriatricians
- Nurse-led clinics - explore external funding opportunities to:
 - Consider expansion of CareSpan (walk-in nurse-run elder care clinic) hours and locations
 - Consider expansion of Foot Care Clinics hours and locations
- Continue and expand community-based nurse-led dialogues regarding Healthcare Directives and end-of-life care
- Consider establishing an older adult population advisory council within the community

Implementation Strategy: Dental Care

- Explore opportunities to help promote either free or sliding scale fee dental services and programs already offered in the community (e.g. Falls Community Health Center and Ronald McDonald Mobile Care Unit)

Sanford USD Medical Center Community Health Needs Assessment 2012-2013

Sanford Health, long been dedicated to excellence in patient care, is on a journey of growth and momentum with vast geography, cutting-edge medicine, sophisticated research, advanced education and a health plan. Through relationships built on trust, successful performance, and a vision to improve the human condition, Sanford seeks to make a significant impact on health and healing. We are proud to be from the Midwest and to impact the world. The name Sanford Health honors the legacy of Denny Sanford's transformational gifts and vision.

Our Mission: *Dedicated to the Work of Health and Healing*

We provide the best care possible for patients at every stage of life, and support healing and wholeness in body, mind and spirit.

Our Vision: *To improve the Human Condition through Exceptional Care, Innovation and Discovery*

We strive to provide exceptional care that exceeds our patients' expectations. We encourage diversity in thought and ideas that lead to better care, service and advanced expertise.

Our Values:

- **Courage:** *Strength to persevere, to use our voice and take action*
- **Passion:** *Enthusiasm for patients and work, commitment to the organization*
- **Resolve:** *Adherence to systems that align actions to achieve excellence, efficiency and purpose*
- **Advancement:** *Pursuit of individual and organizational growth and development*
- **Family:** *Connection and commitment to each other*

Our Promise: *Deliver a flawless experience that inspires*

We promise that every individual's experience at Sanford—whether patient, visitor or referring physician—will result in a positive impact, and for every person to benefit from a flawless experience that inspires.

Guiding Principles:

- *All health care is a community asset*
- *Care should be delivered as close to home as possible*
- *Access to health care must be provided regionally*
- *Integrated care delivers the best quality and efficiency*
- *Community involvement and support is essential to success*
- *Sanford Health is invited into the communities we serve*

Description of Sanford USD Medical Center

Sanford's USD Medical Center in Sioux Falls provides leading care for patients from across the Midwest. As the largest hospital in South Dakota, and a teaching hospital for the Sanford School of Medicine at the University of South Dakota. Sanford USD Medical Center is consistently named a Top 100 Hospital in the nation. The comprehensive care provided at Sanford USD includes emergency air transport, neonatal and pediatric intensive care, transplant services, and specialty centers in children's, heart, cancer, neuroscience, sports medicine and women's health. Sanford USD houses 545 beds, and includes 4,000 employees, a Level II Adult Trauma Emergency Center and a Level II Pediatric Emergency Trauma Center.

Community Description

Sioux Falls is the largest city in the state of South Dakota. Sioux Falls is the county seat of Minnehaha County, and also extends into Lincoln County to the south. As of the 2010 census, Sioux Falls had a population of 153,888. The metropolitan population of 228,261 accounts for 28% of South Dakota's population

Sioux Falls is named for the Sioux tribe of American Indians and the waterfalls of the Big Sioux River, located a few blocks from today's downtown district. The Sioux tribe named the water Minne Waukon (sacred water). The falls remain a popular local landmark and tourist attraction.

Sioux Falls is the home of a number of financial companies, which may be partially due to the lack of a state corporate income tax. The largest employers among these are Wells Fargo and Citigroup. Other important financial service companies located in Sioux Falls include Great Western Bank, Western Surety Company (CNA Surety), Total Card Inc., Capital Card Services, Midland National Life Insurance Company, Capital One, and First Premier Bank. Other companies based in Sioux Falls include retailers Lewis Drug and Sunshine Foods, as well as communications companies LodgeNet and Midcontinent Communications.

The John Morrell plant has always been a major employer in Sioux Falls, although the city's economy has become more diversified in recent decades. While no longer as economically dominant as it once was, the manufacturing and food processing sector remains an important component of the economy of Sioux Falls. The John Morrell meat packing plant is the third largest employer in the city. Other important manufacturing companies include Wheeler Tank Manufacturing, Maguire Iron, Amesbury Group, Teem, Raven Industries, Bell Incorporated, Tyco, Gage Brothers, and Rosenbauer America.

Sioux Falls is a significant regional health care center. There are four major hospitals in Sioux Falls: Sanford Health (formerly Sioux Valley), Avera McKennan Hospital, the South Dakota Veterans Affairs Hospital, and the Avera Heart Hospital of South Dakota. Sanford Health and Avera Health are the largest and second largest employers in the city, respectively. Emergency medical services (EMS) are provided by both the Sioux Falls Rural/Metro Ambulance Service and the Sioux Falls Fire Rescue.

The USGS Earth Resources Observation and Science Center is located approximately 10 miles north of Sioux Falls. It currently houses one of the largest computer complexes in the Department of the Interior. EROS has approximately 600 government and contractor employees.

Sioux Falls is home to Augustana College, the University of Sioux Falls, Sioux Falls Seminary, Kilian Community College, Southeast Technical Institute, National American University, Colorado Technical

University, the South Dakota School for the Deaf, Great Plains Baptist College, Globe University/Minnesota School of Business, the University of South Dakota's Sanford School of Medicine (Sioux Falls campus), Stewart School, and the South Dakota Public Universities and Research Center (formerly known as USDSU). The Sioux Falls School District serves 23,042 students living in Sioux Falls and some of its surrounding suburbs.

Study Design and Methodology

In May 2011 Sanford Health convened key health care leaders and other not-for-profit leaders in the Fargo Moorhead community to establish a Fargo Moorhead Community Health Needs Assessment Collaborative. A primary goal of this collaborative is to craft standardized tools, indicators and methodology that can be used by all group members when conducting assessments and also be used by all of the Sanford medical centers across the enterprise. After much discussion it was determined that the Robert Wood Johnson Framework for county profiles would be our secondary data model.

The Internal Revenue Code 501 (r) statute requires that a broad base of key community stakeholders have input into the needs of the community. Those community members specified in the statute include: persons who represent the broad interests of the community served by the hospital facility including those with special expertise in public health; Federal, tribal, regional, state and or local health or other departments or agencies with information relevant to the health needs of the community served; leaders, representatives, or members of medically underserved, low-income, and minority populations.

Sanford extended a good faith effort to engage all of the aforementioned community representatives in the survey process. The list of individuals who agreed to take the survey and also submit their names are included in the acknowledgement section of this report. In some cases there were surveys that were submitted without names or without a specified area of expertise or affiliation. We worked closely with public health experts throughout the assessment process.

Public comments and response to the community health needs assessment and the implementations strategies are welcome on the Sanford website under "About Sanford" in the Community Health Needs Assessment section.

A sub group of this collaborative met with researchers from the North Dakota State University Center for Social Research to develop a survey tool for our key stakeholder groups. The survey tool incorporated the University of North Dakota's Center for Rural Health community health needs assessment tool and the Fletcher Allen community health needs assessment tool. North Dakota State University and the University of North Dakota Center for Rural Health worked together to develop additional questions and to ensure that scientific methodology was incorporated in the design.

Finally, it was the desire of the collaborative that the data would be shared broadly with others and that if possible it would be hosted on a web site where there could be access for a broad base of community, state and regional individuals and groups.

This community health needs assessment was conducted during FY 2012 and FY 2013. The main model for our work is the Association for Community Health Improvement's (ACHI) Community Health Needs Assessment Toolkit.

The following qualitative data sets were studied:

- Survey of Sioux Falls Key Stakeholders
- City of Sioux Falls Health Department - Live Well Sioux Falls CHANGE Assessment Results
- 2011 Community Health Status Report – City of Sioux Falls

The following quantitative data sets were studied:

- 2011 County Health Profiles for Minnehaha and Lincoln Counties
- Aging Profiles for Minnehaha and Lincoln Counties
- Diversity Profiles for Minnehaha and Lincoln Counties

Asset mapping was conducted by reviewing the data and identifying the unmet needs from the various surveys and data sets. The process implemented in this work was based on the McKnight Foundation model - Mapping Community Capacity by John L. McKnight and John P. Kretzmann, Institute for Policy Research at Northwestern University.

Each unmet need was researched to determine what resources were available in the community to address the needs. The Sanford Health Steering Committee performed the asset mapping and reviewed the findings. The group conducted an informal gap analysis to determine what needs remained after resources were thoroughly researched. Once gaps were determined the group proceeded to the prioritization process. The multi-voting methodology was implemented to determine what top priorities would be further developed into implementation strategies.

Sioux Falls Community Health Needs Assessment of Community Leaders

The purpose of the community leader survey was to explore the views of key leaders in the greater Sioux Falls area (e.g., health professionals, social workers, educators, elected leadership, and nonprofit leaders) regarding the resident population's health and the prevalence of disease and health issues within the community.

The community leaders' survey included a set of questions at the end relating to the respondents' name, title, affiliation, area of expertise, city/town, and state. These questions were included to fulfill the current interpretation of IRS requirements for non-profit hospitals conducting community health needs assessments as part of the new compliance requirements imposed by the Patient Protection and Affordable Care Act signed into law on March 23, 2010.

A total of 92 surveys were completed through a Survey Monkey link. The purpose of this survey was to learn about the perceptions of area key stakeholders regarding the prevalence of disease and health issues in their community.

2011 County Health Profiles

The County Health Profiles are based largely on the County Health Rankings from the Mobilizing Action Toward Community Health (MATCH), collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute. State and national benchmarking required additional data sources including the U.S. Census Bureau, Small Area Health Insurance Estimates, and the Centers for Disease Control and Prevention's National Center for Health Statistics – the Health Indicators Warehouse.

Aging Profiles

The Aging Profiles are based on data from the U.S. Census Bureau, 2010 Census Summary File 1, and 2006-2010 American Community Survey Five-Year Estimates (sample data). The estimates presented are meant to give perspective on characteristics across age categories; however, because they are based on sample data, one should use caution when interpreting small numbers. Blank values reflect data that is missing or not available.

Diversity Profiles

The Diversity Profiles are based on data from the U.S. Census Bureau, 2010 Census Summary File 1, and 2006-2010 American Community Survey Five-Year Estimates (sample data). The estimates presented are meant to give perspective on characteristics across race and ethnic categories; however, because they are based on sample data, one should use caution when interpreting small numbers. Blank values reflect data that is missing or not available. Racial categories not represented include Native Hawaiian and Other Pacific Islander alone, Some other race alone, and Two or More races.

Limitations

The Sanford Health Community Health Needs Assessment Steering Group attempted to survey key community leaders and stakeholders for the purpose of determining the needs of the community. While 92 surveys were returned, there were still many key stakeholders who did not complete the survey.

The survey asked for individual perceptions of community health issues and is subjective to individual experiences which may or may not be the current status of the community.

Primary Research

Summary of the Survey Results

Sanford USD Medical Center distributed the community health needs assessment survey tool that was developed by the Greater Fargo-Moorhead Community Health Needs Assessment Collaborative to key stakeholder groups as a method of gathering input from a broad cross section of the Sioux Falls community. Findings discussed in this section are a result of the analysis of the survey qualitative data.

Respondents had very high levels of agreement that their community has educational opportunities and programs, the community is a good place to raise kids, and there is quality health care. However, respondents agreed the least that there is tolerance, inclusion, and open-mindedness in their community, and that there is effective transportation.

Respondents were most concerned about child abuse and neglect, substance abuse, domestic violence and issues regarding the aging population (e.g. availability and cost of long-term care and availability of resources to help the elderly stay in their homes). Respondents were also concerned with issues regarding children and youth (e.g. availability and cost of quality child care, and bullying).

Environmental issues regarding garbage and litter, water quality, air quality, and noise levels were not a large concern.

Among health and wellness concerns, respondents were most concerned about the costs associated with health insurance, health care, and prescription drugs. Respondents were also concerned about physical health issues, particularly obesity, poor nutrition and eating habits, and inactivity or lack of exercise. The adequacy of health insurance (i.e., amount of co-pays and deductibles) and access to health insurance coverage (i.e., pre-existing conditions), as well as chronic disease (e.g. diabetes, health disease, cancer) stress and depression were also among the top health and wellness concerns among respondents. Respondents were least concerned about patient confidentiality and distance to health care services.

Community Assets/Best Things about the Community

Using a 1 to 5 scale, with 1 being “not at all” and 5 being “a great deal,” respondents were asked to rate their level of agreement with various statements about their community regarding people, services and resources, and quality of life.

Respondents indicated the top five community assets or best things about the community were:


- there is quality health care
- there are quality higher education opportunities and institutions
- the community is a good place to raise kids
- there are quality school systems and programs for youth
- people are friendly, helpful, and supportive

Overall, respondents had moderately high levels of agreement regarding positive statements that reflect the people in their community (*Figure 1*).

- On benchmark, respondents agreed the most that people in their community are friendly, helpful and supportive.
- Respondents also had a fairly high level of agreement that there is a sense of community or feeling connected to people who live here.
- Although still a moderate level of agreement, respondents agreed the least that there is tolerance, inclusion, and open-mindedness in their community.


Respondents were asked to rate their level of agreement with various statements regarding PEOPLE, SERVICES AND RESOURCES, QUALITY OF LIFE, GEOGRAPHIC SETTING, and ACTIVITIES in their community.

Figure 1. Level of agreement with statements about the community regarding PEOPLE




*Means exclude "do not know" responses.

Figure 2. Level of agreement with statements about the community regarding SERVICES AND RESOURCES




Means exclude "do not know" responses.

Figure 3. Level of agreement with statements about the community regarding QUALITY OF LIFE




Means exclude "do not know" responses.

Figure 4. Level of agreement with statements about the community regarding the GEOGRAPHIC SETTING



*Means exclude "do not know" responses.

Figure 5. Level of agreement with statements about the community regarding ACTIVITIES




*Means exclude "do not know" responses.

General Concerns about the Community


Respondents were asked to rate their level of concern with various statements regarding ECONOMIC ISSUES, SERVICES AND RESOURCES, TRANSPORTATION, ENVIRONMENTAL POLLUTION, YOUTH CONCERNS, and SAFETY CONCERNS in their community.

Figure 6. Level of concern with statements about the community regarding ECONOMIC ISSUES




*Means exclude "do not know" responses.

Figure 7. Level of concern with statements about the community regarding SERVICES AND RESOURCES




*Means exclude "do not know" responses.

Figure 8. Level of concern with statements about the community regarding TRANSPORTATION




*Means exclude "do not know" responses.

Figure 9. Level of concern with statements about the community regarding ENVIRONMENTAL POLLUTION




*Means exclude "do not know" responses.

Figure 10. Level of concern with statements about the community regarding YOUTH CONCERNS



*Means exclude "do not know" responses.

Figure 11. Level of concern with statements about the community regarding SAFETY CONCERNS




*Means exclude "do not know" responses.

Community Health and Wellness Concerns


Respondents were asked to rate their level of concern about health and wellness issues in their community regarding ACCESS TO HEALTH CARE, SUBSTANCE USE AND ABUSE, PHYSICAL HEALTH, MENTAL HEALTH, and ILLNESS.

Figure 12. Level of concern with statements about the community regarding ACCESS TO HEALTH CARE




*Means exclude "do not know" responses

Figure 13. Level of concern with statements about the community regarding SUBSTANCE USE AND ABUSE




*Means exclude "do not know" responses.

Figure 14. Level of concern with statements about the community regarding PHYSICAL HEALTH




*Means exclude "do not know" responses.

Figure 15. Level of concern with statements about the community regarding MENTAL HEALTH



*Means exclude "do not know" responses.

Figure 16. Level of concern with statements about the community regarding ILLNESS




*Means exclude "do not know" responses.

Delivery of Health Care in the Community

Respondents were asked to rate how well DELIVERY OF HEALTH CARE topics are being addressed in their community.

Figure 17. How well topics related to DELIVERY OF HEALTH CARE in the community are being addressed



*Means exclude "do not know" responses.

Personal Health Care Information


The top three reasons respondents gave for their choice of primary health care provider were quality of services, being influenced by their health insurance, and location.

More than half of the respondents said they had not had a cancer screening or cancer care in the past year. The most common reason for not having done so was because their doctor had not suggested it. "Not necessary" was also a reason respondents gave.

Fear and cost were the responses least given.

Respondents were asked whether they had a cancer screening or cancer care in the past year, and if they had not, reasons for not having done so.


Figure 18. Whether respondents had a cancer screening or cancer care in the past year



Cancer Screening

Among respondents who had not had a cancer screening or cancer care in the past year, 63.2% said their doctor had not suggested it.


Figure 19. Among respondents who have not had a cancer screening or cancer care in the past year, reasons for not having done so



Health Care Coverage

Respondents were asked how they had paid for health care costs, for themselves or family members, over the last 12 months. A majority of respondents said they had paid for health care costs over the last 12 months by health insurance. Personal income and private health insurance were also used.


Figure 20. Methods respondents have used to pay for health care costs over the last 12 months



Primary Care Provider

The top reasons respondents gave for their choice of primary health care provider were quality of services, location, and availability of services and sense of being valued as a patient (*Figure 21*). One in four respondents said choosing their primary health care provider was influenced by their health insurance.


Figure 21. Respondents' reasons for choosing primary health care provider



Respondent's Primary Care Provider

Respondents were asked which provider they used for their primary health care. Four in five respondents said they use Sanford Health as their primary care provider.


Figure 22. Primary Health Care Provider



Respondents Representing Chronic Disease

Respondents were asked to select their personal general health conditions/diseases. Weight control received the most responses with 29.3% of participants selecting this condition. The chronic diseases found among respondents include arthritis, asthma, cancer, heart disease, diabetes, Alzheimer's, hypertension, hypercholesterolemia, and depression. (Figure 23)


Figure 23. Respondent's health/chronic diseases



Distance to Access Medical Care

Respondents were asked how far they have to drive to access medical care. Over 90% responded that they had less than 20 miles to drive. No one answered over 50 miles.


Figure 23. Distance traveled to access health care



Demographic Information


The majority of respondents are between the ages of 35 and 54, with 32.1% falling between 45 and 54 years of age.

Figure 24. Respondents' age distribution.




Most respondents (82.1%) have a Bachelor's degree or higher. A Bachelor's degree was held by 51.3% of respondents and 30.8% have a graduate or professional degree.

Figure 25. Respondent's education



More females responded to the survey than males (53.9% males compared to 46.1% females).

Figure 26. Respondents by gender



Live Well Sioux Falls – CHANGE Assessment Results

The Sioux Falls Health Department conducted a community health needs assessment utilizing the Centers for Disease Control and Prevention Community Health Assessment and Group Evaluation (CHANGE) tool. The CHANGE tool allows local stakeholders to work together in a collaborative process to survey their community; offers suggestions and examples of policy, systems, and environmental change strategies; and provides feedback to communities as they institute local-level change for healthy living.

There are Five Sectors of the CHANGE Tool, and for each sector, the tool includes specific questions to be answered in the areas of demographics, physical activity, nutrition, tobacco, chronic disease management, and leadership. In addition, the school sector includes questions related to the school district and after-school program. The five sectors include:

- Community-At-Large Sector includes community-wide efforts that impact the social and built environments, such as improving food access, walkability or bikeability, tobacco use and exposure, or personal safety.
- Community Institution/Organization Sector includes entities within the community that provide a broad range of human services and access to facilities, such as childcare settings, faith-based organizations, senior centers, boys and girls clubs, YMCAs, and colleges or universities.
- Health Care Sector includes places where people go to receive preventive care or treatment or emergency health care services, such as hospitals, private doctors' offices, and community clinics.
- School Sector includes all primary and secondary learning institutions (e.g. elementary, middle, and high schools, whether private, public, or parochial).
- Work Site Sector includes places of employment, such as private offices, restaurants, retail establishments, and government offices.

The results of the 2012 Sioux Falls Department of Health Community Assessment are published in the 2012 Community Health Status Report at www.cityofsiouxfalls.org/health/comm.-health-status.aspx and in the Appendix of this report. The top five identified needs include:

- Chronic disease management
- Leadership engagement
- Physical activity
- Nutrition
- Tobacco use

Live Well Sioux Falls leadership and partners have developed key strategies to address the identified needs at the sector level. Each sector has identified a main strategy for implementation. Community-wide strategies continue to evolve. Sanford USD Medical Center is committed to serve the City of Sioux Falls Health Department by working in partnership to meet the community needs.

Secondary Research

Sanford USD Medical Center analyzed the 2011 County Profiles for Minnehaha and Lincoln counties and secured benchmarking data for the state of South Dakota and for the United States as a whole. The 2011 County Profiles are based largely on the County Health Rankings from the Mobilizing Action Toward Community Health (MATCH), a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute. State and national benchmarking required additional data sources, including the U.S. Census Bureau, Small Area Health Insurance Estimates, and the Centers for Disease Control and Prevention’s National Center for Health Statistics – the Health Indicators Warehouse.

HEALTH OUTCOMES

Mortality

The Mortality health outcomes indicate that South Dakota as a state has more premature deaths than the national benchmark. While both the state of South Dakota and Minnehaha County have more premature deaths than the national benchmark, Lincoln County has a lower rate than the national benchmark and South Dakota as a whole. Map 1 in the Appendix provides a county view of the premature deaths within the five-state region.

		National Benchmark	South Dakota	Minnehaha County	Lincoln County
Premature death	Years of potential life lost before age 75 per 100,000 (age-adjusted), 2005-2007	5,564	6,815	5,941	5,190

Morbidity

The Morbidity health outcomes indicate that South Dakota citizens report more days of poor health (self-reported) than the national benchmark; however, Minnehaha County is at the national benchmark and Lincoln County reports slightly better health days. South Dakota and Minnehaha County report more physically unhealthy days than the national benchmark, while Lincoln County reports better physically healthy days.

South Dakota and Minnehaha County report more mentally unhealthy days (self-reported) than the national benchmark. Lincoln County is above the national benchmark for mentally unhealthy days and reports fewer mentally unhealthy days.

Minnehaha and Lincoln counties have a higher percentage of low birth weight than the national benchmark, and South Dakota also has a higher percentage of low birth weight than the national benchmark. Maps 1 -2 in the Appendix provide county views of the morbidity indicators within the five-state region.

		National Benchmark	South Dakota	Minnehaha County	Lincoln County
Poor or fair health	Percent of adults reporting fair or poor health (age-adjusted), 2003-2009	10%	12%	10%	8%
Poor physical health days	Benchmark number of physical unhealthy days reported in past 30 days (age-adjusted), 2003-2009	2.6	2.8	2.9	1.9
Poor mental health days	Benchmark number of mentally unhealthy days reported in past 30 days (age-adjusted), 2003-2009	2.3	2.6	2.6	1.9
Low birth weight	Percent of live births with low birth weight (<2,500 grams), 2001-2007	6.0%	6.8%	6.8%	6.1%

HEALTH FACTORS

Health Behaviors

The Health Behavior outcomes indicate that South Dakota and Minnehaha County have higher percentages of adult smokers (equal to or greater than 100 cigarettes) than the national benchmark while Lincoln County is lower than the national benchmark. Adult obesity (greater than or equal to 30 BMI) is also higher in South Dakota and Minnehaha and Lincoln counties. South Dakota and Minnehaha and Lincoln counties have a higher percentage of physical inactivity than the national benchmark.

South Dakota (19%), Minnehaha County (19%), and Lincoln County (23%) all have a much higher percentage of binge drinking reports (more than four drinks on one occasion for women and more than five for men) than the national benchmark (8%).

Motor vehicle crash death rates are higher than the national benchmark (12) in South Dakota (23.7); however, the rate is near the national benchmark in Lincoln County (13.1) and is higher in Minnehaha County (15.3).

Sexually transmitted infections rank substantially higher than the national benchmark (83) for South Dakota (371.3), and Minnehaha County (433.1). Lincoln County (60.4) ranks lower than the national benchmark for sexually transmitted infections.

The teen birth rate is higher in South Dakota (38.7) and Minnehaha County (36.2) than the national benchmark (22), but is lower in Lincoln County (18.2). Maps 6 -12 in the Appendix provide county views of the Health Behavior indicators within the five-state region.

		National Benchmark	South Dakota	Minnehaha County	Lincoln County
Adult smoking	Percent of adults who currently smoke and have smoked at least 100 cigarettes in their lifetime, 2003-2009	15%	20%	20%	13%
Adult obesity	Percent of adults that report a body mass index (BMI) of at least 30 kg/m ² , 2008	25%	29%	28%	26%
Physical inactivity	Percent of adults reporting no leisure physical activity, 2008	20%	26%	23%	21%
Excessive drinking	Percent of adults reporting binge drinking and heavy drinking, (consuming >4 for women and >5 for men on a single occasion) 2003-2009	8%	19%	19%	23%
Motor vehicle crash death rate	Motor vehicle crash deaths per 100,000 population, 2001-2007	12.0	23.7	15.3	13.1
Sexually transmitted infections	Number of Chlamydia cases (new cases reported) per 100,000 population 2008	83.0	371.3	433.1	60.4
Teen birth rate	Number of teen births per 100,000 females ages 15-19, 2001-2007	22.0	38.7	36.2	18.2

Clinical Care

The Clinical Care outcomes indicate that South Dakota and has a higher percentage of uninsured adults than the national benchmark while Minnehaha and Lincoln counties have a lower percentage. The percentage of uninsured youth in Lincoln County and in South Dakota as a whole is slightly higher than the national benchmark. Minnehaha County has a lower percentage of uninsured youth than the national benchmark.

The ratio of population to primary care physicians is less positive in South Dakota than the national benchmark; however, both Lincoln and Minnehaha counties have a more positive ratio.

The ratio of population to mental health providers is less positive in South Dakota and Minnehaha County than the national benchmark. Lincoln County has a much more favorable ratio.

The number of professionally active dentists is lower than the national benchmark in South Dakota and Minnehaha County, but higher in Lincoln County.

Preventable hospital stays are higher than the national benchmark in South Dakota, Lincoln and Minnehaha counties.

Diabetes screening in South Dakota and in Minnehaha County is lower than the national benchmark. The rate of diabetes screening is higher in Lincoln County than the national benchmark.

Minnehaha County and South Dakota rank lower than the national benchmark for mammography screenings, while Lincoln County ranks slightly higher the national benchmark.

Maps 13-20 in the Appendix provide county views of the Clinical Care indicators within the five-state region.

		National Benchmark	South Dakota	Minnehaha County	Lincoln County
Uninsured adults	Percent of adult population ages 18-64 without health insurance, 2007	13%	16%	11%	12%
Uninsured youth	Percent of youth ages 0-18 without health insurance.	7%	9%	6%	9%
Primary Care Physicians	Ratio of population to primary care physicians, 2008	631:1	769:1	588:1	451:1
Mental Health Providers	Ratio of total population to mental health providers, 2008	2,242:1	3,544:1	2,607:1	1,280:1
Dentist rate	Number of professionally active dentists per 100,000 population, 2007	69.0	50.0	44.6	78.1
Preventable hospital stays	Hospitalization discharges for ambulatory care-sensitive conditions per 1,000 Medicare enrollees, 2006-2007	52.0	68.6	62.8	65.7
Diabetes screening	Percent of Medicare enrollees with diabetes that receive HbA1c screening, 2006-2007	89%	83%	84%	91%
Mammography screening	Percent of female Medicare enrollees that receive mammography screening, 2006-2007	74%	68%	70%	76%

Social and Economic Factors

The Social and Economic Factors outcomes indicate that South Dakota and Minnehaha and Lincoln counties all have a lower high school graduation rate than the national benchmark; however, Lincoln County has a higher percentage of post secondary education than the national benchmark. South Dakota and Minnehaha County have a lower percentage of post secondary education than the national benchmark.

The unemployment rate was lower in South Dakota than the national benchmark during 2009, and was also lower in Minnehaha and Lincoln counties.

The percentage of child poverty is higher in South Dakota than the national benchmark. The percentage of child poverty is lower in Minnehaha and Lincoln counties.

Inadequate social support is higher in South Dakota and Minnehaha County than the national benchmark; however, it is lower than the national benchmark in Lincoln County.

The percentage of children in single parent households is higher than the national benchmark in South Dakota and Minnehaha County, but is lower in Lincoln County.

The number of homicide deaths in South Dakota and Minnehaha County is higher than the national benchmark. There was no data for homicide deaths in Lincoln County.

Maps 21-27 in the Appendix provide county views of the Social and Economic indicators within the five-state region.

		National Benchmark	South Dakota	Minnehaha County	Lincoln County
High school graduation	Percent of ninth-grade cohort in public schools that graduates from high school in four years 2006-2007	92%	83%	80%	85%
Some college	Percent of adults ages 25-44 with some post-secondary education, 2005-2009	68%	64%	65%	72%
Unemployment	Percent of population ages 16 and older that is unemployed but seeking work 2009	5.3%	4.8%	4.8%	4.2%
Child poverty	Percent of children ages 0-17 living below the Federal Poverty Line, 2008	11%	18%	11%	5%
Inadequate social support	Percent of adults that never, rarely, or sometimes get the social and emotional support they need, 2003-2009	14%	17%	17%	12%
Children in single parent households	Percent of children in families that live in a household headed by a parent with no spouse present, 2005-2009	20%	29%	30%	17%
Homicide rates	Number of deaths due to murder or non-negligent manslaughter per 100,000 population, 2001-2007	1.0	2.5	1.0	NA

Physical Environment

The Physical Environment outcomes indicate that there is no air pollution or ozone pollution in this area. Access to healthy food is ranked far below the national benchmark for South Dakota. In this rural area there can be a far distance to travel to grocery stores, and there are food deserts in some communities where only a gas station convenience store is close to home. Access to healthy food is also ranked far below the national benchmark for Minnehaha and Lincoln counties.

Access to recreational facilities ranks lower than the national benchmark for South Dakota, Minnehaha and Lincoln County.

Maps 28 – 31 in the Appendix provide county views of the Physical Environment indicators within the five-state region.

		National Benchmark	South Dakota	Minnehaha County	Lincoln County
Air pollution-particulate matter	Number of days air quality was unhealthy for sensitive populations due to fine particulate matter, 2006	0	0	0	0
Air pollution-ozone	Number of days air quality was unhealthy for sensitive populations due to ozone levels, 2006	0	0	0	0
Access to healthy foods	Percent of zip codes with a healthy food outlet (i.e. grocery store or produce stand/farmers market), 2008	92%	42%	65%	50%
Access to recreational facilities	Number of recreational facilities per 100,000 population 2008	17.0	13.0	13.0	15.0

Demographics

Youth account for 24% of the population in Minnehaha County and 29% of the population in Lincoln County. Elderly account for 12% of the population in Minnehaha County and for 6% of the population in Lincoln County.

Fifteen percent (15%) of Minnehaha County is rural compared to 48% of South Dakota and 21% as the national benchmark. Twenty nine percent (29%) of Lincoln County is rural.

Only 2% of South Dakotans, 4 % of the Minnehaha County, and 1% of Lincoln County's population is not proficient in English compared to the national benchmark, which is 9%.

South Dakota and Minnehaha County at 7% each, and Lincoln County at 5%, have a low illiteracy rate compared to the national benchmark of 15%.

Maps 32 –36 in the Appendix provide county views of the demographics within the five-state region.

		National Benchmark	South Dakota	Minnehaha County	Lincoln County
Youth	Percent of total population ages 0-17, 2009	24%	25%	24%	29%
Elderly	Percent of total population ages 65 and older, 2009	13%	14%	12%	6%
Rural	Percent of total population living in rural area, 2000	21%	48%	15%	61%
Not English Proficient	Percent of total population that speaks English less than "very well". 2005-2009	9%	2%	4%	1%
Illiteracy	Percent of population ages 16 and older that lacks basic prose literacy skills, 2003	15%	7%	7%	5%

Population by Age

The population for this area is relatively young with only 1-2% older than 85 years of age and only 9-11% older than 65 years of age.

The gender distribution is 50-50 % across South Dakota, Minnehaha and Lincoln counties.

	National Benchmark	South Dakota	Minnehaha County	Lincoln County
Total population	308,745,538	814,180	169,468	44,828
Percent ages 65 and older	13%	14%	11%	9%
Percent 85 and older	2%	2%	2%	1%
Percent male	49%	50%	50%	50%
Percent female	51%	50%	50%	50%

Based on 2010 Census data

Housing

The majority of individuals in this region own their home with the largest percentage of home ownership in Lincoln County (78%).

	National Benchmark	South Dakota	Minnehaha County	Lincoln County
Percent of occupied housing that is owner-occupied	65%	74%	65%	78%
Percent of occupied housing that is renter-occupied	35%	26%	35%	22%

Based on 2010 Census data

Economic Security

According to the 2010 Census Data, the population of working age in the labor force is 69% in South Dakota, and is higher in Minnehaha County at 75% and in Lincoln County at 80%. The percentage of those in South Dakota who are living at less than 100% of the Federal poverty level is 14%, which matches the national benchmark. The percent of the total population with an income less than 100% of the Federal poverty level is at 10% in Minnehaha County and at 4% in Lincoln County. In South Dakota the percent living with an income less than 200% of the Federal poverty level is at 33% compared to the national benchmark of 32%. The percent of the total population with an income less than 200% of the Federal poverty level is at 27% in Minnehaha County and at 17% in Lincoln County.

Annual income is \$46,369 in South Dakota, which is below the national benchmark. Minnehaha is near the national benchmark at \$51,799 and Lincoln County is much higher than the national benchmark at \$67,365.

	National Benchmark	South Dakota	Minnehaha County	Lincoln County
Percent of working age population in the labor force	65%	69%	75%	80%
Percent of total population with income less than 100% of poverty	14%	14%	10%	4%
Percent of total population with income less than 200% of poverty	32%	33%	27%	17%
Median household income	\$51,914	\$46,369	\$51,799	\$67,365
Owner occupied housing units	76,089,650	217,250	43,143	12,017
Percent spending 30% or more income toward housing costs	30%	20%	21%	20%
Renter occupied housing units	38,146,346	98,218	22,319	3,765
Percent renters spending 30% or more of income toward housing costs	47%	35%	39%	39%

Diversity Profile

The population distribution by race demonstrates that South Dakota is predominantly white, followed by American Indian, Hispanic, Black, and Asian.

	National Benchmark	South Dakota	Minnehaha County	Lincoln County
Total population	308,745,538	814,180	169,468	44,828
White alone	223,553,265	699,392	149,220	43,068
Asian alone	14,674,252	7,610	2,509	462
Black alone	38,929,319	10,207	6,407	320
Hispanic origin – of any race	50,477,594	22,119	6,982	553
American Indian	2,932,248	71,817	4,197	228

Health Needs Identified

The identified needs from the surveys and analysis of secondary data indicated the following:

- Dental care
- Services for the elderly

Community Assets/Prioritization Process

A review of the primary and secondary research concerns was conducted followed by an asset mapping exercise to determine what resources were available to address the needs. An informal gap analysis was conducted at the conclusion of the asset mapping work.

Table 1 in the Appendix displays the concerns and assessed needs that were determined by the assessment and includes the assets in the community that address the needs.

The priorities that remain include:

- Dental care
- Services for the elderly
- Mental health services
- Physical health specific to obesity

Table 2 in the Appendix displays the unmet needs that were determined after the asset mapping exercise and the prioritized list of remaining needs.

Sustainable Community Collaborative

The Live Well Sioux Falls Collaborative continues to meet to develop strategies that address the unmet needs of the community. The City of Sioux Falls Health Department is leading this work.

Sanford Health continues to work in partnership with the collaborative and will incorporate additional strategies from the developing plans as appropriate to the medical center implementation strategies.

IMPLEMENTATION STRATEGY

Sanford USD Medical Center 2013 Community Health Needs Assessment Implementation Strategy

The following unmet needs were identified through a formal community health needs assessment, resource mapping and prioritization process for Sanford Sheldon:

- Dental care
- Services for the elderly

Implementation Strategy: Elderly Services

- Consider the recruitment of Geriatricians
- Nurse-led clinics - explore external funding opportunities to:
 - Consider expansion of CareSpan (walk-in nurse-run elder care clinic) hours and locations
 - Consider expansion of Foot Care Clinics hours and locations
- Continue and expand community-based nurse-led dialogues regarding Healthcare Directives and end-of-life care
- Consider establishing an older adult population advisory council within the community

Implementation Strategy: Dental Care

- Explore opportunities to help promote either free or sliding scale fee dental services and programs already offered in the community (e.g. Falls Community Health Center and Ronald McDonald Mobile Care Unit)

2013 Community Health Needs Assessment Enterprise Implementation Strategy

The following unmet needs were identified through a formal community health needs assessment, resource mapping and prioritization process:

- Mental Health Services
- Obesity

Implementation Strategy: Mental Health Services - Sanford One Mind

- Completion (to the extent resources allow) of full integration of Behavioral Health services in all primary care clinics in Fargo and Sioux Falls
- Completion (to the extent resources allow) of full integration of Behavioral Health services or access to Behavioral Health outreach in all regional clinic sites in the North, South and Bemidji regions
- Complete presentation of outcomes of first three years of integrated Behavioral Health services
- Implementation of integrated Behavioral Health into clinics in new regions
- Design Team for Inpatient Psychiatric Unit, Partial Hospitalization and Clinic Space for Fargo presents recommendations for design of new spaces
- Design Team for Sioux Falls Inpatient Psychiatric Units and Partial Hospitalization

Implementation Strategy: Obesity

- Medical Management for Obesity
 - Develop CME curriculum for providers and interdisciplinary teams across the enterprise inclusive of medical, nutrition, nursing, and Behavioral Health professionals
- Develop community education programming
 - Include the following program options in the curriculum to create awareness of existing resources:
 - Family Wellness Center
 - Honor Your Health Program
 - WebMD Fit Program
 - Bariatric Services
 - Eating Disorder Institute
 - Mental Health/Behavioral Health
 - Profile
- Actively participate in community initiatives to address wellness, fitness and healthy living

APPENDIX

2011 County Health Profile

An adaptation of the County Health Rankings Project for the Fargo-Moorhead
Community Health Needs Assessment Collaborative

Minnehaha County

South Dakota

HEALTH OUTCOMES		Minnehaha	*National Benchmark	South Dakota
<i>Mortality</i>				
Premature death	Years of potential life lost before age 75 per 100,000 population (age-adjusted), 2005-2007	5,941	5,564	6,815
<i>Morbidity</i>				
Poor or fair health	Percent of adults reporting fair or poor health (age-adjusted), 2003-2009	10%	10%	12%
Poor physical health days	Average number of physically unhealthy days reported in past 30 days (age-adjusted), 2003-2009	2.9	2.6	2.8
Poor mental health days	Average number of mentally unhealthy days reported in past 30 days (age-adjusted), 2003-2009	2.6	2.3	2.6
Low birthweight	Percent of live births with low birthweight (<2,500 grams), 2001-2007	6.8%	6.0%	6.8%
HEALTH FACTORS				
<i>Health Behaviors</i>				
Adult smoking	Percent of adults that currently smoke and have smoked at least 100 cigarettes in their lifetime, 2003-2009	20%	15%	20%
Adult obesity	Percent of adults that report a body mass index (BMI) of at least 30 kg/m ² , 2008	28%	25%	29%
Physical inactivity	Percent of adults reporting no leisure time physical activity, 2008	23%	20%	26%
Excessive drinking	Percent of adults reporting binge drinking and heavy drinking**, 2003-2009	19%	8%	19%
Motor vehicle crash death rate	Motor vehicle crash deaths per 100,000 population, 2001-2007	15.3	12.0	23.7
Sexually transmitted infections	Number of chlamydia cases (new cases reported) per 100,000 population, 2008	433.1	83.0	371.3
Teen birth rate	Number of teen births per 1,000 females ages 15-19, 2001-2007	36.2	22.0	38.7
<i>Clinical Care</i>				
Uninsured adults	Percent of adult population ages 18-64 without health insurance, 2007	11%	13%	16%
Uninsured youth	Percent of youth ages 0-18 without health insurance, 2007	6%	7%	9%
Primary care physicians	Ratio of total population to primary care physicians, 2008	588:1	631:1	769:1
Mental health providers	Ratio of total population to mental health providers, 2008	2,607:1	2,242:1	3,544:1
Dentist rate	Number of professionally active dentists per 100,000 population, 2007	44.6	69.0	50.0
Preventable hospital stays	Hospitalization discharges for ambulatory care-sensitive conditions per 1,000 Medicare enrollees, 2006-2007	62.8	52.0	68.6
Diabetic screening	Percent of diabetic Medicare enrollees that receive HbA1c screening, 2006-2007	84%	89%	83%
Mammography screening	Percent of female Medicare enrollees that receive mammography screening, 2006-2007	70%	74%	68%

HEALTH FACTORS (continued)		Minnehaha	*National Benchmark	South Dakota
<i>Social and Economic Factors</i>				
High school graduation	Percent of ninth-grade cohort in public schools that graduates from high school in four years, 2006-2007	80%	92%	83%
Some college	Percent of adults ages 25-44 with some post-secondary education, 2005-2009	65%	68%	64%
Unemployment	Percent of population ages 16 and older that is unemployed but seeking work, 2009	4.8%	5.3%	4.8%
Child poverty	Percent of children ages 0-17 living below the Federal Poverty Line, 2008	11%	11%	18%
Inadequate social support	Percent of adults that never, rarely, or sometimes get the social and emotional support they need, 2003-2009	17%	14%	17%
Children in single-parent households	Percent of children in families that live in a household headed by a parent with no spouse present, 2005-2009	30%	20%	29%
Homicide rate	Number of deaths due to murder or non-negligent manslaughter per 100,000 population, 2001-2007	1.9	1.0	2.5
<i>Physical Environment</i>				
Air pollution-particulate matter	Number of days air quality was unhealthy for sensitive populations due to fine particulate matter, 2006	0	0	0
Air pollution-ozone	Number of days air quality was unhealthy for sensitive populations due to ozone levels, 2006	0	0	0
Access to healthy foods	Percent of zip codes with a healthy food outlet (i.e., grocery store or produce stand/farmers' market), 2008	65%	92%	42%
Access to recreational facilities	Number of recreational facilities per 100,000 population, 2008	13.0	17.0	13.0
<i>Demographics</i>				
Youth	Percent of total population ages 0-17, 2009	24%	24%	25%
Elderly	Percent of total population ages 65 and older, 2009	12%	13%	14%
Rural	Percent of total population living in a rural area, 2000	15%	21%	48%
Not English proficient	Percent of total population that speaks English less than "very well," 2005-2009	4%	9%	2%
Illiteracy	Percent of population ages 16 and older that lacks basic prose literacy skills, 2003	7%	15%	7%

*The national benchmark is the 90th percentile (i.e., 10% of counties nationwide ranked better). **Binge drinking is defined as consuming more than 4 (for women) or 5 (for men) alcoholic beverages on a single occasion in the past 30 days. Heavy drinking is defined as drinking more than 1 (for women) or 2 (for men) alcoholic beverages per day on average. - Blank values reflect unreliable or missing data.

Source: The overall format and content of the County Health Profiles is based largely on County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>. Additional data sources include the U.S. Census Bureau, Small Area Health Insurance Estimates, <http://www.census.gov/sahie/> and the Centers for Disease Control and Prevention's National Center for Health Statistics - the Health Indicators Warehouse, <http://healthindicators.gov> and "Health, United States, 2010," Table 109, <http://www.cdc.gov/nchs/hus.htm>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. The 2011 County Health Profile was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

2011 County Health Profile

An adaptation of the County Health Rankings Project for the Fargo-Moorhead Community Health Needs Assessment Collaborative

Lincoln County

South Dakota

HEALTH OUTCOMES		Lincoln	*National Benchmark	South Dakota
<i>Mortality</i>				
Premature death	Years of potential life lost before age 75 per 100,000 population (age-adjusted), 2005-2007	5,190	5,564	6,815
<i>Morbidity</i>				
Poor or fair health	Percent of adults reporting fair or poor health (age-adjusted), 2003-2009	8%	10%	12%
Poor physical health days	Average number of physically unhealthy days reported in past 30 days (age-adjusted), 2003-2009	1.9	2.6	2.8
Poor mental health days	Average number of mentally unhealthy days reported in past 30 days (age-adjusted), 2003-2009	1.9	2.3	2.6
Low birthweight	Percent of live births with low birthweight (<2,500 grams), 2001-2007	6.1%	6.0%	6.8%
HEALTH FACTORS				
<i>Health Behaviors</i>				
Adult smoking	Percent of adults that currently smoke and have smoked at least 100 cigarettes in their lifetime, 2003-2009	13%	15%	20%
Adult obesity	Percent of adults that report a body mass index (BMI) of at least 30 kg/m ² , 2008	26%	25%	29%
Physical inactivity	Percent of adults reporting no leisure time physical activity, 2008	21%	20%	26%
Excessive drinking	Percent of adults reporting binge drinking and heavy drinking**, 2003-2009	23%	8%	19%
Motor vehicle crash death rate	Motor vehicle crash deaths per 100,000 population, 2001-2007	13.1	12.0	23.7
Sexually transmitted infections	Number of chlamydia cases (new cases reported) per 100,000 population, 2008	60.4	83.0	371.3
Teen birth rate	Number of teen births per 1,000 females ages 15-19, 2001-2007	18.2	22.0	38.7
<i>Clinical Care</i>				
Uninsured adults	Percent of adult population ages 18-64 without health insurance, 2007	12%	13%	16%
Uninsured youth	Percent of youth ages 0-18 without health insurance, 2007	9%	7%	9%
Primary care physicians	Ratio of total population to primary care physicians, 2008	451:1	631:1	769:1
Mental health providers	Ratio of total population to mental health providers, 2008	1,280:1	2,242:1	3,544:1
Dentist rate	Number of professionally active dentists per 100,000 population, 2007	78.1	69.0	50.0
Preventable hospital stays	Hospitalization discharges for ambulatory care-sensitive conditions per 1,000 Medicare enrollees, 2006-2007	65.7	52.0	68.6
Diabetic screening	Percent of diabetic Medicare enrollees that receive HbA1c screening, 2006-2007	91%	89%	83%
Mammography screening	Percent of female Medicare enrollees that receive mammography screening, 2006-2007	76%	74%	68%

HEALTH FACTORS (continued)	Lincoln	*National Benchmark	South Dakota
----------------------------	---------	---------------------	--------------

Social and Economic Factors

High school graduation	Percent of ninth-grade cohort in public schools that graduates from high school in four years, 2006-2007	85%	92%	83%
Some college	Percent of adults ages 25-44 with some post-secondary education, 2005-2009	72%	68%	64%
Unemployment	Percent of population ages 16 and older that is unemployed but seeking work, 2009	4.2%	5.3%	4.8%
Child poverty	Percent of children ages 0-17 living below the Federal Poverty Line, 2008	5%	11%	18%
Inadequate social support	Percent of adults that never, rarely, or sometimes get the social and emotional support they need, 2003-2009	12%	14%	17%
Children in single-parent households	Percent of children in families that live in a household headed by a parent with no spouse present, 2005-2009	17%	20%	29%
Homicide rate	Number of deaths due to murder or non-negligent manslaughter per 100,000 population, 2001-2007	-	1.0	2.5

Physical Environment

Air pollution-particulate matter	Number of days air quality was unhealthy for sensitive populations due to fine particulate matter, 2006	0	0	0
Air pollution-ozone	Number of days air quality was unhealthy for sensitive populations due to ozone levels, 2006	0	0	0
Access to healthy foods	Percent of zip codes with a healthy food outlet (i.e., grocery store or produce stand/farmers' market), 2008	50%	92%	42%
Access to recreational facilities	Number of recreational facilities per 100,000 population, 2008	15.0	17.0	13.0

Demographics

		Lincoln	United States	South Dakota
Youth	Percent of total population ages 0-17, 2009	29%	24%	25%
Elderly	Percent of total population ages 65 and older, 2009	6%	13%	14%
Rural	Percent of total population living in a rural area, 2000	61%	21%	48%
Not English proficient	Percent of total population that speaks English less than "very well," 2005-2009	1%	9%	2%
Illiteracy	Percent of population ages 16 and older that lacks basic prose literacy skills, 2003	5%	15%	7%

*The national benchmark is the 90th percentile (i.e., 10% of counties nationwide ranked better). **Binge drinking is defined as consuming more than 4 (for women) or 5 (for men) alcoholic beverages on a single occasion in the past 30 days. Heavy drinking is defined as drinking more than 1 (for women) or 2 (for men) alcoholic beverages per day on average. - Blank values reflect unreliable or missing data.

Source: The overall format and content of the County Health Profiles is based largely on County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>. Additional data sources include the U.S. Census Bureau, Small Area Health Insurance Estimates, <http://www.census.gov/sahie/> and the Centers for Disease Control and Prevention's National Center for Health Statistics - the Health Indicators Warehouse, <http://healthindicators.gov> and "Health, United States, 2010," Table 109, <http://www.cdc.gov/nchs/hus.htm>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. The 2011 County Health Profile was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Definitions of Health Variables

Definitions of Health Variables from the <i>County Health Rankings</i> 2011 Report Variable	Definition
Poor or Fair Health	Self-reported health status based on survey responses to the question: "In general, would you say that your health is excellent, very good, good, fair, or poor?"
Poor Physical Health Days (in past 30 days)	Estimate based on responses to the question: "Thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?"
Poor Mental Health Days (in past 30 days)	Estimate based on responses to the question: "Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?"
Adult Smoking	Percent of adults that report smoking equal to, or greater than, 100 cigarettes and are currently a smoker
Adult Obesity	Percent of adults that report a BMI greater than, or equal to, 30
Excessive Drinking	Percent of as individuals that report binge drinking in the past 30 days (more than 4 drinks on one occasion for women, more than 5 for men) or heavy drinking (defined as more than 1 (women) or 2 (men) drinks per day on average
Sexually Transmitted Infections	Chlamydia rate per 100,000 population
Teen Birth Rate	Birth rate per 1,000 female population, ages 15-19
Uninsured Adults	Percent of population under age 65 without health insurance
Preventable Hospital Stays	Hospitalization rate for ambulatory-care sensitive conditions per 1,000 Medicare enrollees
Mammography Screening	Percent of female Medicare enrollees that receive mammography screening
Access to Healthy Foods	Healthy food outlets include grocery stores and produce stands/farmers' markets
Access to Recreational Facilities	Rate of recreational facilities per 100,000 population
Physical Inactivity	Percent of adults aged 20 and over that report no leisure time physical activity
Primary Care Provider Ratio	Ratio of population to primary care providers
Mental Health Care Provider Ratio	Ratio of population to mental health care providers
Diabetes Screening	Percent of Medicare enrollees with diabetes that receive HbA1c screening
Binge Drinking	Percent of adults that report binge drinking in the last 30 days. Binge drinking is consuming more than 4 (women) or 5 (men) alcoholic drinks on one occasion.

Aging Profile

2010 Demographic and Socio-Economic Profile
for the Aging Population Ages 65 and Older

United States

CHARACTERISTICS	Total	AGE	
		Less than 65 Years	Ages 65 and Older
<i>Population</i> ¹			
Total population	308,745,538	268,477,554	40,267,984
Percent ages 65 and older	13%	-	100%
Percent ages 85 and older	2%	-	14%
Percent male	49%	50%	43%
Percent female	51%	50%	57%
<i>Living Arrangements</i>			
Total households (by age of householder) ¹	116,716,292	90,896,456	25,819,836
Percent with family households (i.e., at least two people who are related)	66%	70%	55%
Percent with householder living alone	27%	22%	43%
Grandparents living with their grandchildren* ²	6,445,885	3,594,928	2,850,957
Percent who are responsible for their grandchildren	41%	49%	31%
<i>Housing</i> ¹			
Percent of occupied housing that is owner-occupied	65%	62%	77%
Percent of occupied housing that is renter-occupied	35%	38%	23%
<i>Economic Security</i> ²			
Percent of working-age population in labor force	65%	74%	16%
Percent of total population with income less than 100% of poverty	14%	15%	8%
Percent of total population with income less than 200% of poverty	32%	32%	31%
Median household income (by age of householder)	\$51,914	\$48,998	\$33,906
Owner-occupied housing units (by age of householder)	76,089,650	57,117,163	18,972,487
Percent spending 30% or more of income toward housing costs	30%	31%	28%
Renter-occupied housing units (by age of householder)	38,146,346	33,079,489	5,066,857
Percent spending 30% or more of income toward housing costs	47%	46%	54%

Note: *The age categories for this indicator are grandparents ages 35 to 59 and grandparents ages 60 and older.

Source: U.S. Census Bureau, ¹2010 Census Summary File 1 and ²2006-2010 American Community Survey 5-Year Estimates (sample data). The estimates presented are meant to give perspective on characteristics across age categories; however, because they are based on sample data, one should use caution when interpreting small numbers. - Blank values reflect data that are missing or not applicable.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. The Aging Profile was prepared by researchers at North Dakota State University in Fargo for Sanford Health. May 2012

Aging Profile

2010 Demographic and Socio-Economic Profile
for the Aging Population Ages 65 and Older

Lincoln County

South Dakota

CHARACTERISTICS	AGE		
	Total	Less than 65 Years	Ages 65 and Older
<i>Population</i> ¹			
Total population	44,828	40,796	4,032
Percent ages 65 and older	9%	-	100%
Percent ages 85 and older	1%	-	16%
Percent male	50%	50%	45%
Percent female	50%	50%	55%
<i>Living Arrangements</i>			
Total households (by age of householder) ¹	16,649	14,107	2,542
Percent with family households (i.e., at least two people who are related)	74%	77%	56%
Percent with householder living alone	20%	16%	42%
Grandparents living with their grandchildren* ²	243	178	65
Percent who are responsible for their grandchildren	49%	56%	31%
<i>Housing</i> ¹			
Percent of occupied housing that is owner-occupied	78%	79%	74%
Percent of occupied housing that is renter-occupied	22%	21%	26%
<i>Economic Security</i> ²			
Percent of working-age population in labor force	80%	88%	20%
Percent of total population with income less than 100% of poverty	4%	4%	7%
Percent of total population with income less than 200% of poverty	17%	17%	25%
Median household income (by age of householder)	\$67,365	\$63,320	\$38,750
Owner-occupied housing units (by age of householder)	12,017	10,402	1,615
Percent spending 30% or more of income toward housing costs	20%	20%	24%
Renter-occupied housing units (by age of householder)	3,765	3,060	705
Percent spending 30% or more of income toward housing costs	39%	32%	69%

Note: *The age categories for this indicator are grandparents ages 35 to 59 and grandparents ages 60 and older.

Source: U.S. Census Bureau, ¹2010 Census Summary File 1 and ²2006-2010 American Community Survey 5-Year Estimates (sample data). The estimates presented are meant to give perspective on characteristics across age categories; however, because they are based on sample data, one should use caution when interpreting small numbers. - Blank values reflect data that are missing or not applicable.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. The Aging Profile was prepared by researchers at North Dakota State University in Fargo for Sanford Health. May 2012

Aging Profile

2010 Demographic and Socio-Economic Profile
for the Aging Population Ages 65 and Older

Minnehaha County

South Dakota

CHARACTERISTICS	AGE		
	Total	Less than 65 Years	Ages 65 and Older
<i>Population</i> ¹			
Total population	169,468	150,625	18,843
Percent ages 65 and older	11%	-	100%
Percent ages 85 and older	2%	-	16%
Percent male	50%	51%	42%
Percent female	50%	49%	58%
<i>Living Arrangements</i>			
Total households (by age of householder) ¹	67,028	54,716	12,312
Percent with family households (i.e., at least two people who are related)	63%	66%	50%
Percent with householder living alone	29%	25%	48%
Grandparents living with their grandchildren * ²	1,837	1,329	508
Percent who are responsible for their grandchildren	46%	45%	51%
<i>Housing</i> ¹			
Percent of occupied housing that is owner-occupied	65%	64%	69%
Percent of occupied housing that is renter-occupied	35%	36%	31%
<i>Economic Security</i> ²			
Percent of working-age population in labor force	75%	84%	21%
Percent of total population with income less than 100% of poverty	10%	10%	7%
Percent of total population with income less than 200% of poverty	27%	27%	32%
Median household income (by age of householder)	\$51,799	\$50,429	\$32,460
Owner-occupied housing units (by age of householder)	43,143	34,926	8,217
Percent spending 30% or more of income toward housing costs	21%	21%	21%
Renter-occupied housing units (by age of householder)	22,319	18,679	3,640
Percent spending 30% or more of income toward housing costs	39%	34%	60%

Note: *The age categories for this indicator are grandparents ages 35 to 59 and grandparents ages 60 and older.

Source: U.S. Census Bureau, ¹2010 Census Summary File 1 and ²2006-2010 American Community Survey 5-Year Estimates (sample data). The estimates presented are meant to give perspective on characteristics across age categories; however, because they are based on sample data, one should use caution when interpreting small numbers. - Blank values reflect data that are missing or not applicable.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. The Aging Profile was prepared by researchers at North Dakota State University in Fargo for Sanford Health. May 2012

Diversity Profile

2010 Demographic and Socio-Economic Profile
for Racial and Ethnic Populations

United States


CHARACTERISTICS	Total	RACE				ETHNICITY
		White alone	Black alone	American Indian alone	Asian alone	Hispanic Origin - of any race
<i>Population</i> ¹						
Total population	308,745,538	223,553,265	38,929,319	2,932,248	14,674,252	50,477,594
Percent ages 0 to 17	24%	22%	28%	30%	22%	34%
Percent ages 18 to 44	37%	35%	39%	40%	44%	43%
Percent ages 45 to 64	26%	28%	24%	23%	24%	17%
Percent ages 65 and older	13%	15%	9%	7%	9%	6%
Median age (in years)	37.2	40.3	32.4	30.2	35.4	27.3
<i>Living Arrangements</i>						
Total households ¹	116,716,292	89,754,352	14,129,983	939,707	4,632,164	13,461,366
Percent with householder living alone	27%	28%	30%	23%	19%	15%
Percent with families with children ages 0 to 17	30%	27%	33%	36%	37%	48%
Grandparents living with their grandchildren ²	6,445,885	3,926,992	1,257,630	91,084	477,100	1,531,538
Percent who are responsible for grandchildren	41%	42%	50%	55%	17%	33%
<i>Housing</i> ¹						
Percent occupied housing that is owner-occupied	65%	71%	44%	54%	58%	47%
Percent occupied housing that is renter-occupied	35%	29%	56%	46%	42%	53%
<i>Educational Attainment</i> ²						
Percent of persons ages 25 and older with high school degree or higher	85%	87%	81%	77%	86%	62%
Percent of persons ages 25 and older with Bachelor's degree or higher	28%	29%	18%	13%	50%	13%
<i>Economic Security</i> ²						
Unemployment rate	8%	7%	14%	14%	6%	10%
Median household income	\$51,914	\$54,999	\$35,194	\$36,779	\$68,950	\$41,534
Percent of households with income <\$25,000	24%	21%	37%	36%	18%	29%
Percent of persons with income <100% poverty	14%	11%	25%	26%	11%	22%
Percent of children ages 0 to 17 in families with income <100% poverty	19%	15%	35%	33%	12%	29%
Percent of elderly ages 65 and older with income <100% poverty	10%	8%	20%	20%	13%	19%

Source: U.S. Census Bureau, ¹2010 Census Summary File 1 and ²2006-2010 American Community Survey (ACS) 5-Year Estimates (sample data). The estimates presented are meant to give perspective on characteristics across race and ethnic categories; however, because they are based on sample data, one should use caution when interpreting small numbers. - Blank values reflect data that are missing or not applicable. Racial categories not represented include Native Hawaiian and Other Pacific Islander alone, Some Other Race alone, and Two or More races.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. The Diversity Profile was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. May 2012

Premature Death - A health outcome measure focusing on mortality

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Years of potential life lost before age 75 per 100,000 population (age-adjusted), 2005-2007



CONTEXT

What It Is: Premature death is represented by the years of potential life lost before age 75 (YPLL-75). Every death occurring before the age of 75 contributes to the total number of years of potential life lost. For example, a person who dies at age 25 contributes 50 years of life lost, whereas a person who dies at age 65 contributes 10 years of life lost to a county's YPLL. The YPLL measure is presented as a rate per 100,000 population and is age-adjusted to the 2000 U.S. population.

Where It Comes From: Data on deaths, including age at death, are based on death certificates and are routinely reported to the National Vital Statistics System (NVSS) at the National Center for Health Statistics, part of the Centers for Disease Control and Prevention (CDC). NVSS calculates age-adjusted YPLL rates based on three-year averages to create more robust estimates of mortality, particularly for counties with smaller populations.


Importance: Age-adjusted YPLL-75 rates are commonly used to represent the frequency and distribution of premature deaths. Measuring YPLL allows communities to target resources to high-risk areas and further investigate the causes of death.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Poor or Fair Health - A health outcome measure focusing on morbidity

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of adults reporting fair or poor health (age-adjusted), 2003-2009



CONTEXT

What It Is: Self-reported health status is a general measure of health-related quality of life in a population. This measure is based on survey responses to the question: "In general, would you say that your health is excellent, very good, good, fair, or poor?" The value reported is the percent of adult respondents who rate their health "fair" or "poor." The measure is age-adjusted to the 2000 U.S. population.

Where It Comes From: This measure was calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention's Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population ages 18 and older living in households with a land-line telephone. Seven years of data are used to generate more stable estimates of self-reported health status.


Importance: Self-reported health status is a widely used measure of people's health-related quality of life. In addition to measuring how long people live, it is important to also include measures of how healthy people are while alive – self-reported health status has been shown to be a very reliable measure of current health.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Poor Physical Health Days - A health outcome measure focusing on morbidity

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Average number of physically unhealthy days reported in past 30 days (age-adjusted), 2003-2009



CONTEXT

What It Is: The poor physical health days measure is based on responses to the question: “Thinking about your physical health, which includes physical illness and injury, for how many days during the past 30 days was your physical health not good?” Presented is the average number of days a county’s adult respondents report that their physical health was not good. The measure is age-adjusted to the 2000 U.S. population.

Where It Comes From: This measure was calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention’s Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population ages 18 and older living in households with a land-line telephone. Seven years of data are used to generate more stable estimates of poor physical health days.


Importance: In addition to measuring how long people live, it is also important to include measures of how healthy people are while alive – people’s reports of days when their physical health was not good are a reliable estimate of their recent health.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Poor Mental Health Days - A health outcome measure focusing on morbidity

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Average number of mentally unhealthy days reported in past 30 days (age-adjusted), 2003-2009



CONTEXT

What It Is: The poor mental health days measure is based on responses to the question: “Thinking about your mental health, which includes stress, depression, and problems with emotions, for how many days during the past 30 days was your mental health not good?” Presented is the average number of days a county’s adult respondents report that their mental health was not good. The measure is age-adjusted to the 2000 U.S. population.

Where It Comes From: This measure was calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention’s Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population ages 18 and older living in households with a land-line telephone. NCHS used seven years of data to generate more stable estimates of poor mental health days.


Importance: Overall health depends on both physical and mental well-being. Measuring the number of days when people report that their mental health was not good, i.e., poor mental health days, represent an important facet of health-related quality of life. The County Health Rankings considers health-related quality of life to be an important health outcome.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Low Birthweight - A health outcome measure focusing on morbidity

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of live births with low birthweight (<2,500 grams), 2001-2007



CONTEXT

What It Is: Low birthweight is the percent of live births for which the infant weighed less than 2,500 grams (approximately 5 lbs., 8 oz.).

Where It Comes From: Data on births, including weight at birth, are based on birth certificates and are routinely reported to the National Vital Statistics System (NVSS) at the National Center for Health Statistics (NCHS), part at the Centers for Disease Control and Prevention (CDC). NCHS provides this measure based on the percent of live births with low birthweight for a seven-year period. They use seven-year averages to create more robust estimates, particularly for counties with smaller populations.


Importance: Low birthweight represents two factors: maternal exposure to health risks and an infant's current and future morbidity, as well as premature mortality risk. The health consequences of low birthweight are numerous.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Adult Smoking - A health factor measure focusing on health behaviors

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of adults that currently smoke and have smoked at least 100 cigarettes in lifetime, 2003-2009



CONTEXT

What It Is: Adult smoking prevalence is the estimated percent of the adult population that currently smokes every day or “most days” and has smoked at least 100 cigarettes in their lifetime.

Where It Comes From: This measure was calculated by the National Center for Health Statistics using data from the Centers for Disease Control and Prevention’s Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population ages 18 and older living in households with a land-line telephone. The estimates are based on seven years of data.


Importance: Each year approximately 443,000 premature deaths occur in the U.S. primarily due to smoking. Cigarette smoking is identified as a cause in multiple diseases including various cancers, cardiovascular disease, respiratory conditions, low birthweight, and other adverse health outcomes. Measuring the prevalence of tobacco use in the population can alert communities to potential adverse health outcomes and can be valuable for assessing the need for cessation programs or the effectiveness of existing programs.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Adult Obesity - A health factor measure focusing on health behaviors

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of adults that report a body mass index (BMI) of at least 30 kg/m2, 2008



CONTEXT

What It Is: The adult obesity measure represents the percent of the adult population (age 20 and older) that has a body mass index (BMI) greater than or equal to 30 kg/m2.

Where It Comes From: Estimates of obesity prevalence by county were calculated by the CDC's National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation, using multiple years of Behavioral Risk Factor Surveillance System (BRFSS) data. BRFSS data are representative of the total non-institutionalized U.S. population ages 18 and older living in households with a land-line telephone.


Importance: Obesity is often the end result of an overall energy imbalance due to poor diet and limited physical activity. Obesity increases the risk for health conditions such as coronary heart disease, type 2 diabetes, cancer, hypertension, dyslipidemia, stroke, liver and gallbladder disease, sleep apnea and respiratory problems, and osteoarthritis.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Physical Inactivity - A health factor measure focusing on health behaviors

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of adults reporting no leisure time physical activity, 2008

- 14.6% - 19.9%
- 20.0% - 25.9%
- 26.0% - 29.9%
- 30.0% - 35.7%

CONTEXT

What It Is: Physical inactivity is the estimated percent of adults ages 20 and older reporting no leisure time physical activity.

Where It Comes From: Estimates of physical inactivity by county were calculated by the CDC’s National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation, using multiple years of Behavioral Risk Factor Surveillance System (BRFSS) data. BRFSS data are representative of the total non-institutionalized U.S. population ages 18 and older living in households with a land-line telephone.


Importance: Regular physical activity is one of the most important things one can do for their health. It can help control weight, reduce risk of cardiovascular disease, reduce risk for type 2 diabetes and metabolic syndrome, reduce risk of some cancers, strengthen bones and muscles, improve mental health and mood, improve ability to do daily activities and prevent falls in older adults, and increase chances of living longer (Centers for Disease Control and Prevention, <http://www.cdc.gov/physicalactivity/everyone/health/index.html>).

- Data were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Excessive Drinking - A health factor measure focusing on health behaviors

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of adults reporting binge drinking and heavy drinking, 2003-2009



CONTEXT

What It Is: The excessive drinking measure reflects the percent of the adult population that reports either binge drinking, defined as consuming more than 4 (women) or 5 (men) alcoholic beverages on a single occasion in the past 30 days, or heavy drinking, defined as drinking more than 1 (women) or 2 (men) drinks per day on average.

Where It Comes From: This measure was calculated by the National Center for Health Statistics using data obtained from the Centers for Disease Control and Prevention’s Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population ages 18 and older living in households with a land-line telephone. The estimates are based on seven years of data.


Importance: Excessive drinking is a risk factor for a number of adverse health outcomes such as alcohol poisoning, hypertension, acute myocardial infarction, sexually transmitted infections, unintended pregnancy, fetal alcohol syndrome, sudden infant death syndrome, suicide, interpersonal violence, and motor vehicle crashes.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Motor Vehicle Crash Death Rate - A health factor measure focusing on health behaviors

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Motor vehicle crash deaths per 100,000 population, 2001-2007



CONTEXT

What It Is: Motor vehicle crash deaths are measured as the crude mortality rate per 100,000 population due to on- or off-road accidents involving a motor vehicle. Motor vehicle deaths includes traffic and non-traffic accidents involving motorcycles and 3-wheel motor vehicles; cars; vans; trucks; buses; street cars; ATVs; industrial, agricultural, and construction vehicles; and bikes and pedestrians when colliding with any of the vehicles mentioned. Deaths due to boating accidents and airline crashes are not included in this measure.

Where It Comes From: These data were calculated by National Center for Health Statistics (NCHS), part of the Centers for Disease Control and Prevention (CDC), based on data reported to the National Vital Statistics System (NVSS). NCHS used data for a seven-year period to create more robust estimates of cause-specific mortality, particularly for counties with smaller populations.


Importance: A strong association has been demonstrated between excessive drinking and alcohol-impaired driving, with approximately 17,000 Americans killed annually in alcohol-related motor vehicle crashes.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Sexually Transmitted Infections - A health factor measure focusing on health behaviors

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Number of chlamydia cases (new cases reported) per 100,000 population, 2008



CONTEXT

What It Is: The Sexually Transmitted Infection (STI) rate is measured as chlamydia incidence (the number of new cases reported) per 100,000 population.

Where It Comes From: The county-level measures were obtained from the CDC's National Center for Hepatitis, HIV, STD, and TB Prevention.


Importance: Chlamydia is the most common bacterial STI in North America and is one of the major causes of tubal infertility, ectopic pregnancy, pelvic inflammatory disease, and chronic pelvic pain. STIs in general are associated with a significantly increased risk of morbidity and mortality, including increased risk of cervical cancer, involuntary infertility, and premature death. However, increases in reported chlamydia infections may reflect the expansion of chlamydia screening, use of increasingly sensitive diagnostic tests, an increased emphasis on case reporting from providers and laboratories, improvements in the information systems for reporting, as well as true increases in disease.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Teen Birth Rate - A health factor measure focusing on health behaviors

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Number of teen births per 1,000 females ages 15 through 19, 2001-2007

- 8.1 - 28.9
- 29.0 - 45.9
- 46.0 - 79.9
- 80.0 - 137.8
- Unreliable or missing data

CONTEXT

What It Is: Teen births are reported as the number of births per 1,000 female population ages 15 through 19.

Where It Comes From: Teen birth rates were obtained from the National Vital Statistics System (NVSS) at the National Center for Health Statistics, part of the Centers for Disease Control and Prevention (CDC).


Importance: Teen pregnancy is associated with poor prenatal care and pre-term delivery. Pregnant teens are more likely than older women to receive late or no prenatal care, have gestational hypertension and anemia, and achieve poor maternal weight gain. They are also more likely to have a pre-term delivery and low birth weight, increasing the risk of child developmental delay, illness, and mortality.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Uninsured Adults - A health factor measure focusing on clinical care

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of adult population ages 18 through 64 without health insurance, 2007



CONTEXT

What It Is: The uninsured adults measure represents the estimated percent of the adult population under age 65 that has no health insurance coverage.

Where It Comes From: The Small Area Health Insurance Estimates from the U.S. Census Bureau provide annual estimates of the population without health insurance coverage for all U.S. states and their counties. The estimates used are for the most recent year for which reliable county-level estimates are available.

Importance: Lack of health insurance coverage is a significant barrier to accessing needed health care.


- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Uninsured Youth - A health factor measure focusing on clinical care

Map 14

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of youth ages 0 through 18 without health insurance, 2007



CONTEXT

What It Is: The uninsured youth measure represents the estimated percent of the children ages birth through 18 that has no health insurance coverage.

Where It Comes From: The Small Area Health Insurance Estimates from the U.S. Census Bureau provide annual estimates of the population without health insurance coverage for all U.S. states and their counties. The estimates used are for the most recent year for which reliable county-level estimates are available.


Importance: Children without health insurance are more likely than others to receive late or no care for health problems, putting them at greater risk for hospitalization. In addition to resulting in reduced access to health care, a lack of health insurance can also negatively influence children's school attendance and participation in extracurricular activities, and increase parental financial and emotional stress. (Child Trends DataBank, <http://www.childtrendsdatabank.org/?q=node/297>)

- Data were obtained from the Small Area Health Insurance Estimates (SAHIE), a program of the U.S. Census Bureau, <http://www.census.gov/did/www/sahie/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Primary Care Physicians - A health factor measure focusing on clinical care

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Number of primary care physicians per 100,000 population, 2008



CONTEXT

What It Is: Primary care physicians include practicing physicians specializing in general practice medicine, family medicine, internal medicine, pediatrics, and obstetrics/gynecology. The measure represents the number of providers per 100,000 population.

Where It Comes From: The data on primary care physicians were obtained from the Health Resources and Services Administration's Area Resource File (ARF). The ARF data on practicing physicians come from the AMA Master File (2008), and the population estimates are from the U.S. Census Bureau's 2008 population estimates.


Importance: Having access to care requires not only having financial coverage but also access to providers. While high rates of specialist physicians has been shown to be associated with higher, and perhaps unnecessary, utilization, having sufficient availability of primary care physicians is essential so that people can get preventive and primary care, and when needed, referrals to appropriate specialty care.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Mental Health Providers - A health factor measure focusing on clinical care

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Number of mental health providers per 100,000 population, 2008



CONTEXT

What It Is: Mental health providers include psychiatrists, clinical psychologists, clinical social workers, psychiatric nurse specialists, and marriage and family therapists who meet certain qualifications and certifications. This measure represents the number of mental health providers per 100,000 population.

Where It Comes From: Data on mental health providers were obtained from the Health Resources and Services Administration's (HRSA) Area Resource File (ARF).


Importance: Even more than other areas of health and medicine, the mental health field is plagued by disparities in the availability of and access to its services. These disparities are viewed readily through the lenses of racial and cultural diversity, age, and gender. A key disparity often hinges on a person's financial status; formidable financial barriers block off needed mental health care from too many people regardless of whether one has health insurance with inadequate mental health benefits, or is one of the 44 million Americans who lack any insurance. (David Satcher, M.D., Ph.D., Surgeon General, <http://www.surgeongeneral.gov/library/mentalhealth/home.html>)

- Data were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Dentist Rate - A health factor measure focusing on clinical care

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Number of professionally active dentists per 100,000 population, 2007



CONTEXT

What It Is: The dentist rate is defined as the number of professionally active dentists per 100,000 population. Professionally active dentist occupation categories include active practitioners; dental school faculty or staff; armed forces dentists; government-employed dentists at the federal, state, or local levels; interns and residents; and other health or dental organization staff members.

Where It Comes From: Data on the number of dentists are tracked by the American Dental Association (ADA) and the American Medical Association (AMA). County-level data are housed in the Health Resources and Services Administration's Area Resource File (ARF) and made available through the Health Indicators Warehouse developed by the National Center for Health Statistics.


Importance: Today, thanks to fluoride, healthier lifestyles and quality dental care, more people than ever before are keeping their natural teeth throughout their lifetime. Yet for those who live in areas where a dentist is not available or those who cannot afford treatment, getting dental care can be difficult (American Dental Association, <http://www.ada.org>).

- Data were obtained from the Health Indicators Warehouse at <http://healthindicators.gov/> which is maintained by the Centers for Disease Control and Prevention's National Center for Health Statistics.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Preventable Hospital Stays - A health factor measure focusing on clinical care

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Hospitalization discharges for ambulatory care-sensitive conditions per 1,000 Medicare enrollees, 2006-2007



CONTEXT

What It Is: Preventable hospital stays are measured as the hospital discharge rate for ambulatory care-sensitive conditions per 1,000 Medicare enrollees.

Where It Comes From: Estimates of preventable hospital stays were calculated by the authors of the Dartmouth Atlas of Health Care using Medicare claims data.


Importance: Hospitalization for diagnoses amenable to outpatient services suggests that the quality of care provided in the outpatient setting was less than ideal. The measure may also represent the population's tendency to overuse the hospital as a main source of care.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Diabetic Screening - A health factor measure focusing on clinical care

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of diabetic Medicare enrollees that receive HbA1c screening, 2006-2007



CONTEXT

What It Is: Diabetic screening is calculated as the percent of diabetic Medicare patients whose blood sugar control was screened in the past year using a test of their glycated hemoglobin (HbA1c) levels.

Where It Comes From: Estimates of diabetic screening were calculated by the authors of the Dartmouth Atlas of Health Care using Medicare claims data.


Importance: Regular HbA1c screening among diabetic patients is considered the standard of care. It helps assess the management of diabetes over the long term by providing an estimate of how well a patient has managed his or her diabetes over the past two to three months. When hyperglycemia is addressed and controlled, complications from diabetes can be delayed or prevented.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Mammography Screening - A health factor measure focusing on clinical care

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of female Medicare enrollees that receive mammography screening, 2006-2007



CONTEXT


What It Is: This measure represents the percent of female Medicare enrollees ages 40 through 69 that had at least one mammogram over a two-year period.

Where It Comes From: Estimates were calculated by the authors of the Dartmouth Atlas of Health Care using Medicare claims data.


Importance: Evidence suggests that mammography screening reduces breast cancer mortality, especially among older women. A physician’s recommendation or referral—and satisfaction with physicians—are major facilitating factors among women who obtain breast cancer screening. The percent of women ages 40 through 69 receiving a mammogram is a widely endorsed quality of care measure.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011



Percent of ninth-grade cohort in public schools that graduates from high school in four years, 2006-2007



CONTEXT

What It Is: High school graduation, commonly referred to as the averaged freshman graduation rate, is reported as the percent of a county’s ninth-grade cohort in public schools that graduates from high school in four years.

Where It Comes From: Estimates of high school graduation are based on the restricted-use versions of the LEA Universe Survey Dropout and Completion data and the Public Elementary/Secondary School Universe Survey data. These data were requested from NCES for the school year 2006-07.


Importance: The relationship between more education and improved health outcomes is well known, with years of formal education correlating strongly with improved work and economic opportunities, reduced psychosocial stress, and healthier lifestyles.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Some College - A health factor measure focusing on education

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of adults ages 25 through 44 with some post-secondary education, 2005-2009



CONTEXT

What It Is: This measure represents the percent of the population ages 25 through 44 with some post-secondary education, such as enrollment at vocational/technical schools, junior colleges, or four-year colleges. It includes individuals who pursued education following high school but did not receive a degree.

Where It Comes From: Estimates of the population ages 25 through 44 with some post-secondary education were calculated using the 5-year estimates from the U.S. Census Bureau’s American Community Survey (ACS).


Importance: The relationship between higher education and improved health outcomes is well known, with years of formal education correlating strongly with improved work and economic opportunities, reduced psychosocial stress, and healthier lifestyles.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Unemployment - A health factor measure focusing on labor

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of population ages 16 and older that is unemployed but seeking work, 2009



CONTEXT

What It Is: Unemployment is measured as the percent of the civilian labor force ages 16 and older that is unemployed but seeking work.

Where It Comes From: Data on unemployment is obtained from the Bureau of Labor Statistics (BLS), Local Area Unemployment Statistics (LAUS).


Importance: Unemployment may lead to physical health responses ranging from self-reported physical illness to mortality, especially suicide. It has also been shown to lead to an increase in unhealthy behaviors related to alcohol and tobacco consumption, diet, exercise, and other health-related behaviors, which in turn can lead to increased risk for disease or mortality. Because employee-sponsored health insurance is the most common source of health insurance coverage, unemployment can also limit access to health care.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Children in Poverty - A health factor measure focusing on income and poverty

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of children ages 0 through 17 living below the Federal Poverty Line, 2008



CONTEXT

What It Is: Children in poverty is the percent of children under age 18 living below the Federal Poverty Line (FPL).

Where It Comes From: Children in poverty estimates are provided by the Small Area Income and Poverty Estimates (SAIPE) program through the U.S. Census Bureau.


Importance: Poverty can result in negative health consequences, such as increased risk of mortality, increased prevalence of medical conditions and disease incidence, depression, intimate partner violence, and poor health behaviors. While negative health effects resulting from poverty are present at all ages, children in poverty experience greater morbidity and mortality due to an increased risk of accidental injury and lack of health care access. Children’s risk of poor health and premature mortality may also be increased due to the poor educational achievement associated with poverty. The children in poverty measure is highly correlated with overall poverty rates.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Inadequate Social Support - A health factor measure focusing on social networks

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of adults that never, rarely, or sometimes get the social and emotional support they need, 2003-2009



CONTEXT

What It Is: The social and emotional support measure is based on responses to the question: "How often do you get the social and emotional support you need?" The value presented is the percent of the adult population that responds that they "never," "rarely," or "sometimes" get the support they need.

Where It Comes From: This measure was calculated by the National Center for Health Statistics using data obtained from the Centers for Disease Control and Prevention's Behavioral Risk Factor Surveillance System (BRFSS), a random-digit dial survey. BRFSS data are representative of the total non-institutionalized U.S. population over 18 years of age living in households with a land-line telephone. The estimates are based on seven years of data.


Importance: Poor family support, minimal contact with others, and limited involvement in community life are associated with increased morbidity and early mortality. Furthermore, social support networks have been identified as powerful predictors of health behaviors, suggesting that individuals without a strong social network are less likely to participate in healthy lifestyle choices.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Children in Single-Parent Households - A health factor measure focusing on families

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of children in families that live in a household headed by a parent with no spouse present, 2005-2009



CONTEXT

What It Is: The single-parent household measure is the percent of all children in family households that live in a household headed by a single parent (male or female householder with no spouse present).

Where It Comes From: Estimates of the percent of children in single-parent households were calculated using data from the U.S. Census Bureau’s American Community Survey (ACS) 5-year estimates.


Importance: Adults and children in single-parent households are both at risk for adverse health outcomes such as mental health problems (including substance abuse, depression, and suicide) and unhealthy behaviors such as smoking and excessive alcohol use.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Homicide Rate - A health factor measure focusing on violent crime

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Number of deaths due to murder or non-negligent manslaughter per 100,000 population, 2001-2007



CONTEXT

What It Is: Homicide is represented as a crude death rate due to murder or non-negligent manslaughter per 100,000 population.


Where It Comes From: These data were calculated by National Center for Health Statistics (NCHS) at the Centers for Disease Control and Prevention (CDC) using data from the National Vital Statistics System (NVSS). NCHS used data for a seven-year period to create more robust estimates of cause-specific mortality, particularly for counties with smaller populations.

Importance: Because homicide is one of the five offenses that comprise violent crime, a homicide rate is used as a proxy when violent crime data are not available.


- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Air Pollution-Particulate Matter Days - A health factor measure focusing on physical environment
 County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Number of days air quality was unhealthy for sensitive populations due to fine particulate matter, 2006



CONTEXT


What It Is: The air pollution—particulate matter measure represents the annual number of days that air quality was unhealthy for sensitive populations due to fine particulate matter (FPM, < 2.5 µm in diameter).

Where It Comes From: The Public Health Air Surveillance Evaluation (PHASE) project, a collaborative effort between the Centers for Disease Control and Prevention (CDC) and the EPA, used Community Multi-Scale Air Quality Model (CMAQ) output and air quality monitor data to create a spatial-temporal model that estimated fine particulate matter concentrations throughout the year. The PHASE estimates were used to calculate the number of days per year that air quality in a county was unhealthy for sensitive populations due to FPM.

Importance: The relationship between elevated air pollution—particularly fine particulate matter and ozone—and compromised health has been well documented. The negative consequences of ambient air pollution include decreased lung function, chronic bronchitis, asthma, and other adverse pulmonary effects.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011



Number of days air quality was unhealthy for sensitive populations due to ozone levels, 2006



CONTEXT

What It Is: The air pollution—ozone measure represents the annual number of days that air quality was unhealthy for sensitive populations due to ozone levels.

Where It Comes From: The Public Health Air Surveillance Evaluation (PHASE) project, a collaborative effort between the Centers for Disease Control and Prevention (CDC) and the EPA, used Community Multi-Scale Air Quality Model (CMAQ) output and air quality monitor data to create a spatial-temporal model that estimated daily ozone concentrations throughout the year. The PHASE estimates were used to calculate the number of days per year that air quality in a county was unhealthy for sensitive populations due to ozone.


Importance: The relationship between elevated air pollution—particularly fine particulate matter and ozone—and compromised health has been well documented. The negative consequences of ambient air pollution include decreased lung function, chronic bronchitis, asthma, and other adverse pulmonary effects.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Access to Healthy Foods - A health factor measure focusing on physical environment

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of zip codes with healthy food outlets (i.e., grocery store or produce stand/farmers' market), 2008



CONTEXT

What It Is: Access to healthy foods is measured as the percent of zip codes in a county with a healthy food outlet, defined as a grocery store or produce stand/farmers' market.

Where It Comes From: The measure is based on data from the U.S. Census Bureau's Zip Code Business Patterns. Healthy food outlets include grocery stores and produce/farmers' markets, as defined by their North American Industrial Classification System (NAICS) codes.


Importance: Studies have linked the food environment to consumption of healthy food and overall health outcomes.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Access to Recreational Facilities - A health factor measure focusing on physical environment

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Number of recreational facilities per 100,000 population, 2008



CONTEXT

What It Is: This measure represents the number of recreational facilities per 100,000 population in a given county. Recreational facilities are defined as establishments primarily engaged in operating fitness and recreational sports facilities, featuring exercise and other active physical fitness conditioning or recreational sports activities such as swimming, skating, or racquet sports.

Where It Comes From: This measure is based on a measure from United States Department of Agriculture (USDA) Food Environment Atlas, and is calculated using the most current County Business Patterns data set. Recreational facilities are identified by North American Industrial Classification System (NAICS) code 713940.


Importance: The availability of recreational facilities can influence individuals' and communities' choices to engage in physical activity. Proximity to places with recreational opportunities is associated with higher physical activity levels, which in turn is associated with lower rates of adverse health outcomes associated with poor diet, lack of physical activity, and obesity.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Youth - A demographic measure

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Persons ages 0 through 17 as a percent of the total population, 2009



CONTEXT

What It Is: This measure represents the percent of a county’s population that is less than 18 years of age.


Where It Comes From: County demographic figures come from the U.S. Census Bureau’s annual population estimates.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Elderly - A demographic measure

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Persons ages 65 and older as a percent of the total population, 2009




CONTEXT

What It Is: This measure represents the percent of a county's population that is 65 years of age and older.


Where It Comes From: County demographic figures come from the U.S. Census Bureau's annual population estimates.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011



Percent of total population living in a rural area, 2000



CONTEXT

What It Is: This measure represents the percent of a county’s population that lives in a rural area, which the U.S. Census Bureau defines as all territory located outside of urbanized areas and urban clusters. Urbanized areas and urban clusters are geographic areas with a core population density of at least 1,000 people per square mile that are surrounded by areas with an overall population density of at least 500 people per square mile.


Where It Comes From: This measure is calculated by the U.S. Census Bureau using data from 2000.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Not English Proficient - A demographic measure

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of total population that speaks English less than "very well", 2005-2009



CONTEXT

What It Is: This measure represents the percent of the total population that reports speaking English less than "very well."


Where It Comes From: Data on spoken English proficiency come from the U.S. Census Bureau's American Community Survey 5-year estimates.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.


Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Illiteracy - A demographic measure

County distribution map for Iowa, Minnesota, Nebraska, North Dakota, and South Dakota



Percent of population ages 16 and older that lacks basic prose literacy skills, 2003



CONTEXT

What It Is: This measure reflects the percent of the population ages 16 and older that lacks basic prose literacy skills.

Where It Comes From: This measure is obtained from the National Center for Education Statistics and is based on the 2003 National Assessment of Adult Literacy.

- Data and associated context were obtained from County Health Rankings, a key component of the Mobilizing Action Toward Community Health (MATCH) project - a collaboration between the Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute, <http://www.countyhealthrankings.org/>.

Disclaimer: The data displayed are from the source indicated; we do not vouch for the accuracy of the data or ensure they are the most recent available. The information is intended for personal, non-commercial use. It can be shared freely if it is not used for profit and appropriate acknowledgments are given. This map was prepared by researchers at North Dakota State University in Fargo for the 2011-2013 Fargo-Moorhead Community Health Needs Assessment Collaborative. December 2011

Table 1
Community Health Needs Assessment Asset Mapping
Sioux Falls Stakeholders

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
Access	<ul style="list-style-type: none"> Concerned about hospital closure – a long distance to medical care could prove fatal Use of emergency services for primary care 	Sanford Health Coaches Sanford Medical Home Sanford tele emergency services Sanford air transport services	
Cancer	<ul style="list-style-type: none"> Concern about high rates of cancer 	Sanford Cancer Biology Research Center Sanford Cancer Center (Oncology Clinic) Sanford screenings Sanford Mobil Mammography Sanford <i>embrace</i> Cancer Survivorship Program American Cancer Society, Sioux Falls Avera Cancer Institute Dakota Rehabilitation Center Midwest Medical Care Working with the State of South Dakota to better manage the group with Medicaid	
Care Coordination	<ul style="list-style-type: none"> Concern about lack of care coordination/communication between providers 	Sanford Medical Home Sanford health coaches EMR Sioux Empire Care Transitions Coalition	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
<p>Chronic Disease</p>	<ul style="list-style-type: none"> • High concern 	<p>Sanford Medical Home Sanford health coaches Better Choices/ Better Health Centers of Excellence Initiatives Heart failure Anti coagulation Heart Disease Juvenile Diabetes Sanford Project – find a cure for Type 1 DB Sanford Diabetes Care Project Sanford Healthy Feet: Foot Care Clinic Sanford Pain & Spine Center Sanford Parkinson’s Support Group Sanford Sleep Disorders Center Sanford Arthritis Foundation Support & Education Group Live Well Sioux Falls (grant from the State of SD to reduce the burden of chronic disease) SD Department of Health Family & Community Health Services (provides education & activities to prevent chronic diseases) Prairie Healthcare Advocacy, Inc. Sanford Health – bariatric surgery Sanford Health – occupational therapy for people with chronic disease Mutch Women’s Center for Health Enrichment (Sanford Health) Visiting Nurses Association</p>	
<p>Day Care</p>	<ul style="list-style-type: none"> • Need more evening daycare centers • Cost and availability 	<p>Will share survey results regarding child care needs with community partners/leaders</p>	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
<p>Dental Care</p>	<ul style="list-style-type: none"> • Need more low-fee or no-fee dental care 	<p>Delta Dental in conjunction with Ronald McDonald provides dental care to under-served children</p> <p>Falls Community Health</p> <p>Dentists that accept Medicaid:</p> <ul style="list-style-type: none"> • Dennis Graber, DDS • Siouxland Oral & Max Surgery Associates • Daniel J. Ballard, DDS • Bruce A. Benson, DMD • Sensational Smiles • South Western Dental • Shawd Neighborhood Dental Clinic • Designer Dentistry & Smiles • Robert R. Cloyd, DDS • Walter W. Cox, DDS • Crist Orthodontics • Craig M. Dillon, DDS • Jones & Colbert, Inc. • Sharon R. Fix, DDS • City of Sioux Falls • Smallcomb DMD PC • Children's Dental Center • Daniel J. Goede, DDS • Randall K. Hahn, DDS • Hille River Ridge Oral & Maxillo • Michael B. Houk, DDS • Douglas E. Idema, DDS • Kappenman Dental Clinic Ltd. • Karmazin Family Dentistry • McKinney Schultz Dentistry 	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
		<ul style="list-style-type: none"> • Richard J. Koch, DDS • Edward R. Kusek Family Dentistry • Howard C. Peterson, Jr., DDS • Dwight W. Loudon, DDS • Thomas P. Montoya, DDS • Scott Munsinger, DDS • Sigarty Dental Clinic • State of SD USD Dental Hygiene • Steven Norberg, DDS • Bruce Partnoy, DDS • Gina L. Pfeiffer, DDS • Pillar Dental • Richard A. Rauschenbach, DDS • Robert R. Reitz, DDS • Anlee M. Rola, DDS • General Denistry • Roy A. Seaverson, DDS • Motz DDS PC • Scott Velgersdyk, DDS 	
Economic Situation/ Business community	<ul style="list-style-type: none"> • Cost of utilities & gas • Poverty • Hunger • Homelessness • Need to bring more business to the city • Concern about the Federal debt & what it means to everyone • Concern that local businesses are not supported • Hopeful that housing & construction activity will return to normal after the national recession • Concern about the impact of Healthcare Reform on businesses & individuals, particularly small businesses 	Share information with community/city leaders Sanford Community Care Program Financial Counselors	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
<p>Elderly</p>	<ul style="list-style-type: none"> Available services for the elderly 	<p>Good Sam Senior Companion Prog. – 605-361-1133 Walk-In nurse-led clinic Care Span 1 day/week at Senior Citizen’s Center Parish Nursing Arthritis Foundation Support Group Active Geriatrics Group</p> <p>Center for Active Generations - 605-336-7471</p> <ul style="list-style-type: none"> Older Adult Social Clubs Volunteer Development Home Rehab Programs Senior Ride Programs Medical Appointments Transportation Homemaker Assistance Personal Care Telephone Reassurance Home Delivered Meals & Congregate Meals Senior Centers Adult Day Programs Recreational/Leisure/Arts/Sports programs <p>Siouxland RSVP (opportunities for volunteerism) – 605-362-2518 Alzheimer’s Association – 605-339-4543 Geriatric certified nurses OT certified AARP – 605-394-7798 Elder Lawyer: May & Johnson - 605-336-2565 Senior Community Service Employment Program – Experience Works, Inc. – 605-332-7991 (elderly who meet Federal income guidelines can work for 20 hrs/week)</p>	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
		<p>Weatherization Assistance – 1-800-233-8503 Energy Assistance – 605-773-4414 Food Stamps – 605-773-3493 Services to Blind & Visually Impaired – 605-773-4644 Assistance with Medicare – 1-800-536-8197</p> <p>Support Groups of interest to the elderly:</p> <ul style="list-style-type: none"> • Parkinsons – 605-328-4227 • Prostate Cancer – 605-322-3000 • Alzheimer’s – 605-336-1490/605-339-4543 <p>Meals:</p> <ul style="list-style-type: none"> • Adult Nutrition Program (noon meals) – 605-333-3304 • Meals on Wheels – 605-333-3305 • Center for Active Generations – 605-336-6748 • Senior Day Break – 605-336-6751 <p>Prescription Assistance:</p> <ul style="list-style-type: none"> • SHINE program – 605-333-3314 • Wal-Mart & Sam’s Club – generic are \$4.00 each <p>Home Care:</p> <ul style="list-style-type: none"> • Good Sam Home Care – 7605-610-4454 • Home Instead Senior Care – 605-274-2273 • Sioux Falls Home Care (Care.com) – 1-855-490-8663 • Visiting Angels Senior Care – 1-800-365-4189 • Affordable Home Care of SF – 605-413-1517 	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
		<p>Transportation:</p> <ul style="list-style-type: none"> • Bus Service – 605-367-7183 • Golden Living – 605-361-8822 • Wheelchair Express – 605-338-9529 • Sioux Falls WHLCHR Transportation – 605-336-9625 <p>Nursing Homes:</p> <ul style="list-style-type: none"> • Avera Prince of Peace – 605-322-5613 • Bethany Lutheran Home – 605-338-2351 • Dow Rummel Village – 605-336-1490 • Golden Living Center (Cov. Hts.) – 605-361-8822 • Good Sam (Luther Manor) – 605-336-1997 • Good Sam (SF Center) – 605-336-6252 • Good Sam (SF Village) – 605-361-3311 • Southridge Health Care Center – 605-338-9891 <p>Retirement Communities/Apts.:</p> <ul style="list-style-type: none"> • Trail Ridge – 605-339-9123 • Beadle Plaza – 605-331-2595 • Waterford (All Saints) – 605-335-1117 • Collins Apts. – 605-336-7272 • Greenleaf Senior Housing – 605-275-0074 	
Emergency Care	<ul style="list-style-type: none"> • Concern about using the ER as a primary care provider 		
Healthcare Cost/Insurance Cost	<ul style="list-style-type: none"> • Cost of healthcare & health insurance – too expensive for employers to offer & too expensive for individuals to afford • High cost of dental insurance • High cost of prescriptions 	<ul style="list-style-type: none"> • Will share this information with the Sanford Health Plan leadership, other payors, Public Policy • Sanford provides donations to Falls Center for Community Medicine • Assistance to help enroll in Medicaid, Charity 	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
Health Factors	<ul style="list-style-type: none"> • Binge drinking • Motor vehicle deaths • Sexually transmitted disease • Teen births • Preventable hospital stays • Low percentage of diabetics with Hgb A1C screening • Low mammogram rates 	<p>Care, Financial Assistance – Advocates, Counselors</p> <p>Sanford Medical Home</p> <p>Sanford One Care</p> <p>MADD</p> <p>School lock-ins</p> <p>Community check points</p> <p>Community/county education</p> <p>Downtown Women’s Primary Clinic</p> <p>Community Education – prenatal classes in alternative schools, OB clinic for diverse populations</p> <p>Sanford Medical Home mobile mammography</p> <p>Every Woman Counts</p> <p>Downtown Women’s Health</p>	
Judicial	<ul style="list-style-type: none"> • Lack of follow-up on cases in juvenile court • Concern about slow timeline for getting protection orders processed 	<p>Will share this information with community leaders</p> <p>Court Appointed Special Advocate (CASA) – protects best interests of abused & neglected children involved in court proceedings – 605-339-9492</p> <p>Social Services</p> <p>Child Protection & Vulnerable Adult Reporting</p> <p>Elder abuse awareness</p>	
Mental Health	<ul style="list-style-type: none"> • Concern about suicide • Concern about lack of mental health services for the low income population • Need more mental health services, especially screening services • Family services 	<p>Sanford One Care</p> <p>Empathic Psychiatric Care – 605-951-0301</p> <p>Avera Behavioral Health – 605-322-4979</p> <p>Southeastern Behavioral Health – 605-336-0503</p> <p>Great Plains Psychological Services – 605-323-2345</p> <p>Sioux Falls Psychological Services – 605-334-2696</p> <p>LSS of SD – 605-357-0100</p> <p>Sanford Behavioral Health – 605-328-4700</p> <p>Falls Community Health – 605-367-8793</p> <p>Mental Health Association – 605-330-0341</p>	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
		Integrative Wellness – 605-271-1348 Stronghold Counseling – 605-334-7713 Mental Health Associates – 605-339-6949 Phillips Mental Health – 605-274-1944 Children’s Special Health Services SD – 605-333-7186	
Morbidity and mortality	<ul style="list-style-type: none"> High premature death rate High percent of low birth weight babies 	Sanford neonatal flight team Safe Passage Study	
Nutrition	<ul style="list-style-type: none"> Poor nutrition and eating habits 65% report access to healthy foods 	Sanford WebMD Fit Kids Clinical & community dietitians	
Obesity	<ul style="list-style-type: none"> Concern about obesity & its link to many other diseases 	Sanford WebMD Fit Kids Bariatric education sessions	
Physicians	<ul style="list-style-type: none"> Need more developmental pediatricians 	Sanford Children’s Specialty Clinic – 605-312-1000 Avera Children’s Specialty Group – 605-322-3666 Community Health Center – 605-367-8793 Community Healthcare Assn. – 605-357-1515 McGreevy Clinics – 605-371-1866 Curaquick – 605-361-4964 PSI Health Care – 605-336-1005 Destiny Medical Clinic – 605-339-3378 SD Urban Indian Health – 605-224-8841 Falls Community Health – 605-367-8793 Avera – www.Avera.org/doctors	
Poverty	<ul style="list-style-type: none"> Increase in poverty indicated by the increase from 1/3 to nearly 50% of students qualifying for free/reduced lunch 	Share information with City leadership Feeding SD Food Pantry Backpack program for children Community Care Program	
Prevention	<ul style="list-style-type: none"> Need more attention put on prevention 	Contributions & support for children’s athletic programs Screenings Wellness Center Medical Home	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
Safety	<ul style="list-style-type: none"> Concerns with pedestrian & bike safety on well traveled streets & in neighborhoods 	Share information with City leaders Extensive bike trails Helmet giveaway Bikes can ride on the bus	
Substance Abuse	<ul style="list-style-type: none"> Need more alcohol & drug abuse treatment 	Sanford One Care Sioux Empire web site Help Line Fate it Together	
Traffic	<ul style="list-style-type: none"> High use of cell phones (especially at the end of a work day) Concern with texting & driving Concern with high speed on residential streets, traffic flow in residential areas Need more bike lanes 	Share information with City leaders & law enforcement	
Transportation	<ul style="list-style-type: none"> Lack of comprehensive public transportation Need longer hours for public transportation 	Share information with City leaders & DOT	
Wellness	<ul style="list-style-type: none"> Would like to see more done to promote wellness & prevention Need more reasonably priced exercise/gym opportunities 	Sanford WebMD Fit Kids Camp Fuel Partnership with the Y Power Center Fitness Centers: <ul style="list-style-type: none"> Women's Wellness Center – 605-328-1562 Jones Wellness Center – 605-275-5655 Sanford Wellness Center – 605-328-1600 Family Wellness Center – 605-323-6900 Avera Fitness Center – 605-322-5300 Anytime Fitness Gym – 605-275-3631 SF West Snap Fitness Center – 605-275-0515 	
Workforce	<ul style="list-style-type: none"> Concern about lack of available workforce 	Sanford Workforce Initiative Share information with universities/schools	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
<p>Youth</p>	<ul style="list-style-type: none"> ● High levels of obesity in children/teens ● Drug & alcohol abuse ● Diabetes, lack of exercise, poor food choices ● Concern about children being able to buy junk food at convenience stores with Food Stamps ● Concern about malnutrition ● Concern about apathy of parents ● Bullying ● Teen pregnancy ● Youth crime ● School dropout rates – HS graduation rate – 80% ● Child abuse and neglect 	<p>Sanford WebMD Fit Kids</p> <p>Bowden Youth Center – 605-336-7536</p> <p>Summit Oaks (LSS) – 605-368-0100</p> <p>SDSU Extension (4-H program) – 605-688-4167</p> <p>Sioux Empire United Way “Connecting Kids” programs:</p> <ul style="list-style-type: none"> ● Alpine Society (Winter Skiing/Snowbding) – 605-335-7260 ● American Lung Assoc Camp Fix Asthma Now – 605-336-7222 ● Dakota Alliance Soccer Club – 605-332-5911 ● Dakota Spirit (Cheer, Hip Hop, Tumbling) – 605-373-0414 ● Excel Educ. Opportunities (Imagination Amplified Summer Camps) – 605-988-0900 ● Great Plains Zoo - classes/camps – 605-367-7003 ● Imagination Hills (Journey Camp) – 712-986-5193 ● Singing Boys of SF – 605-338-9478 ● Sioux Empire Baseball Assn – 605-336-3462 ● Sioux Empire Fast Pitch Softball Assn. (boys & girls) – 605-728-1040 ● SF Figure Skating – 605-271-8897 ● SF Girls Chorale – 605-759-0716 ● SF Tennis Assn – 605-338-4036 ● SF Youth Hockey Assn – 605-361-9836 ● Siouland Heritage Museum day camp – 605-367-4210 	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
		<ul style="list-style-type: none"> • First Tee of SD (golf) – 605-367-7092 • Washington Pavilion (science/art camps & classes) – 605-367-6000 <p>Sioux Falls School District summer camps (basketball, football, volleyball, tennis, gymnastics, soccer, cross country)</p> <p>City of Sioux Falls summer band – 605-367-8222</p> <p>City of Sioux Falls Youth Triathlon – 605-367-8222</p> <p>Boy Scouts – 605-361-2697</p> <p>Dell Rapids Community Haven (summer rec) – 605-366-8612</p> <p>Girl Scouts – 603-336-2978</p> <p>Multi-Cultural Center (karate) – 605-367-7400</p> <p>Outdoor Camps – 605-362-2777</p> <p>YMCA – 605-336-3190</p> <p>YWCA – 605-336-3660</p> <p>AMACHI (Mentoring Children of Incarcerated Parents) – 605-334-1632</p> <p>American Lung Assn. Teens Against Tobacco use (TATU) – 1-800-873-5864</p> <p>Big Brothers Big Sisters – 605-334-1632</p> <p>Native American Scholars – 605-334-1632</p> <p>S.A.L.S.A. – 605-339-4357</p> <p>Multi Cultural Center programs – 605-367-7401</p> <ul style="list-style-type: none"> • Middle Schools ASP • Froggy Reads • Native Reads • Native Youth Club • Self-Defense/Karate • C.A.R.E. Camp • Ethnic Youth Day 	

Identified Concerns	Specific concerns	Alignment with Sanford resources or other community resource partners	Unmet need
Sanford Specific	<ul style="list-style-type: none"> • Too much money spent on advertising & naming rights rather than on healthcare • Medical facilities focus on too many projects unrelated to healthcare • Would like to see personal health plans provided by the healthcare provider (i.e. personalized coaching system for diabetes, etc.) 	Sanford Medical Home RN Health Coaches	

Table 2
Prioritization Worksheet

Criteria to Identify Priority Problem

- Cost and/or return on investment
- Availability of solutions
- Impact of problem
- Availability of resources (staff, time, money, equipment) to solve problem
- Urgency of solving problem (H1N1 or air pollution)
- Size of problem (e.g. # of individuals affected)


Criteria to Identify Intervention for Problem

- Expertise to implement solution
- Return on investment
- Effectiveness of solution
- Ease of implementation/maintenance
- Potential negative consequences
- Legal considerations
- Impact on systems or health
- Feasibility of intervention

Health Indicator/Concern <i>(from asset mapping and gaps analysis worksheet)</i>	Round 1 Vote	Round 2 Vote	Round 3 Vote
Services for the Elderly – consider a geriatrician			
Dental Care			

2012 CHANGE Assessment Results

Physical Activity




- ✱ Enhance access to public transportation (e.g., bus stops) within reasonable walking distance?
- ✱ Adopt a complete streets plan to support walking and biking infrastructure?
- ✱ Assess patients' physical activity as part of a written checklist or screening used in all routine office visits?
- ✱ Implement a walk or bike to school initiative?
- ✱ Provide flexible work arrangements or break times for employees to engage in physical activity?



2012 CHANGE Assessment Results

Nutrition




- ✱ Provide safe, unflavored, cool drinking water at no cost to patrons?
- ✱ Ban local restaurants and retail food establishments from cooking with trans fats?
- ✱ Implement breastfeeding initiative for future or current moms?
- ✱ Ensure that healthy food preparation practices (e.g., steaming, low fat, low salt, limited frying) are always used in the school cafeteria or on-site food services?
- ✱ Institute healthy food and beverage options at company-sponsored meetings and events?



2012 CHANGE Assessment Results

Tobacco Use




- ✱ Institute a tobacco-free policy 24/7 for indoor public places?
- ✱ Institute a smoke-free policy 24/7 for outdoor public places?
- ✱ Implement a provider-reminder system to assess, advise, track, and monitor tobacco use?
- ✱ Implement a referral system to help students access tobacco cessation resources or services?
- ✱ Provide insurance coverage for tobacco cessation services?



2012 CHANGE Assessment Results

Chronic Disease Management




- ✱ Promote chronic disease prevention to patrons (e.g., post signs reminding patrons to get blood pressure checked)?
- ✱ Enhance access to chronic disease self-management programs (e.g., Weight Watchers for overweight/obesity)?
- ✱ Implement a referral system to help patients access community-based resources or services for chronic disease management?
- ✱ Provide opportunities to raise awareness among students of the signs and symptoms of heart attack and stroke?
- ✱ Provide access to an on-site occupational health nurse?



2012 CHANGE Assessment Results

Leadership



- ✱ Participate in community coalitions and partnerships (e.g., food policy council, tobacco-free partnership, neighborhood safety coalition) to address chronic diseases and related risk factors?
- ✱ Address the community's operating budget to make walking, bicycling, or other physical activities a priority?
- ✱ Enhance access to childhood overweight prevention and treatment services to reduce health disparities?
- ✱ Participate in the public policy process to highlight the need for community changes to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use, and exposure)?
- ✱ Have a wellness committee?



2012

Community Health Status



Section 1	1-1
Welcome Letter	1-1
Executive Summary	1-2
Introduction	1-6
Overview	1-7
Section 2	2-1
Project Goals	2-1
Methodology	2-1
Sector Representation	2-5
Section 3	3-1
Health Status, Assets, and Needs:	
Nutrition	3-2
Physical Activity	3-11
Tobacco	3-19
Chronic Disease Management	3-25
Leadership	3-39
Section 4	4-1
Strategic Priorities	4-1
Section 5	5-1
Appendix	
Live Well Coalition Partners	5-1
Community At Large	5-5
Community Institutions and Organizations	5-10
Health Care	5-15
School	5-20
Work Site	5-27



Section 1



Welcome Letter

The mission of the Sioux Falls Health Department is to improve the quality of life for the Sioux Falls community by preventing or controlling disease, mitigating adverse health threats, and by providing an open door to primary health services. Our vision is to understand and influence the health and well-being of the citizens of Sioux Falls. Our first Community Health Needs Assessment, 2012 Live Well Sioux Falls, provides data as well as resident input that provides a comprehensive picture of the health status of our community and outlines proven community-based strategies that can move us closer to delivering our mission and achieving our vision, to live well as a community.

In collaboration with our many partners, this report is focused on framing community assets and needs specifically as they relate to physical activity, nutrition, tobacco use, chronic disease management, and leadership. Using nationally recognized tools and data, and local community feedback and involvement, our partners—both public and private—can and are already planning for community level changes that are sustainable, impact infrastructure, and aid in shifting social norms related to each of these health topics. I applaud these efforts and am grateful to all who have partnered with the Sioux Falls Health Department to give Live Well Sioux Falls life.

As you read this report, take pride in our community assets, embrace community needs, and engage in becoming part of the process to move these needs to assets. Also, find ways to be part of the conversation moving forward, and find ways you can personally and collectively be part of the solution. Let's Live Well Sioux Falls!

Jill Franken
Public Health Director
Sioux Falls Health Department



Falls Community Health
521 North Main Avenue
Sioux Falls, SD
605-367-8760
siouxfalls.org/health

Executive Summary

Sioux Falls, South Dakota, has taken a proactive approach in addressing its public health issues. Live Well Sioux Falls is an initiative designed to help improve the health and well-being of Sioux Falls residents through collaborating on projects to address the community health-related needs. This community health needs assessment (CHNA) engaged a consortium of more than 24 Sioux Falls organizations to form the Live Well Sioux Falls Coalition and Assessment Team (Live Well Team). The Live Well Team was formed to collaborate and assist with implementing the CDC-developed Community Health Assessment and Group Evaluation (CHANGE) tool to collect and organize data concerning community assets and needs regarding policy, systems, and environmental change strategies. This information may be used to inform decisions and guide efforts to improve community health and wellness.



In 2011, the Sioux Falls Health Department (SFHD) published its first Community Health Status Report. The report provides an overview of available public health services and the prevalence of long-standing and emerging public health issues that affect the community. In 2012, the SFHD sought to expand its annual community

health status inquiry through its community stakeholder-driven Live Well Sioux Falls initiative and by conducting a community health needs assessment (CHANGE) analyzing the data and setting priorities based on the data for improving the health of the community. Utilizing the Centers for Disease Control and Prevention (CDC) Community Transformation Grant funds provided by the South Dakota Department of Health, the SFHD led a group of local stakeholders in organizing two major community data collections—the CHANGE Tool and the Live Well Sioux Falls Resident Survey.

The CHNA identifies opportunities and challenges for all five sectors represented (CAL—Community at Large, CIO—Community Institutions and Organizations, Work Site, Health Care, and Schools) to modify policies and environments to improve the health and quality of life in Sioux Falls. Specific health topics addressed include nutrition, physical activity, chronic disease management, tobacco, and leadership. Our hope is that the report will be used to guide the efforts of the many excellent programs and services currently provided in our community as well as inspire new programs and services that focus on the most critical needs of Sioux Falls residents.

The Live Well Team identified three project goals for the initiative.

1. Tobacco-Free Living: Prevent and reduce tobacco use.

Tobacco use is “the leading cause of premature and preventable death. Living tobacco free reduces a person’s risk of developing heart disease, various cancers, chronic obstructive pulmonary disease, periodontal disease, asthma, other diseases, and of dying prematurely.”¹

2. Clinical Preventive Services: Increase control and awareness of high blood pressure and high cholesterol.²

Clinical preventive services such as routine disease screening and scheduled immunizations are key to reducing death and

disability and improving the nation’s health. These services both prevent and detect illnesses and diseases at more treatable stages. Millions of children, adolescents, and adults go without clinical preventive services that could protect them from developing a number of serious diseases.

3. Healthy and Safe Physical Environment (Built Environment): Improve the community environment to support health, specifically to increase active transportation and promote active recreation.

According to the Healthy Eating Active Living Convergence Partnership, the built environment or healthy community design, “encompasses places and spaces created or modified by people including buildings, parks, and transportation systems. The built environment is structured by land use


rules, as well as by economics and design features.”³ This influences a person’s level of physical activity. For example, inaccessible or nonexistent sidewalks and bicycle or walking paths contribute to sedentary habits. These habits lead to poor health outcomes such as obesity, cardiovascular disease, diabetes, and some cancer.

Opportunities for Community Health Improvement


The CHANGE tool process identified opportunities that cross all sectors and also those specific to a sector and a health topic. Opportunities are identified if a health topic score for environment or policy score is less than 60 percent. Below is a summary of the opportunities identified by health topic for each sector represented.

2012 CHANGE Assessment Results


Nutrition




Physical Activity




Tobacco Use



Chronic Disease Management



Leadership



The Live Well Survey respondents were asked to identify their perceived top three unhealthy behaviors in Sioux Falls from a list of twelve behaviors. Live Well Survey respondents ranked the top three unhealthy behaviors in the Sioux Falls Community as:

- Alcohol abuse (45.6 percent)
- Poor eating habits (44.5 percent)
- Smoking/tobacco use (41.7 percent)

A lack of exercise (40.5 percent) closely followed behind Smoking/Tobacco Use as an unhealthy behavior in the Sioux Falls community.

Live Well Survey Respondents were also asked to indicate significant problems that exist in Sioux Falls across a number of areas. Problems identified are:

- Child health or childhood obesity (34.6 percent)
- Substance abuse/alcohol, drug, prescription (32.9 percent)
- Bullying (schools, playground, etc.) (30 percent)

Additional areas recognized as significant problems in the community include: Access to affordable housing (23.8 percent), workforce and job training opportunities (22.5 percent), and crime (neighborhood, schools, parks) (21.7 percent). Respondents who live in zip codes 57106 and

57103 accounted for the highest percentage of persons who indicated the top community problems when compared across respondents in other zip codes. White respondents accounted for the highest percentage of persons by race group who indicated the top community problems.

Prioritization

The following health priorities represent recommended areas of intervention, based on the information gathered through this CHNA and the guidelines from the National Prevention Strategy. From these data, opportunities for health improvement exist with regard to the following areas:

- Nutrition—Increase the number of Sioux Falls residents who have access to healthy and affordable food options.
- Clinical Preventive Services—Increase control of high blood pressure and access to health risk assessments.
- Healthy Community Design—Promote community planning and design to make healthier choices easier.
- Tobacco—Prevent and reduce tobacco use.
- Health Promotion—Develop a comprehensive wellness model and increase number of work sites that maintain wellness programs.
- Leadership—Develop a sustainability plan for Live Well Sioux Falls and healthy community design concepts.
- Coalition Management and Advocacy—Coordinate an effective and sustainable Live Well coalition to provide advocacy for healthy community design concepts.

These strategic directions will be implemented in a phased approach over a four year period. Additional information on these graphs is available in Section 4 of the complete Health Status Report.

Information Gaps

While this assessment is quite comprehensive, it cannot measure all aspects of health in the community, nor can it adequately represent all possible populations of interest. Because of these information gaps, the ability to assess all of the community health needs may be limited in some ways.



Introduction to Live Well Sioux Falls

The 2012 Community Health Status Report provides an overview of the health of the Sioux Falls community, presents information on community health needs and assets, and outlines strategies that support the health-related needs of Sioux Falls in order to inform local decision makers as well as guide efforts to improve overall community health and wellness.

According to the Centers for Disease Control and Prevention, “chronic diseases affect almost 50% of Americans and accounts for 7 of the 10 leading causes of death in the United States. Preventable health risk factors such as tobacco use and exposure, insufficient physical activity, and poor nutrition contribute greatly to the development and severity of many chronic diseases.”⁴ One way to combat the prevalence of chronic disease in communities across the nation is through organized and informed community action to help reduce health risk factors and health inequities. In addition to chronic disease, communities are also affected by public health issues, including infectious disease, environmental health, injury prevention, and public health emergencies.

Sioux Falls, South Dakota, has taken a proactive approach in addressing its public health issues. In 2011, the Sioux Falls Health Department (SFHD) published its first Community Health Status Report. That report provided an overview of available public health services and the prevalence of longstanding and emerging public health issues that affect the community. In 2012, the SFHD sought to expand its annual community health status inquiry through its community stakeholder driven Live Well Sioux Falls initiative and by conducting a community health needs assessment (CHNA). A CHNA is a public health tool to assist with understanding the health within a specific community utilizing quantitative and qualitative methods, including collecting and analyzing the data and setting priorities based on the data for improving the health of the community. Utilizing the Centers for Disease Control and Prevention (CDC) Community

Transformation Grant funds provided by the South Dakota Department of Health, the SFHD led a group of local stakeholders in organizing two major community data collections—the CHANGE Tool and the Live Well Sioux Falls resident survey.

The Live Well Sioux Falls initiative convened local stakeholders representing a broad spectrum of the community from sectors such as the community at large, schools, work sites, health care organizations, and community-based organizations/institutions. These sectors, in conjunction with the Sioux Falls Health Department, form the Live Well Coalition and Assessment Team (Live Well Team). The Live Well Team was formed to collaborate and implement the CDC-developed Community Health Assessment and Group Evaluation (CHANGE) tool to collect and organize data concerning community assets and areas for improvement regarding policy, systems, and environmental change strategies.⁵

In addition to the CHANGE tool, the Live Well Team assisted in designing and implementing a nonscientific resident survey that gathered information regarding residents' individual health status and their perceptions about the “health” of Sioux Falls concerning public health-related issues such as access to care and community services. Comparisons of Sioux Falls' public health data to secondary data sets were also utilized in describing the community's health status.

As part of the CHNA process, the Live Well Team sectors utilized the data gathered through each of the aforementioned tools to identify priorities and achievable strategies to support the long-term health of Sioux Falls. The community defined for this CHNA is the city of Sioux Falls. The Live Well Sioux Falls initiative seeks to sponsor and achieve sustainable policy and environmental systems changes that support a healthy community. The 2012 Community Health Status Report supports the Live Well Sioux Falls initiative by providing a current snapshot as to the community's health needs, assets, and strategies for improvement.

A State and Community Overview

South Dakota: As of 2010, estimated population for the state of South Dakota is 814,180, with a population density of 10.7 persons per square mile, making South Dakota one of the least densely populated states in the nation.⁶ The population of South Dakota is predominantly non-Hispanic Caucasian at 84.7 percent; Native American represents the largest minority at 8.8 percent. Nearly 25 percent of South Dakotans are under the age of 18. The most common South Dakota household type includes married couples with no children under the age of 18 living in the house. Approximately 52 percent of South Dakotans live in an urban setting, 8 percent in rural farm areas, and 41 percent in rural nonfarm areas. Based on the U.S. Department of Health and Human Services, 13.7 percent of the people live below the federal poverty level (FPL).

Below is a population pyramid, also called an age picture diagram, for the state of South Dakota. This is a graphical illustration that shows the distribution of various age groups in a population. Population pyramids are often viewed as the most effective way to graphically depict the age and sex distribution of a population. A great deal of information about the population broken down by age and sex can be read from a population pyramid, and this can shed light on the extent of development and other aspects of the population.

Adults age 65 and older comprise 14.4 percent, which is higher than the national average of 12.6 percent. An estimated 7.2 percent of the state's population is under the age of 5 years old.⁷


2012 Poverty Guidelines for the 48 Contiguous States and the District of Columbia

Persons in family/ household	Poverty guideline	Percentage of respondents who meet guideline
1	\$11,170	27.7%
2	\$15,130	9.7%
3	\$19,090	9.3%
4	\$23,050	4.1%
5	\$27,010	0.9%
6	\$30,970	0.2%
7	\$34,930	0.2%


For families/households with more than 8 persons, add \$3,960 for each additional person.

Source: 2012 HHS Poverty Guidelines, HHS
<http://aspe.hhs.gov/poverty/12poverty.shtml>

Population by Sex and Age 2010 (South Dakota)




**Population by Sex and Age 2000
(Minnehaha County)**




Minnehaha County: As of 2010, estimated population for Minnehaha County is 169,468. While the majority of the counties in South Dakota are rural, the vast majority of Minnehaha County, as well as the city of Sioux Falls, are classified as urban. The population of Minnehaha County is predominantly non-Hispanic Caucasian at 86.2 percent with Hispanic or Latino origin representing the largest minority at 4.1 percent. Economically, 9.7 percent of the county’s residents live at or below 100 percent of the federal poverty level. Fifty percent of Minnehaha residents are female, with 11.3 percent of the overall population age 65 or older. Nearly 25 percent are under the age of 18. Almost 10 percent of the people live below the federal poverty level (FPL). Again, the most common household type includes married couples with no children under the age of 18 living in the house.

**Net Household Income
(Minnehaha County)**



Sioux Falls: Sioux Falls is located in eastern South Dakota, and is the largest city in the state. Sioux Falls is the county seat of Minnehaha County and also extends into Lincoln County. Sioux Falls has been transformed from an agricultural area to an important finance, health care, and retail hub in South Dakota.





Population density across each city block in Sioux Falls.

Sioux Falls Statistics

Number of Households:
59,751

Percent Change:
+3 percent since 2008
+25 percent since 2000

Average Household Income:
\$71,564
+46 percent since 2000


Median Household Income:
\$50,727⁸

Average Persons Per Household:
2.4 persons per household
3.02 average family size

Language Spoken

English: 90 percent
Non-English:
10 percent (+3 percent increase)

Sioux Falls Race Breakdown



1. National Prevention Council, National Prevention Strategy, Washington,DC: U.S. Department of Health and Human Services, Office of the Surgeon General, 2011.
2. Healthy People 2020; www.cdc.gov/nchs/healthy_people/hp2020.htm.
3. www.convergencepartnership.org/atf/cf/%7B245A9B44-6DED-4ABD-A392-AE583809E350%7D/CP_Built%20Environment_printed.pdf.
4. www.cdc.gov/healthycommunitiesprogram/overview/index.htm.
5. www.cdc.gov/healthycommunitiesprogram/tools/change.htm.
6. www.cdc.gov/healthycommunitiesprogram/overview/index.htm.
7. U.S. Census Bureau: State and County QuickFacts. Data derived from Population Estimates, American Community Survey, Census of Population and Housing, County Business Patterns, Economic Census, Survey of Business Owners, Building Permits, Consolidated Federal Funds Report, Census of Governments. Last Revised: Tuesday, 18-Sep-2012.
8. U.S. Census Bureau: State and County QuickFacts. Data derived from Population Estimates, American Community Survey, Census of Population and Housing, County Business Patterns, Economic Census, Survey of Business Owners, Building Permits, Consolidated Federal Funds Report, Census of Governments. Last Revised: Tuesday, 18-Sep-2012.



Section 2



Project Goals

In 2012, with the funding received from the South Dakota Department of Health through the Community Transformation Grant from the Centers for Disease Control and Prevention (CDC), the Sioux Falls Health Department (SFHD) took an expanded approach to address the health of the Sioux Falls community. The approach included developing and facilitating a community health needs assessment (CHNA), which engaged a consortium of more than 24 Sioux Falls organizations to form the Live Well Sioux Falls Coalition and Assessment Team (Live Well Team). Live Well Sioux Falls is an initiative designed to help improve the health and well-being of Sioux Falls residents through collaborating on projects to address the community's health-related needs. The Live Well Team identified three project goals for the initiative.

1. Tobacco-Free Living: Prevent and reduce tobacco use.

Tobacco use is "the leading cause of premature and preventable death. Living tobacco free reduces a person's risk of developing heart disease, various cancers, chronic obstructive pulmonary disease, periodontal disease, asthma, other diseases, and of dying prematurely."¹

2. Clinical Preventive Services: Increase control and awareness of high blood pressure and high cholesterol.²

Clinical preventive services, such as routine disease screening and scheduled immunizations, are key to reducing death and disability and improving the nation's health. These services both prevent and detect illnesses and diseases at more treatable stages. Millions of children, adolescents, and adults go without clinical preventive services that could protect them from developing a number of serious diseases.

3. Healthy and Safe Physical Environment (Built Environment): Improve the community environment to support health, specifically to increase active transportation and promote active recreation.

According to the Healthy Eating Active Living Convergence Partnership, the built environment or healthy community design, "encompasses places and spaces created or modified by people including buildings, parks, and transportation systems. The built environment is structured by land use rules, as well as by economics and design features."³ This influences a person's level of physical activity. For example, inaccessible or nonexistent sidewalks and bicycle or walking paths contribute to sedentary habits. These habits lead to poor health outcomes such as obesity, cardiovascular disease, diabetes, and some cancer.

Overall Methodology


The Live Well Sioux Falls Community Health Needs Assessment incorporates data from both quantitative and qualitative sources. Quantitative data was gathered from both primary (Live Well Resident Survey) and secondary data sources (such as the Behavioral Risk Factor Surveillance System (BRFSS) data, and other resources defined below), which allow for trending and comparison to benchmark data at the community, state, and national levels. Additionally, a survey instrument was developed and made available to Sioux Falls residents and administered via paper and online. Qualitative data was gathered through the CDC's Community Health Assessment and Group Evaluation (CHANGE) tool focus group discussions and the Live Well Resident Survey utilizing open-ended responses.

While this assessment is comprehensive, it does not measure all potential public health issues in the community, nor can it adequately represent all possible populations of interest. These information gaps might in some way limit the ability to assess

all of the community's health needs. Both the quantitative and qualitative data have limitations and as a result should not be used to confirm or deny a specific health issue in Sioux Falls. For example, the BRFSS data referenced was scientifically designed with a random sample of the state and metropolitan area of Sioux Falls and is representative of the state and city. In contrast, the Live Well Resident Survey is a nonscientifically designed "convenience sample" and therefore representative of only the Sioux Falls residents who chose to participate in the Live Well survey. The additional tools utilized to conduct the CHNA are identified later in this section.

Community Health Assessment and Group Evaluation (CHANGE):

The Live Well Team utilized the Community Health Assessment and Group Evaluation (CHANGE)⁴ tool, developed by the Centers for Disease Control and Prevention (CDC), to identify specific health-related needs and assets within the Sioux Falls community. "The CHANGE tool is geared toward achieving systemic community change and assists in assessing relationships among living conditions, culture and economics, social networks and lifestyle factors. Recognizing that a community's health is comprised of many factors including, policy, systems, and environmental changes, all were reviewed. Policy change includes laws, regulations, rules and procedures designed to guide or influence behavior. A System change impacts all elements of an organization or an institution. An example of this could be a "Smoke



Institute of Medicine. The Future of the Public's Health in the 21st Century. Washington, D.C.: National Academies Press.

Free Campus” policy. Environmental changes are those that are physical, social or economic conditions designed in a way to influence people’s practices and behaviors.”⁵

The CHANGE tool provides qualitative data and assists community teams (such as coalitions) in assessing existing assets and barriers for improvement regarding current policy, systems, and environmental change strategies in multiple community sectors. The sectors specific to the CHANGE tool are schools, community institutions/organizations, health care settings, work sites, and the community at large. Each sector, consisting of Live Well Team members, completed an evaluation of their policy, systems, and environment assets and needs focused on the health-related areas (also referred to as modules) of physical activity, nutrition, tobacco, chronic disease management, and leadership. The school sector focused on two additional areas of after-school programming and school district. For greater sector definition and the specific questions each sector addressed, refer to Appendix B of this document.

The CHANGE tool identifies four key objectives and three benefits.

Objectives:

- Identify community strengths and areas for improvement.
- Identify the status of community health needs.
- Define improvement areas to guide the community toward implementing and sustaining policy, systems, and environmental changes around healthy living styles.
- Assist with prioritizing community needs and consider appropriate allocation for valuable resources.

Benefits:

- Allow local stakeholders to work together in a collaborative process to survey their community.
- Offer suggestions and examples of policy, systems, and environmental change strategies.

- Provide feedback to communities as the community institutes local level change for healthy living.⁶

The CHANGE tool is an eight-step process.⁷

1. **Assemble the Community Team.** The start of the commitment phase. The Live Well Sioux Falls Assessment Team (a subdivision of the Live Well Coalition) includes diverse sector representation of representatives from 1) community institutions/organizations, 2) schools, 3) work sites, 4) health care organizations, and 5) the community at large and played an active role in data collection and assessment.
2. **Develop a team strategy.** In this step of the process, the Assessment Team first defined “community” as the city limits of Sioux Falls as the demographic area to be studied. Assessment Team members separated into the five sector work groups to begin the data collection and analysis process. Two team members participated within all five sectors to ensure consistency in collecting and analyzing data and reporting back to the Coalition.



Sioux Falls city limits.

3. **Review all CHANGE Sectors.** This step helped to understand what policy, systems, and environment data specific to each sector was assessed. Within each CHANGE sector, questions addressing nutrition, physical activity, tobacco, chronic disease, and leadership, with after school and district added for the school sector, were outlined specifically within each sector.
4. **Gather Data.** Data was gathered from each site regarding the policy and environment strategies in place for nutrition, physical activity, tobacco, chronic disease management, and leadership. Sites are the locations within a sector where data was collected.
5. **Review Data Gathered.** Collected data was reviewed during this step to help Sector Teams agree on how each strategy should be rated. Team members rated the strategies to reflect if they were in place or not and to what degree.
6. **Enter Data.** A team member entered the data from each site into the CHANGE tool.

CHANGE Tool Scoring

	Policy	Environment
Response #	Item #1: Require sidewalks to be built for all developments (e.g., housing, schools, commercial)	
1	This stage represents the time when the issue has not yet been identified as a concern or a problem. For example (examples provided correspond to item #1), the city or county government has never discussed instituting a sidewalk policy; complaints have never been filed and issues have not been raised by residents.	At this point, no elements are in place in the environment. For example (examples provided correspond to item #1), there are no sidewalks that are fully accessible to all pedestrians (including those in wheelchairs), there is no appropriate lighting, there are no stoplights, and there are no crosswalks.
2	This stage involves getting a problem onto the radar screen of the authoritative body that must deal with the issue. This is usually done when the issue or problem is categorized as a social or public problem. For example (examples provided correspond to item #1), the city or county government discusses instituting a sidewalk policy after complaints are filed by residents who are not able to safely walk in their neighborhoods; policy implications and issues are being considered.	At this point, only a few elements are in place in the environment. For example (examples provided correspond to item #1), there are sidewalks that are fully accessible to all pedestrians (including those in wheelchairs), but there is no appropriate lighting, there are no stoplights, and there are no crosswalks.
3	This stage involves analyzing policy goals and solutions, the development or creation of alternative recommendations to resolve or address the identified public problem, and final selection of a policy. For example (examples provided correspond to item #1), the city or county government developed and approved the policy, but it has not yet been implemented. It will be implemented in the next fiscal year.	At this point, there are some elements in place in the environment. For example (examples provided correspond to item #1), there are sidewalks that are fully accessible to all pedestrians (including those in wheelchairs) and there is appropriate lighting, but there are no stoplights and there are no crosswalks.
4	This occurs within organizations directed to carry out adopted policies. Implementation begins once a policy has been formulated and adopted, and administrators have made a decision about how to deploy necessary resources (human and financial) to actualize the policy. For example (examples provided correspond to item #1), the sidewalk policy was established and passed last year by the city or county government, communicated to residents, and implemented this year. The end of this year will be the review and comment period of the policy.	At this point, most elements are in place in the environment. For example (examples provided correspond to item #1), there are sidewalks that are fully accessible to all pedestrians (including those in wheelchairs), there is appropriate lighting, and there are stoplights, but there are no crosswalks.
5	This stage involves determining to what extent the policy has been enforced, and what occurred as a result of the policy. Based on the evaluation results, adjustments can be made to the current policy to ensure effectiveness. For example (examples provided correspond to item #1), the sidewalk policy was in place last year, and a comment period was held. The policy was revamped, and is now implemented with revisions including increased funding for implementation and increased punishment for violations.	At this point, all elements are in place in the environment. For example (examples provided correspond to item #1), there are sidewalks that are fully accessible to all pedestrians (including those in wheelchairs), there is appropriate lighting, there are stoplights, and there are crosswalks.
99	This type of policy is not appropriate for this community.	This type of environmental change strategy is not appropriate for this community.

CDC Community Health Assessment aNd Group Evaluation (CHANGE)

7. **Review Consolidated Data.** Step seven involved sector teams collaborating to review the assets and needs aligned with the policy and environment change strategies. Teams determined what strategies necessitated areas of improvement.
8. **Build the Community Action Plan.** The results of the sector analysis are used to develop the Community Action Plan, which is a living document that enables our community to structure identified health-related activities around a common purpose and to prioritize needs. The strategic priorities identified for each health module are included in this document in Section 4.

CHANGE Tool Sampling Methodology

The CHANGE Tool is designed for communities to utilize multiple data collection methods. The Live Well Team Sectors collected data from each site through document review, secondary data collection, and group discussion. The CHANGE tool suggested that data be gathered from a minimum of 13 sites to understand the intricacies of the community; however, the Live Well Team gathered data from 36 sites.

Individual sites within each sector completed a set of questions specific to policy and environment change strategies. The CHANGE Tool design provides a rating scale for sites to score their policy and environment strategies. The rating scale allocated a number between 1, "No elements in place," up to 5, "All elements in place," for both the policy and environment strategies. The CHANGE Tool Scoring table shows a scale with examples for scores 1 through 5. A low score (1) for a module indicates that policy and environment change strategies are not in place for that site. A high score (5) indicates that the site has begun to implement strategies or has ones already in place. Personnel housed within each site scored the strategies. Sector team members interpreted the scale indicating that elements specific to the health topic being reviewed were in place at each site regarding policy and environment strategies.

Sector team members participated in group discussion regarding their sector scores. Sectors reviewed the scores and calculated an average percentage rating for the presence of policy and environment change strategies in each sector regarding physical activity, nutrition, tobacco, chronic disease management, and leadership modules. The CHANGE Tool design provided Sector Teams with a user-friendly Microsoft Office Excel spreadsheets for data collection and calculation. Team members determined the needs and assets of each sector module based on the averaged rating scores. The CHANGE Tool defined any module that scored 60 percent or lower as a "need" and 61 percent or higher as an "asset." Below is an example of the CHANGE Summary Statement. The figures included are those for the Community at Large.

Community Health Assessment and Group Evaluation Summary Statement

Community At Large		
Module	Community	
	Policy	Environment
Physical Activity	78.26%	73.91%
Nutrition	47.76%	45.45%
Tobacco Use	57.50%	70%
Chronic Disease Management	57.78%	66.67%
Leadership	63.64%	58.18%
Demographic Information		
Community Density Population	156,300	
Community Density Sq Miles	73.89	
Community Setting	Suburban	
Median Household Income	50,000–74,999	
% No High School Diploma	5–9%	
% Poverty	10–14%	
% Unemployed	<5%	

Sector Representation

CHANGE is divided into five sectors for assessment.⁸ They are:

- **Community at Large Sector (CAL)**

The community at large sector includes community-wide efforts that impact the social

and built environments such as food access, walkability or bikeability, tobacco-free policies, and personal safety.

The community at large sector was represented by the City of Sioux Falls and included representation from the City Attorney's Office, Engineering, Fire Rescue, GIS, Health, Human Resources, Parks and Recreation, and Planning and Building Services.

• **Community Institutions and Organizations Sector (CIO)**

The community institution/organization sector includes entities within the community that provide a broad representation of human services and access to facilities such as child care settings, faith-based organizations, senior centers, boys' and girls' clubs, health and wellness organizations, and YMCAs.

The community institution/organization sector was represented by numerous organizations that included American Heart Association, Augustana College, Parish Nurses, Sioux Empire United Way, Urban Indian Health, and the YWCA.

• **Health Care Sector**

The health care sector includes places people go to receive preventive care or treatment, or emergency health care services, such as hospitals, private doctors' offices, and community clinics, local health department, and health insurance companies.

The health care sector was represented by Avera, DAKOTACARE, Falls Community Health, Sanford, Southeastern Behavioral Health, and Urban Indian Health Center.

• **School Sector**

The school sector includes primary and secondary learning institutions (e.g., elementary, middle, and high schools) and colleges and universities.

The school sector was represented by Augustana College and the Sioux Falls School District.

• **Work Site Sector**

The work site sector includes places of employment such as private offices, restaurants, retail establishments, and government offices.

The work site sector was represented by City of Sioux Falls, DAKOTACARE, Howalt-McDowell, Perkins Restaurant, Regency Hotel, Sioux Falls Chamber of Commerce, Sioux Falls Construction, and Volunteers of America.

CHANGE Tool Data Limitations

It should be noted that there are limitations associated with the Live Well Team's implementation of the CHANGE tool data gathering process. The Live Well Team followed the specified instructions; however, the nature of the tool is subjective and there is no defined protocol to select team members, thus bias may occur due to the self-selection of the team members. Additionally, team members assigned scores to each policy and environment question based upon their individual perceptions.

Live Well Resident Survey

A Live Well Resident Survey was the second primary data collection tool utilized in the Live Well Sioux Falls initiative's community health needs assessment (CHNA). The survey goal was to garner feedback from the Sioux Falls community regarding individuals' health as well as residents' perceptions of community health needs and assets. The survey was divided into nine sections that addressed personal health, preventive services, access to health services, oral health, mental health, life satisfaction, home environment, community, and demographics. Specific questions within those sections focused on health behaviors regarding chronic disease prevention, access to health/oral care and health/oral insurance, community issues, and access to community services.


The survey was developed using various CHNA model surveys and also incorporated a number of questions asked routinely in the BRFSS survey.

The Live Well Resident Survey questions drawn from BRFSS were those specific to nutrition, tobacco use, and physical activity. The inclusion of BRFSS questions was made in an attempt to validate survey responses with state and national BRFSS data.

Live Well Survey Sampling Methodology

The survey was available in paper and online formats and officially open to the public from July 16, 2012, through August 5, 2012. From August 5, 2012, through September 17, 2012, outreach to male, low income, and ethnically diverse populations was completed as an attempt to increase representation from those specific populations. The paper survey was available at the Sioux Falls Public Library; Urban Indian Health; South Dakota Woman, Infant and Children (WIC) Sioux Falls office; and the Multi-Cultural Center of Sioux Falls. The option of paper form was given in order to increase survey responses from various populations within the community who may not necessarily have had access to computers or who may have needed assistance in completing the survey.

Over 3,000 individuals accessed the Live Well survey, of which 2,388 answered all survey questions. Not all survey respondents chose



Sioux Falls city limit zip code boundaries.

to answer every survey question, thus survey responses were analyzed on a question-by-question basis. Respondents eligible to participate in the survey lived within the Sioux Falls city limits, had a 5-digit zip code (57103, 57104, 57105, 57106, 57107, 57108, 57110) and were 18 years of age or older.

Live Well Resident Survey Data Limitations

While the survey does provide valuable information to assist the Live Well Sioux Falls Coalition in addressing the health of the community, the key limitation of the survey was the composition of the sample size. The survey methodology design that was used included a “convenience sample” of persons within the city of Sioux Falls and was not scientifically designed. Thus, the survey sample is not random, and the data is not statistically significant or representative of the demographics of Sioux Falls residents. As the survey is not a representative sample of the city, it is inappropriate to make explicit comparisons between the survey’s findings and other data sources such as state and national BRFSS data.

In particular, while a large percentage of Sioux Falls residents are non-Hispanic Caucasian (84.4 percent), there are a growing percentage of residents who represent other racial/ethnic populations who were not fully represented among the survey’s respondents. Additionally, when compared to the 2010 U.S. Census Demographics for Sioux Falls, there was an underrepresentation of respondents who were low-income (meet federal poverty level guidelines), as well as aged 18 to 24 and 65 or older, and a smaller percentage of male respondents compared to females.

Additional limitations that should be noted include that the survey asked for respondents’ individual perceptions of community health issues and services, thus their subjective responses may not truly reflect the current status of those community issues and services.

An analysis concerning the sample size for each survey question suggests that the length of the survey may have hindered some respondents from completing the survey in its entirety. Some respondents who accessed the paper version of the survey may not have had time to complete the survey depending on the location in which the survey was disseminated.

Finally, as a result of the two different survey formats (online and paper), some of the final survey questions did not get transferred to the final paper copies. The final online survey provided alternative answer options for specific survey questions, compared to the paper copy. In particular, on the paper copy, if a respondent answered yes to question 5, “Which of these problems keep you or your family member from getting the necessary dental care?” (select all that apply), the paper copy does not include the online survey answer option to this question of “No way to get there.” In addition, the question numbered 43 on the paper copy, “Considering mental health in Sioux Falls, how concerned are you about,” does not include the online survey answer option, “There is plenty of help during times of need.” While identical questions and answer options were unavailable, the survey questions still garnered similar outcomes.

Public Health,

Vital Statistics, and Other Data:

The third form of data collection included the use of a variety of existing (secondary) data sources that were consulted to complement the research quality of this Community Health Needs Assessment. Data was obtained from the following sources with specific citations included with graphs and other information throughout the report.

- BRFSS
- Centers for Disease Control and Prevention
- Community Health Center
- National Center for Health Statistics

- National Prevention Strategy
- South Dakota Department of Health
- State Health Facts. Kaiser Family Foundation. Statehealthfacts.org
- U.S. Census Bureau
- U.S. Department of Health and Human Services
- U.S. Department of Health and Human Services. Healthy People 2020
- U.S. Department of Agriculture (USDA) Dietary Guidelines for Americans 2010

Benchmark Data

Community Risk Factor Data—State, county, and city risk factor data are the most recent BRFSS data reported by the Centers for Disease Control and Prevention and the U.S. Department of Health and Human Services. State-level vital statistics are also provided for comparison of secondary data indicators.

Healthy People 2020

Healthy People provides science-based, 10-year national objectives for improving health of all Americans. The Healthy People initiative is grounded in the principle that setting national objectives and monitoring progress can motivate action. For three decades, Healthy People has established benchmarks and monitored progress over time in order to:

- Encourage collaborations across sectors.
- Guide individuals toward making informed health decisions.
- Measure the impact of prevention activities.

In terms of content, this assessment report was designed to provide a comprehensive and broad picture of the health of the Sioux Falls community. However, there are certainly a great number of medical conditions that are not specifically addressed. The following section of the report delineates findings from the CHANGE tool and the Live Well Resident Survey and addresses certain chronic conditions, which are related to the five health topics.



This publication was supported by the Cooperative Agreement Number 1U58DP003510-01 from the Centers for Disease Control and Prevention through the South Dakota Department of Health. Its contents are solely the responsibility of the authors and do not necessarily represent the official views of the Centers for Disease Control and Prevention.

1. National Prevention Council, National Prevention Strategy, Washington, DC.
2. U.S. Department of Health and Human Services, Office of the Surgeon General, 2011.
3. Healthy People 2020; www.cdc.gov/nchs/healthy_people/hp2020.htm. www.convergencepartnership.org/atf/cf/%7B245A9B44-6DED-4ABD-A392-AE583809E350%7D/CP_Built%20Environment_printed.pdf.
4. The Centers for Disease Control and Prevention. Community Health Assessment aNd Group Evaluation (CHANGE) Action Guide: Building a Foundation of Knowledge to Prioritize Community Needs. Atlanta: U.S. Department of Health and Human Services, 2010.
5. The Centers for Disease Control and Prevention. Community Health Assessment aNd Group Evaluation (CHANGE) Action Guide: Building a Foundation of Knowledge to Prioritize Community Needs. Atlanta: U.S. Department of Health and Human Services, 2010; page 5.
6. The Centers for Disease Control and Prevention. Community Health Assessment aNd Group Evaluation (CHANGE) Action Guide: Building a Foundation of Knowledge to Prioritize Community Needs. Atlanta: U.S. Department of Health and Human Services, 2010; page 6.
7. The Centers for Disease Control and Prevention. Community Health Assessment aNd Group Evaluation (CHANGE) Action Guide: Building a Foundation of Knowledge to Prioritize Community Needs. Atlanta: U.S. Department of Health and Human Services, 2010.
8. Centers for Disease Control and Prevention. Community Health Assessment aNd Group Evaluation (CHANGE) Action Guide: Building a Foundation of Knowledge to Prioritize Community Needs. Atlanta: U.S. Department of Health and Human Services, 2010.



Section 3


Preface

This section of the Community Health Needs Assessment provides a review of specific health topics of nutrition, physical activity, tobacco, chronic disease management, and leadership.

There is an overview of the health topics, CHANGE tool, Live Well Survey results, health statistics, and an overview of health topic assets and needs.

Today, chronic disease accounts for 7 in 10 deaths and affects the quality of life in 90 million Americans. The increasing burden of chronic disease and unhealthy lifestyles requires immediate and sustained action from all community members. Deaths attributed to these health topics and other related diseases are as follows:


Deaths Attributable to Individual Risks (Thousands) in Both Sexes



The graph represents the total deaths related to the health topics, with a breakdown of a specific disease, which is attributed to the cause of death.

2012 CHANGE Assessment Results

Nutrition



Nutrition Overview

Scientific evidence supports the health benefits of eating a healthy diet and maintaining a healthy body weight. The goal of demonstrating good community nutrition requires efforts to address individual behaviors, including policies and environments that support these behaviors in such settings as schools, work sites, health care organizations, and communities.

Live Well survey results reveal poor eating habits as one of the top unhealthy behaviors the community of Sioux Falls faces as we move toward becoming a more healthy community. Various factors influence the nutrition behaviors of individuals, including access to healthy and affordable foods, knowledge, beliefs, attitude about good nutrition, as well as social and economic factors. Community strategies such as the availability and promotion of community gardens, nutritional labeling at restaurants and on vending machines, breast-feeding initiatives to support future and current moms, healthy food options at organizational events, and healthy food and beverage options in vending machines, were evaluated through the CHANGE tool. Communities can support eating healthy by making healthy options affordable and accessible. Communities can also provide people with the information and tools needed to make healthy choices. Implementing and expanding these and other strategies will be key to improving the nutritional score for Sioux Falls. Current performance across all sectors is represented in the nutrition topic graph.

Good Nutrition/Eating a Healthy Diet



Good nutrition can reduce people’s risk for heart disease, high blood pressure, diabetes, osteoporosis, and several types of cancer, as well as help maintain a healthy body weight. As described in the Dietary Guide for America, eating healthy means consuming a variety of nutritious foods and beverages, especially vegetables, fruits, low-fat and fat-free dairy products, and whole grains; limiting intake of saturated fats, added sugars, and sodium; keeping trans fat as low as possible; and limiting caloric intake with calories burned to manage body weight.¹

Vegetables, fruits, and grains are excellent sources of vitamins, minerals, carbohydrates, and other substances that are important for a healthy diet and maintaining a healthy weight. While the number of adults who reported consuming fruits and vegetables five or more times per day held

Did You Know?

Farmers' markets are available during the summer months in Sioux Falls. There are three markets that are available to the public throughout the city. Locations are at Falls Park, Empire East, and 8th and Railroad. These are great venues for residents of Sioux Falls as well as visitors to go to and buy fresh produce for themselves and their families.

Adults Who Consumed Five or More Servings of Fruits and Vegetables Per Day



steady from 2002 through 2007, results in the 2009 Centers for Disease Control's Behavioral Risk Factor Surveillance System (BRFSS) show a decline in the number of people consuming a healthy number of servings of fruits and vegetables. Further review of the BRFSS trend data reveals that the state of South Dakota ranks as the second worst state for fruit and vegetable consumption, with only 15.7 percent of respondents reporting they consume five or more servings of fruits and vegetables per day. Nationwide, the median is 23.5 percent of the people responded they consume five or more servings of fruits and vegetables per day.

The Sioux Falls MSA within the South Dakota 2009 BRFSS data, reports the lowest number (12.6 percent) of people who consume five or more servings of fruits and vegetables per day, which would rank Sioux Falls as one of the worst MSAs in the United States for healthy eating.

Recommendations from the Dietary Guidelines for Americans are intended for Americans ages 2 years and over, including those at increased

risk of chronic disease, and provide the basis for federal food and nutrition policy and education initiatives. The Dietary Guidelines encourage a focus on eating a healthful diet—one that focuses on foods and beverages that help achieve and maintain a healthy weight, promote health, and prevent disease.² Choosing a healthy diet can prevent premature death as six of the ten leading causes of death in the United States are linked to poor diets.³

The Heavy Toll of Diet-Related Chronic Diseases

Cardiovascular Disease

- 81.1 million Americans—37 percent of the population—have cardiovascular disease. Major risk factors include high levels of blood cholesterol and other lipids, type 2 diabetes, hypertension (high blood pressure), metabolic syndrome, overweight and obesity, physical inactivity, and tobacco use.
- 16 percent of the U.S. adult population has high total blood cholesterol.

Local Story

Sioux Falls School District—Child Nutrition Services Overview

The Sioux Falls School District's Child Nutrition Services has been implementing changes in their program for many years. Even before participation in the Growing Healthy Initiative in Sioux Falls they had made many changes in food choices on menus, food preparation techniques, and recipes.

In 2011, the district was awarded the Healthier US School Challenge bronze award for meeting the criteria of the USDA/Team Nutrition challenge. Food choices, physical activity, and nutrition education were the key areas that the district was judged upon.

Child Nutrition Services had worked diligently to be sure their program was ready for the new regulations as a result of the Healthy Hunger Free Kids Act of 2010. Therefore, they have only had to make some minor adjustments to menus. They have already been monitoring calories of meals, fat content, and sodium. They have been purchasing low-fat meats and entrees, serving vegetable varieties, whole grains, and skim and low-fat milks.

Adjustments for 2012 were adding an extra 1/4 cup vegetable serving in the elementary meal and ensuring that secondary students take a fruit or vegetable. Middle school and high school students have always had the opportunity to take unlimited portions of fruits and vegetables during school lunch. Items include fresh fruits and vegetables, a steamed vegetable daily, a legume dish daily, canned fruits in their own juice or water pack, and some days 100 percent fruit or vegetable juices.

Hypertension

- 74.5 million Americans—34 percent of U.S. adults—have hypertension.
- Hypertension is a major risk factor for heart disease, stroke, congestive heart failure, and kidney disease.
- Dietary factors that increase blood pressure include excessive sodium and insufficient potassium intake, overweight and obesity, and excess alcohol consumption.
- 36 percent of American adults have prehypertension blood pressure numbers that are higher than normal, but not yet in the hypertension range.

Diabetes

- Nearly 24 million people—almost 11 percent of the population—ages 20 years and older have diabetes. The vast majority of cases are type 2 diabetes, which is heavily influenced by diet and physical activity.
- About 78 million Americans—35 percent of the U.S. adult population ages 20 years or older—have prediabetes. Prediabetes (also called impaired glucose tolerance or impaired fasting glucose) means that blood glucose levels are higher than normal, but not high enough to be called diabetes.

Cancer

- Almost one in two men and women—approximately 41 percent of the population—will be diagnosed with cancer during their lifetime.
- Dietary factors are associated with risk of some types of cancer, including breast (postmenopausal), endometrial, colon, kidney, mouth, pharynx, larynx, and esophagus.

Obesity

Obesity, a leading preventable cause of death, is a medical condition in which excess body fat has accumulated to the extent that it may have an adverse effect on health, leading to reduced

life expectancy and/or increased health problems. Obesity increases the likelihood of various chronic diseases, including heart disease, type 2 diabetes, high blood pressure, and certain types of cancer. Obesity rates have been on the rise in the United States for several decades, contributing to an increased medical cost burden and stressed health care delivery system. According to the CDC, obesity and overweight together are the second leading cause of preventable deaths, close behind tobacco use.⁴

The BRFSS report determines participants who are overweight and obese based on their individual Body Mass Index (BMI).⁵ BMI is a number calculated from an individual's weight and height and according to the CDC is, "a reliable indicator of body fatness for most people and is used to screen for weight categories that may lead to health problems." BMI is categorized by weight, <18.5 = Underweight, 15.5–24.9 = Normal, 25–29.9 = Overweight and >30 = Obese.⁶ South Dakota was named the 17th most obese state in the country, according to the eighth annual "F as in Fat: How Obesity Threatens America's Future 2011," a report from the Trust for America's Health (TFAH) and the Robert Wood Johnson Foundation (RWJF). Personal choices and behavior plus economic conditions and environmental policies contribute to obesity.

Data from the 2011 South Dakota BRFSS report indicates that 28.1 percent of participants are obese. While the percentage of Sioux Falls MSA participants who are classified as overweight has been increasing, the percentage of Sioux Falls MSA participants who are obese increased each year from 2005–2009, with a decrease in 2010.⁷

Live Well Survey Adults

Live Well Survey respondents were asked to provide their height and weight to facilitate a BMI calculation. The BMI of survey respondents was assessed and the actual data shows that the highest percentage of individuals have a "Normal" BMI, 38.3 percent. However, when asked about their health condition, approximately half of

respondents' BMI indicated they are "Overweight" or "Obese." Respondents 65 or older reported the highest percentage of "Overweight" persons, 39.7 percent, and respondents aged 56 to 64 reported the highest percentage of "Obese" persons. While the majority of survey respondents were female, almost double the percentage of male respondents identified as "Overweight," 44.8 percent, when compared to "Overweight" females.

An "Overweight" or "Obese" BMI classification is one risk factor that contributes to "metabolic syndrome," which is "the name for a group of risk factors that raises a person's risk for heart disease and other health problems." Other risk factors include heart disease, high cholesterol, high blood pressure, and diabetes. Survey respondents were asked if they have ever been told by a health professional if they have been told they have one or more health issues, including the risk factors for metabolic syndrome. Of those survey respondents who indicated they have the risk factors, a higher percentage of individuals reported being "Overweight" or "Obese."⁸

Childhood Overweight/Obesity

Live Well Survey respondents identified childhood obesity as a major health issue in the Sioux Falls community. BMI is a measure that is also used to determine childhood overweight and obesity. A child's weight status is determined using an age- and sex-specific percentile for BMI rather than the BMI categories used for adults because body


composition in children varies as they age and varies between boys and girls.

The Centers for Disease Control and Prevention weight and height charts are used to determine the corresponding BMI-for-age and sex percentile. For children and adolescents (aged 2 to 19 years), overweight is defined as a BMI at or above the 85th percentile and lower than the 95th percentile for children of the same age and sex. Obesity is defined as a BMI at or above the 95th percentile for children of the same age and sex.


Obesity now affects 17 percent of all children and adolescents in the United States—triple the rate from just one generation ago. Childhood obesity rates have increased dramatically in South Dakota in 10- to 17-year-old children. According to the 2011–2012 South Dakota School Height and Weight Report, South Dakota's child obesity rate rose slightly in the 2011–2012 school year for kids 19 and under, 15.9 percent, which is up from the 2010–2011 school year rate of 15.2 percent.⁹ While recent reports have shown that obesity is on the rise in some parts of South Dakota, the Sioux Falls School District has seen a reduction in the percentage of overweight/obese children.¹⁰

If timely, dramatic, and effective measures are not implemented, the current national prevalence—30 percent—of excessive weight and obesity among children will likely double by 2030.¹¹ Obesity is related to poor nutrition, the lack of physical activity, and increased sedentary behavior. The most widespread consequences of obesity in

Weight Classification of Sioux Falls MSA Respondents by Body Mass Index (BMI)



Weight Classification of South Dakota MSA Respondents by Body Mass Index (BMI)



children are psychological. With a culture that generally prefers thinness, obese children are targets of early and systematic discrimination, often referred to as bullying.

for at least four days per week, and are less likely to spend two hours or more in front of a television or computer screen.

Live Well Survey

Survey respondents also identified bullying as a top unhealthy behavior in Sioux Falls. A study completed by a pediatrics society indicated obese children have fewer friends and are regarded as lazy or sloppy. Obese adolescents often develop a negative self-image. In addition, children who mature early tend to have lower self-esteem.¹²

Other points of interest related to childhood obesity are as follows:¹³

- Approximately 17.9 percent of South Dakota children and 14.0 percent of Sioux Falls children ages 2 to 5 years are considered overweight or obese according to BMI-for-age standards.
- The prevalence of overweight and obesity among South Dakota children in higher-income families is less than one in six (15.6 percent), which is seven percentage points below the national rate and second lowest among the 50 states and D.C., trailing only Colorado.
- About one in five (21.3 percent) white children in South Dakota are overweight or obese. South Dakota ranks fifth for this subgroup.
- South Dakota children are just as likely as their counterparts nationwide to be physically active

Local Story

Avera McKennan Employee Wellness

Avera McKennan's internal employee wellness program has sponsored an employee community garden the past two years. Fifty-five plots are available at the St. Isidore garden and all are planted. People are encouraged to donate any extra produce to the Walsh Family Village or other organizations.

This last gardening season saw increased productivity in everyone's gardens and increased visibility to the garden project. A "green" garden shelter was erected using reclaimed/recycled construction materials as well as all the labor being donated. The shelter features a communication board where gardeners can post items such as extra garden produce for the taking or request help in watering plots.


In addition, we planted apple trees and a local youth group added some artwork in the form of decorated pavers that encircle the trees. Not only have we provided opportunity for people to grow their own food, we have enhanced the community within our own organization.

- According to the 2011 Pediatric Nutrition Surveillance System (PedNSS), which assesses weight status of children from low-income families participating in WIC, 32.0 percent of low-income children ages 2 to 5 years in South Dakota are overweight or obese.

Whether discussing adult or childhood overweight or obesity, dieting and physical activity are the treatment mainstays. Each day, adults and children alike need to consume a well-balanced diet that is high in fruits and vegetables and low in fats and sugars.

CHANGE Tool Assets and Needs

As CHANGE results were reviewed for each sector, assets and needs were identified.




Policy assets are defined as those policies that have been formulated and adopted or once implemented determining to what extent the policy is being enforced and results measured. Policy needs are defined as those policies that range from still being analyzed to the stage where the issue has not yet been identified as a concern or a problem. Environment assets are defined as those activities/initiatives have most to all elements in place in the environment. Environment needs range from a point where some elements are in place in the environment to no elements in place in the environment. Below are several of the assets and needs that have been identified through the CHANGE tool.

Nutrition Assets identified are:

- Schools are meeting the nutritional needs of students with school breakfast and lunch programs that meet the US Department of Agriculture School Meal Nutrition Standards.
- Schools provide adequate time to eat school meals (10 minutes for breakfast/20 minutes for lunch from the time students are seated.)
- Most employers provide access to a refrigerator and microwave.
- Most employers support breastfeeding by having maternity care practices, including providing a comfortable space for employees to nurse or pump.
- Most health care settings have incorporated healthy food and beverage options for their patients.

South Dakota Height and Weight-South Dakota Obese Students, Ages 5-19 Years Old

■ South Dakota Obese Students ■ Sioux Falls Obese Students ■ Sioux Falls Overweight Students



Nutrition Needs identified are:

- Increase the number of residents that are served by transit to enhance access to supermarkets and large grocery stores.
- Provide comfortable, private spaces for women to nurse or pump in public places to support and encourage residents' ability to breast-feed.
- Institute a consistent nutritional labeling program at local restaurants and food venues.
- Institute affordable, healthy food and beverage options in vending machines.
- Provide direct support (money, land, a pavilion, sponsorship, donated advertising) for community-wide nutrition opportunities such as farmers markets and community gardens.

Did You Know?

Sioux Falls Parks and Recreation supports community gardens across the city. Garden placement is on a first-come, first-served basis with priority given to people who successfully gardened in the Sioux Falls Community Garden program the previous year. The Sioux Falls Community Garden is a cooperative effort involving the City of Sioux Falls, Minnehaha County Master Gardeners, Minnehaha County Extension Service, and a dedicated group of volunteers, including more than 200 individual gardeners.

- Health care providers to provide regular counseling about the health value of good nutrition during all routine office visits.
- Provide access to free or low cost weight management and nutrition programs.
- Institute healthy food options at city and company sponsored events.
- Develop a process that allows WIC coupons and food stamps to be utilized at local farmers markets.

Live Well Means

- ✓ Consume five servings of fruits and vegetables each day (1 serving = 1/2 cup raw or 1 cup cooked).
- ✓ Eat foods low in saturated fat, trans fat, and cholesterol.
- ✓ Limit alcohol intake.
- ✓ Drink at least eight 8-ounce glasses of water each day.
- ✓ Make whole grains half of your grains.
- ✓ Vary your veggies in color, taste, and texture.
- ✓ Get your calcium-rich foods.

Summary


CHANGE tool results indicate that nutrition represents the health topic with the lowest overall performance. The Live Well Survey respondents also identified poor eating habits as one of the top health problems in the city. Improving performance in this area ranges from behavior changes when individuals begin to increase fruit and vegetable consumption and systemic policy and environmental changes that support these behaviors in such settings as schools, health care organizations, and communities.



1. 2010 Dietary Guidelines for Americans and 2011 National Prevention Council, National Prevention Strategy, Washington, D.C.
2. www.health.gov/dietaryguidelines/2015.asp.
3. www.health.ny.gov/prevention/nutrition/.
4. Prevalence of Obesity in the United States, 2009–2010. www.cdc.gov/nchs/data/databriefs/db82.htm.
5. The Behavioral Risk Factor Surveillance System 2011. Online resource available at www.cdc.gov/obesity/data.
6. www.cdc.gov/healthyweight/assessing/bmi/.
7. <http://apps.nccd.cdc.gov/brfss/page.asp?cat=OB&yr=2011&state=SD#OB>.
8. www.nhlbi.nih.gov/health/health-topics/topics/ms/.
9. 2011–2012 South Dakota School Height and Weight Report
10. 2011–2012 South Dakota School Height and Weight Report
11. South Dakota State University Be Great. Start Here. Online resource available at www.sdstate.edu/hns/research/index.cfm.
12. Dietz, Pediatrics 101 Suppl, March 1999.
13. <http://doh.sd.gov/statistics/PDF/2011PedNSS.pdf> ; Pediatric Nutrition (PedNSS) Surveillance System.

2012 CHANGE Assessment Results

Physical Activity




Physical Activity Overview

Physical activity is a well-established method to improving individual health and reducing a person’s risk for many chronic diseases. Released in 2008, the “Physical Activity Guidelines for Americans” (PAG) is the first-ever publication of national guidelines for physical activity; it suggests a combination of aerobic and muscle strengthening activities for long-term health benefits. The Physical Activity objectives for Healthy People 2020 reflect the strong state of the science supporting the health benefits of regular physical activity among youth and adults, as identified in the PAG. Regular physical activity includes participation in moderate and vigorous physical activities and muscle-strengthening activities.¹

The Healthy People 2020 Physical Activity objectives highlight how physical activity levels are positively affected by the built environment such as the availability of sidewalks, bike lanes, trails and parks, and policies that improve access to physical activity.² This is often defined as a way of life that integrates physical activity into daily routines, also known as active transportation. Supporting active transportation requires policy and environmental enhancements that encourage and support physical activity in such settings as schools, work sites, health care organizations, and communities. Each sector assessed their physical activity policy and environment performance. The

South Dakota Residents Who Participated in 150 Minutes or More of Aerobic Physical Activity Per Week (Male/Female)



Did You Know?

Biking in Sioux Falls

Goal: Improve the safety of bicycling in the street.

Strategy: Update Share the Road Bicycling ordinances to act as a catalyst to educate bicyclists and motorists alike to the proper methods to bicycle and "share the road."

Where do I ride in the street? The ordinance updates the guidance on bicycle placement in the street from "a person driving a bicycle at the normal speed of traffic shall ride as close as practicable to the right-hand curb" to new ordinance language that describes two distinct situations. One situation describes when a bicycle and motor vehicle are to "share the lane" and one situation that describes when a bicycle may "take the lane" to signal to a motor vehicle that it is not safe to pass in the same lane.

How much room should I give a bicycle to safely pass? The ordinance adds a rule for three-foot passing language for any motor vehicle's safe pass of a bicycle.

Where do I ride on a one-way road with two or more lanes? The updated ordinance adds language to allow a bicycle to ride on the left side (in addition to the right side) of a one-way roadway with more than one lane (i.e., Dakota Avenue downtown).

In the future will you have shared bicycle lanes and right-turn lanes? The new ordinance adds the ability to design and construct a shared bicycle and right-turn lane near intersections if needed in the future.

Can I ride two bicycles within the same lane in Sioux Falls? Currently, city ordinance requires a bicyclist to ride single-file in all city streets. The new ordinance allows two bicycles to ride side by side within a single lane except when a motor vehicle approaches from behind as allowed in 47 states.

I always forget how to signal a right-hand turn on a bicycle. The new ordinance allows for an alternative right-hand turn signal on a bicycle (right hand extended horizontally)

CHANGE Tool results indicate schools achieving the highest performance with work site reporting the lowest performance. Specific questions related to this section are found in the Appendix of this report.

Prevalence of Physical Activity in Adults


More than 80 percent of adults do not meet the guidelines for both aerobic and muscle-strengthening activities. Similarly, more than 80 percent of adolescents do not do enough aerobic physical activity to meet the guidelines for youth.³ To meet Healthy People 2020 targets, a multidisciplinary approach is critical to increasing the levels of physical activity and improving health.

In spite of the multiple benefits of regular physical activity, many Americans are not sufficiently active. Those who are inactive are twice as likely to develop heart disease, are prone to obesity, and are more likely to have high blood pressure.⁴ According to the 2011 BRFFS report, 46.1 percent of South Dakota adults met the physical activity guideline of 150 minutes per week of aerobic physical activity, only 16 percent of South Dakota adults met both the aerobic and muscle strengthening guidelines of participating in muscle strengthening exercises more than twice a week, and 27 percent of South Dakota adults reported they had no leisure time (outside of work) exercise or physical activity in the past 30 days.⁵ As you can see below, females are more likely to be physically active than males (49.3 percent vs. 42.8 percent respectively) and the higher the income level, the greater the likelihood they will participate in physical activity.⁶

Please note, the BRFFS 2011 prevalence data should be considered a baseline year for data analysis and is not directly comparable to previous years of BRFFS data because of the changes in weighting methodology and the addition of the cell phone sampling frame, therefore no trend data nor the ability to compare to Sioux Falls is available.

According to the 2010 BRFFS report, 75.3 percent of adults in South Dakota reported they

South Dakota Residents Who Participated in 150 Minutes or More of Aerobic Physical Activity Per Week (Income)



participated in physical activity in the past 30 days and 78.6 percent of Sioux Falls adults report that in the past month they have participated in physical activity.⁷

Live Well Survey

The Live Well Survey assessed respondent's physical activity behaviors. Data showed that female Live Well Survey respondents reported the highest percentage of total respondents by gender that exercises "Sometimes." Male survey respondents reported exercising at a moderate (150 minutes) or vigorous (75 minutes) pace

per week at a slightly higher percentage, 30.9 percent, when compared to females, 28.2 percent; however, fewer males “Never” exercise when compared to female respondents. When data was analyzed by race group, white respondents reported the highest percentage of adults in a family/household who exercise at a moderate to vigorous pace “Always” and “Sometimes,” while Asian respondents “Never” exercised.

In addition, respondents living in zip code 57106 reported the highest percentage of adults in a family/household who exercise on some level per week. Respondents living in zip code 57107 reported the smallest percentage of adults in a family/household who participate in exercise per week. In particular, respondents in zip code 57107 also reported some of the lowest percentages of access to resources to support physical activity, when compared to other zip codes.

CHANGE Tool

The Live Well Sioux Falls Work site Sector utilized the CHANGE tool and identified physical activity as their greatest opportunity to be addressed. To review the specific physical activity assessment questions, refer to Section 5 of this report. As one might expect, smaller work sites experience

greater challenges in supporting physical activity initiatives due to both physical and financial resources. There are, however, numerous best practices that are not resource intensive that can result in environmental enhancements to promote increased physical activity. Some examples include providing a safe area to walk or having bike racks available.

Children and Adolescents

New to Healthy People 2020 are objectives related to policies targeting children (ages 2 through 12) through physical activity in child care settings, television viewing, and computer usage, including recess and physical education in the nation’s elementary schools.

Live Well Survey respondents self-reported information about the physical activity behaviors of children in their household. Respondents indicated that only 19.6 percent of children are “Sometimes” limited to two hours or less of television, computer, and video games. Conversely, a higher percentage of respondents, 24.7 percent, indicated that children in their household “Always” participate in at least one hour of physical activity each day. Research has shown the majority of

Local Story

Sioux Falls Parks and Recreation

Sioux Falls Parks and Recreation has expanded health offerings in 2012 in cooperation with Live Well Sioux Falls.

Parks and Recreation has long been a place where the community has come to utilize indoor and outdoor recreational facilities—from bike trails to sports leagues—but in 2012, based on our Needs Assessment, we decided to expand our offerings in areas of health and wellness. A section dedicated to healthy living opportunities was added to our Activities Guide. Some exciting new offerings include group fitness classes such as Zumba, Zumba Toning, and Dance Fusion as well as health education classes such as Tobacco Cessation and Healthier Food Choices Away from Home. Healthy lifestyle program offerings have increased from 37 programs in 2011 to 60 programs in 2012; total participants increased from 739 in 2011 to 1,082 in 2012 (January to mid-November).


Sioux Falls Parks and Recreation is committed to the Live Well Coalition and plans to continue expanding healthy living programming.

young children are not participating in adequate amounts of physical activity and in excessive amounts of screen-based entertainment. It is likely that physical activity may decline and that screen-based entertainment may increase with age.⁸

Data also shows that a high percentage of children in Live Well Survey respondent households are only “Sometimes” participating in at least one hour of daily physical activity, 19.4 percent. This may be an opportunity to address the physical activity habits of children in Sioux Falls by increasing access to physical activity. Moreover, the prevalence of childhood obesity in South Dakota children 19 years of age and under based on recent data from the 2011 South Dakota

School Height and Weight Report has shown a slight increase, 15.9 percent, from the 2010 data, 15.2 percent.⁹

The National Prevention Council from the office of the Surgeon General states, “All residents should live, work, and learn in an environment that provides safe and accessible options for physical activity, regardless of age, income, or disability status.”¹⁰ As the data shows, personal, social, economic, and environmental factors all play a role in physical activity levels among youth, adults, and older adults.



Live Well Means

- ✓ Adults should exercise at a moderate pace at least 150 minutes per week or 75 minutes per week at a vigorous pace.
- ✓ Children should exercise a minimum of 60 minutes each day.
- ✓ Moderate-pace exercise examples: hiking, swimming, jogging, actively playing with children, farming.
- ✓ Vigorous-pace exercise examples: soccer, running, vigorously playing with children, manual labor such as digging.

Understanding Barriers to Physical Activity

Understanding the factors that influence physical activity behaviors is important to ensure the effectiveness of strategies to improve physical activity behaviors.

Research has shown factors associated with adult physical inactivity include advancing age, low income, lack of time, low motivation, perception of great effort needed for exercise, perception of poor health, and being disabled. Older adults may have additional factors that keep them from being physically active, including lack of social support, lack of transportation to facilities, fear of injury, and cost of programs. Factors that positively influence adults include, but are not limited to, post-secondary education, higher income, expectation of benefits, self-efficacy, history of activity in adulthood, social support, access to recreational venues, and safe neighborhoods.

Healthy People 2020 reflects a multidisciplinary approach to promoting physical activity. This approach brings about traditional partnerships, such as that of education and health care, with nontraditional partnerships representing, for example, transportation, urban planning, recreation, and environmental health. This multidisciplinary approach acknowledges that personal, social, economic, and environmental

factors all play a role in physical activity levels among youth, adults, and older adults.


Environmental influences have been shown to be positively associated with physical activity, particularly among children and adolescents, including the presence of sidewalks, having a destination/walking to a particular place, access to public transportation, low traffic density, and access to neighborhood or school play area and/or recreational equipment. Physical activity can be facilitated or constrained by the built environment, although the relationship between individual factors, social factors, and the physical environment is complex and not well understood. Making changes to the built environment should be considered as a means of addressing the related problems of obesity and physical inactivity. The Institute of Medicine has identified that improvements to the built environment that encourage walking and bicycling, such as a well-connected network of off-street trails and paths and paths connecting destinations for such activity, as a priority.¹¹ Data sources that are representative of the entire nation are needed to monitor key characteristics of the environment, such as the availability of parks and trails, the usage of these spaces, and policies that promote physical activity at work sites, in communities, and in schools.

Live Well Survey

To support the focus of the CHANGE tool, analysis of the Live Well survey focused on understanding respondents physical activity, nutrition and health behaviors. Respondents indicated if they “recently started,” “already do this,” or are “not interested in changing” these behaviors. A higher percentage of respondents, 56.6 percent, indicated they have already “lost weight or maintained a healthy weight” on a regular basis (6 months or more), when compared to 45.6 percent who already are physically active, and 42.7 percent who eat healthy. The percentage of respondents who reported they “recently started or want to start” participating in these behaviors indicates people are ready to make improvements in their health.

Willingness to Change

- Recently Started or Want to Change
- Already Doing This Regularly
- Not Interested in Changing to this



This information is a very positive message from Sioux Falls residents, because respondents are reporting they want to improve their lifestyles. Most people who are not physically active or eating well are ready to make a change now or in the near future. This data provides the City with an opportunity to identify strategies to support people to make changes. As strategies are identified to support Sioux Falls residents, facilitating focus groups with some of the survey respondents may provide an opportunity to better understand what will help them make the changes they want to make.

CHANGE Tool Assets and Needs

Physical Activity Assets identified are:

- Provide direct support for community-wide physical activity opportunities.
- Health professionals provide regular counseling about the health value of physical activity.
- The community has developed an extensive land use plan that is being implemented.

- The network of city parks is well maintained.
- All students are required to be physically active during the majority of the time in physical education.
- The Sioux Falls School District has a designated school health coordinator responsible for overseeing school health activities across the district.

Physical Activity Needs identified are:

- Enhance access to public transportation within reasonable walking distance throughout the city.
- Require bike facilities (bike boulevards, bike lanes, multiuse paths) be built for all developments to include housing, schools, and commercial areas.
- Provide flexible work arrangements or break times for employees to engage in physical activity.
- Provide a safe area outside to walk or be physically active.
- Implement a walk or bike to school initiative.
- Develop and implement a common referral system to help residents access community-based services or resources for physical activity.

Did You Know?

Sioux Falls Parks and Recreation

Sioux Falls Parks and Recreation provides access to over 70 city parks. There are athletic fields, playgrounds, green spaces, tourist attraction parks, and much more. Take your family and friends to visit some of the beautiful parks that Sioux Falls has to offer. For a complete listing of locations, visit the Parks and Recreation website at www.siouxfalls.org/parks.

Summary

CHANGE tool indicates that all sectors except work site are achieving the minimum score of 60 percent. Policy and environmental initiatives are required to improve work site physical activity performance. Examples of this include flexible work arrangements, providing bicycle parking, and designating a walking path close to work.

A review of the work site participants also indicated that smaller work sites face greater challenges than larger work sites primarily due to human and capital resources.

Did You Know?

Sioux Falls Parks and Recreation


Sioux Falls offers 26 miles of paved bike trails throughout the city for anyone to use. This is a great form of recreation for families and friends to enjoy together. Walking, biking, roller blading, and any other form of nonmotorized locomotion are encouraged! Visit www.siouxfalls.org to see a full map of the Sioux Falls bike trail.



1. US Department of Health and Human Services (HHS), Office of Disease Prevention and Health Promotion. 2008 Physical activity guidelines for Americans. Washington: HHS; 2008.
2. www.healthypeople.gov/2020/topicsobjectives2020/overview.aspx?topicid=33.
3. National Prevention Council, National Prevention Strategy, Washington, DC: U.S. Department of Health and Human Services, Office of the Surgeon General, 2011.
4. U.S. Department of Health and Human Services. "Physical Activity and Fitness" Healthy People 2020: Understanding and Improving Health.
5. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2011.
6. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2011.
7. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
8. www.ncbi.nlm.nih.gov/pubmed/21900847 ; U.S. National Library of Medicine; National Institute of Health.
9. <http://doh.sd.gov/SchoolWeight>.
10. National Prevention Council, National Prevention Strategy, Washington, DC: U.S. Department of Health and Human Services, Office of the Surgeon General, 2011; www.healthcare.gov/prevention/npphpc/strategy/report.pdf.
11. www.cdc.gov/pcd/issues/2012/11_0165.htm; Effect of Changes to the Neighborhood Built Environment on Physical Activity.

2012 CHANGE Assessment Results

Tobacco Use




Tobacco Overview

Tobacco use is the single most preventable cause of disease, disability, and death in the United States. Each year, approximately 443,000 Americans die from tobacco-related illnesses. An estimated 49,000 of these deaths are the result of secondhand smoke exposure. For every person who dies from tobacco use, 20 more people suffer with at least one serious tobacco related illness. Tobacco use costs the United State \$193 billion annually in direct medical expenses and lost productivity, while secondhand smoke costs an additional \$10 billion. This makes tobacco use one of the nation's deadliest and most costly public health challenges.^{1, 2}

According to the 2011 South Dakota BRFSS, approximately 23 percent of the adults are current smokers.³ The BRFSS has 2011 data available for the state; however 2010 data is only available for the Sioux Falls Metropolitan Statistical Area (MSA), which includes Lincoln, McCook, Minnehaha, and Turner Counties regarding adult tobacco use. The 2011 BRFSS prevalence data regarding adult tobacco use is “considered a baseline year for data and analysis and is not comparable to previous year of BRFSS data, due to change in methodology and sampling, thus no trend data is available.”⁴ According to the 2010 BRFSS City and County Data, the percentage of Sioux Falls adults who are current smokers has consistently declined from a high of nearly 24 percent in 2002 to the current low of 11.7 percent, which is slightly below the Healthy People 2020 goal of 12 percent.^{5, 6} Healthy People 2020 summarizes strategies implemented

Percent of Sioux Falls MSA Adults Who are Current Smokers



Did You Know?

City of Sioux Falls Goes Tobacco-Free

Tobacco use by City of Sioux Falls employees is prohibited during paid work hours, which includes paid break times; designated tobacco use areas have been removed from City premises. The use of tobacco products by City employees and customers, contractors, or others doing City business is prohibited in all City-owned and City-shared buildings, facilities, vehicles, parking lots, equipment, work sites, and walkways leading into City facilities

Local Story

South Dakota QuitLine

The South Dakota QuitLine offers free telephone health coaching and medication to all residents. The program currently offers five health coaching telephone calls and eight weeks of medication free of charge.

In 2011, South Dakota residents had the option of choosing from three NRT medications—patch, gum, or lozenges—or the prescription medications varenicline (Chantix) or bupropion (Zyban). Studies demonstrate that with coaching and a medication regimen people are twice as likely to be successful than trying to quit by medication alone. The SDQL is not just for smokers, it also provides assistance to chewers as well. All health coaching is done locally and not by an out-of-state service. Avera McKennan Corporate Health is a contracted vendor for the telephonic health coaching services with the QuitLine.

The most current data available (2011) reports a 7-month 30-day point prevalence quit rate of 43 percent, which is much higher than the overall 2011 U.S. QuitLine rate of 28.9 percent.

over the last 48 years to reduce the toll tobacco use takes on families and communities. Successful strategies include fully funding tobacco control programs, increasing the price of tobacco products, enacting comprehensive smoke-free policies, controlling access to tobacco products, reducing tobacco advertising and promotion, implementing anti-tobacco media campaigns, and encouraging and assisting tobacco users to quit.⁷

CHANGE Tool

The success of these national strategies is evident in the CHANGE tool results regarding tobacco use. All five sectors identified their respective environments as places that support the elimination of tobacco use and most all sectors identified corresponding policies. Each sector indicated that the implementation of sector policies was influenced by the implementation of statewide policies. Examples of influential statewide policies include, but are not limited to, a 2002 law banning smoking in most public places and areas of employment, in 2006 the state cigarette tax was raised, and in 2010 voters upheld a law expanding the smoking ban to bars, restaurants and casinos.

Live Well Survey


Live Well Survey respondents were asked to identify their top three unhealthy behaviors in Sioux Falls. Nearly 42 percent of the respondents identified smoking/tobacco use as one of the top three unhealthy behaviors.

Given that the tobacco use rate has decreased year over year and that most indoor public spaces are now tobacco free, it is a best practice to learn and understand about tobacco-free outdoor public spaces.

A high percentage of the Live Well resident survey respondents indicated they would support tobacco free parks in Sioux Falls, 77.2 percent compared to 12.1 percent who reported “No” and 10.3 percent who “Don’t know/not sure.” Within the five zip code areas of respondents, 57108 reported the highest percentage of support for tobacco-

free parks, 82.7 percent, while zip code 57107 reported the lowest percentage of support for tobacco free parks, 67.3 percent, as well as one the highest percentages of “Everyday” smokers across zip codes, 16.8 percent. Respondents living in zip code 57104 reported the highest percentage of “Everyday” smokers, 25.5 percent.

Percent of Live Well Survey Respondents Who Would Support Tobacco Free Parks by Zip Code



Tobacco use is the number one preventable death. In South Dakota alone, 1,205 people died of tobacco use in 2010. Preventing tobacco use, especially at a young age, and helping tobacco users quit can improve the health and quality of life for Americans of all ages. People who stop smoking greatly reduce their risk of disease and premature death. Benefits are greater for people who stop at earlier ages, but quitting tobacco use is beneficial at any age.⁸


The Live Well Survey asked respondents about their tobacco use. Almost half of those Live Well Survey respondents who reported themselves as tobacco users indicated they stopped using tobacco for one day or longer because they were trying to quit using tobacco. In addition, 28.9 percent of respondents who are current tobacco users indicated they were familiar with the South Dakota QuitLine, a free tobacco cessation resource (phone coaching and online assistance) supported through the South Dakota Department of Health, and they would go there if they wanted to quit smoking.⁹ However, nearly 23 percent indicated they don’t know where to go for assistance in tobacco cessation.

Tobacco Use and Disease

Common diseases and causes of death linked to tobacco use include cancer; heart disease; lung disease including emphysema, bronchitis, and chronic airway obstruction; premature birth; low birth weight; stillbirth; and infant death. Secondhand smoke causes heart disease and lung cancer in adults and a number of health problems in infants and children, including severe asthma attacks, respiratory infections, ear infections, and sudden infant death syndrome (SIDS). Smokeless tobacco causes a number of serious oral health problems, including cancer of the mouth and gums, periodontitis and tooth loss. Cigar use causes cancer of the larynx, mouth, esophagus, and lung.¹⁰

Disparities in tobacco use result in more tobacco-related disease in population subgroups. South Dakota 2011 BRFSS data indicates that Multiracial reflects that 44.2 percent are smokers, "Other" which includes Native Americans/American Indians is second at 38.9 percent, and Hispanics represent 23.5 percent compared to white respondents at 21.1 percent.¹¹

South Dakota Adults Who are Current Smokers



Cigarette and tobacco smoke, high blood cholesterol, high blood pressure, physical inactivity, obesity, and diabetes are the six major independent risk factors for coronary heart disease that can be modified or controlled. Cigarette smoking is so widespread and significant as a risk factor that the Surgeon General has called it "the leading preventable cause of disease and deaths in the United States."

Live Well Means

- ✓ If you use tobacco, quit today by calling the South Dakota QuitLine at 1-866-SD-QUITS.
- ✓ Put yourself in situations where you limit "triggers" to smoke.
- ✓ Help a friend or loved one quit using tobacco.
- ✓ Encourage children to get involved with Teens Against Tobacco Use (TATU) at school.
- ✓ Make your home or place of residence smoke-free.

Summary

The CHANGE tool results indicate that most every sector identified tobacco policy and environmental assets above the minimum threshold of 60 percent and some sectors significantly so. As mentioned earlier, the success realized in the area of tobacco can be attributed to strategies implemented over the last 48 years to reduce the toll tobacco use takes on families and communities.

CHANGE Tool Assets and Needs

Tobacco Assets identified are:

- Tobacco advertising is restricted at point of service.
- Revenue is generated through increased tobacco prices with a portion of the revenue earmarked for tobacco control.

- Health care environments have tobacco-free environments in all indoor and outdoor public space.
- Most community institutions and organizations' environments have tobacco-free environments in all indoor and outdoor public space.
- Schools provide access to referral system to help students access tobacco cessation resources and services.
- Some employers provide insurance coverage for tobacco cessation products and services.

Tobacco Needs identified are:


- Institute a tobacco-free policy 24/7 for outdoor public places.
- Ban tobacco promotions, promotional offers, and prizes.
- Health care professionals provide regular and consistent counseling about the harm of tobacco use and exposure during all routine office visits.
- Implement a provider reminder system to assess, advise, track, and monitor tobacco use.
- Implement a common referral system to help people access tobacco cessation resources.



1. Centers for Disease Control and Prevention. Smoking-Attributable Mortality, Years of Potential Life Lost, and Productivity Losses—United States, 2000–2004. *Morbidity and Mortality Weekly Report* 2008;57(45):1226–8 [accessed 2012 Nov 30].
2. Behan DF, Eriksen MP, Lin Y. Economic Effects of Environmental Tobacco Smoke Report. Schaumburg, IL: Society of Actuaries; 2005. Available from [www.soa.org/files/research/projects/etsreportfinaldraft\(final-3\).pdf](http://www.soa.org/files/research/projects/etsreportfinaldraft(final-3).pdf) [PDF - 546KB].
3. <http://apps.nccd.cdc.gov/BRFSS/display.asp?cat=TU&yr=2011&qkey=8171&state=SD>.
4. <http://apps.nccd.cdc.gov/BRFSS/display.asp>.
5. Centers for Disease Control and Prevention (CDC). Behavioral Risk factor Surveillance System Survey Questionnaire. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2001 through 2001.
6. www.healthy people.gov/2020/topics/objectives/2020/overview.
7. Healthy People 2020 Tobacco Use Objectives. Centers for Disease Control and Prevention National Center for Chronic Disease Prevention and Health Promotion Office on Smoking and Health Mail Stop K-50 Attn: Healthy People 2020 Tobacco Use Objectives 4770 Buford Highway NE Atlanta, GA 30341-3717.
8. www.healthypeople.gov
9. www.sdquitline.com
10. Healthy People 2020 Tobacco Use Objectives. Centers for Disease Control and Prevention National Center for Chronic Disease Prevention and Health Promotion Office on Smoking and Health Mail Stop K-50 Attn: Healthy People 2020 Tobacco Use Objectives 4770 Buford Highway NE Atlanta, GA 30341-3717.
11. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2011.

2012 CHANGE Assessment Results

Chronic Disease Management




Chronic Disease Management Overview

Chronic diseases—such as heart disease, stroke, cancer, diabetes, and arthritis—are among the most common, costly, and preventable of all health problems. Four modifiable health risk behaviors—lack of physical activity, poor nutrition, tobacco use, and excessive alcohol consumption—are responsible for much of the illness, suffering, and early death related to chronic diseases.¹ Access to high quality and affordable measures (including screening and appropriate follow-up) are essential steps in saving lives, reducing disabilities, and lowering costs for medical care.²

Chronic conditions currently account for more than 75 percent of health care spending in the United States, and that can be an expensive proposition for employers. Studies have shown that chronic conditions can add about \$3,600 a year per person to employer health care costs. Controlling health care costs requires a multipronged, integrated effort that goes beyond the medical providers and health insurers trying to prevent chronic diseases to the employers supporting healthy workplaces.⁴

with long-term conditions share knowledge, responsibility and care plans with health care practitioners and/or peers. To be effective it requires system implementation with community social support networks, a range of satisfying occupations and activities relevant to the context, clinical professionals willing to act as partners or coaches, and online resources that are verified and relevant to the country and context. It is a population health strategy as well as an approach to personal health.

5 Most Common Causes of Death in 2005 (South Dakota Compared with United States)³



Live Well survey respondents were asked if they have ever been told by a doctor or health professional if they have one or more specific chronic health issues and 24.2 percent indicated they had “vision problems” closely followed by “depression, anxiety, stress, etc.” at 23.6 percent, and 22.8 percent of respondents indicating they

Chronic disease management is an integrated approach to managing illness and is often defined as “a system of coordinated health care interventions and communications for populations with conditions in which patient self-care efforts are significant.”^{5,6} It can improve quality of life while reducing health care costs by preventing or minimizing the effects of a disease.⁷ For people who can access health care practitioners or peer support it is the process whereby persons

Did You Know?


Sioux Falls School-Based Health Clinics

Sioux Falls currently has two school-based health clinics and is building a third. The current locations are Terry Redlin Elementary and Hawthorne Elementary with the newest clinic being built at Hayward Elementary. Children may be cared for at the clinics with parent/guardian consent. Also at the Terry Redlin site, and at the Hayward clinic once it opens, the public may utilize the clinics at any time during business hours.

The services available at our school-based clinics include:

- Physicals.
- Immunizations.
- Medical care for acute injury/illness or chronic health conditions.
- Lab tests.
- Dental.
- Follow-up visits.
- Health education.

**Preventative Services and Risk Factors
(South Dakota Compared with United States)**



have been told they are “overweight /obese.” The top three health issues—vision problems, overweight/obese, and depression, anxiety, stress, etc.—affect the highest percentage of respondents aged 36–45 and 46–55.

Fortunately, many of these chronic conditions can be prevented or more effectively managed by leading healthier lives, and employers can play an important role by supporting a healthy workplace. Steps that employers can take include encouraging workers to get routine screenings, promoting physical activity in the workplace, and providing healthier options in vending machines and cafeterias. Well-structured, evidence-based wellness programs can have a real impact on a company’s bottom line and can help control health care costs for everyone. Focusing on an employee’s total health can lead to a more energetic, productive workforce that can give your company a competitive edge.

Live Well Survey

Survey respondents were asked about the health of their workplace and those who are employed reported that 32.7 percent of their employer and/or health insurance plans do not reward them for participating in preventive exams while, conversely, 31.8 percent of respondents’

Did You Know?

Sioux Falls Reduced-Cost Clinics

Sioux Falls has numerous reduced-cost clinics that are available for residents of all income levels throughout the city.

Falls Community Health/Dental—
521 North Main Avenue.

Sanford Downtown Health Care—
401 East Eighth Street.

Avera McKennan Health Care Clinic and
Downtown Center—300 North Dakota Avenue.

Destiny Outreach Clinic—225 East 11th Street.

employer and/or health insurance plans do reward for participating and preventive exams. A smaller percentage of respondents, 13.7 percent, indicated they “don’t know” if their employer and/or health insurance plans reward them.

One way that the survey identified the participation rate in preventive procedure was to ask respondents to identify preventive procedures they have had in the last year. While the percentage of respondents who had a preventive procedure in the last year is not a direct correlation to employer support for work site wellness, the data does support the importance of chronic disease management and prevention. Blood pressure checks (80.5 percent) were markedly the highest reported preventive procedure respondents had had in the last year. Over half of respondents also indicated receiving dental cleaning/X-rays (67.6 percent), a flu shot (59 percent), and vision screening (50.7 percent) in the last year. A small percentage of respondents indicated they received a vascular screening in the last year (3.8 percent). Data important to note is less than half of respondents indicated they received a cholesterol or cardiovascular screening in the last year, while respondents indicated “overweight/obesity” as one of their top health issues they have been diagnosed by their doctor. High cholesterol and heart disease are health conditions that are known to be complications associated with overweight/obesity.

As discussed previously, it is vital to have ongoing access to a health care provider to support chronic disease management. The Live Well Survey assessed respondents’ access to care. Approximately half of total survey respondents who answered the question, “Do you have one person you think of as your personal doctor or health care provider?” reported they have only one health care provider, while 31.2 percent reported having more than one, and nearly 12 percent reported not having a personal doctor. When asked if there was a time in the past 12 months where they or a family member needed to see a doctor and couldn’t, the majority said there

was not a time where they couldn’t see a doctor. However, over 12 percent indicated they did have a time when they or a family member needed to see a doctor but could not. The major reason respondents indicated for not being able to see a doctor included that they do not have health insurance, the share of the cost was too great, and inability to get in for an appointment.

Chronic Disease

The Live Well Survey asked questions about specific chronic diseases that are prevalent within our community. In addition to those addressed in the survey tool, an overview of cardiovascular disease, blood pressure, cholesterol, and diabetes is included in this section.

Cardiovascular Disease


Cardiovascular disease refers to any disease of the heart or vascular system. This includes many conditions, including but not limited to, heart attacks, coronary heart disease, atherosclerosis, hypertension, congestive heart failure and stroke. Risk factors for cardiovascular disease include high blood pressure, high cholesterol, smoking, inactivity, and being overweight or obese. Individuals with cardiovascular disease experience life changing difficulties and limitations plus the increased health care costs associated with long-term (chronic) illnesses which in turn, result in a negative economic impact on communities.

According to preliminary data from the National Vital Statistics Report, the leading cause of deaths in the United States in 2011 is diseases of the heart.⁸ According to the CDC in 2010, the leading cause of death was heart disease, followed by cancer and then stroke.⁹


The 2010 BRFSS data also reported that the number of persons reporting they have been told by a health care professional that they have angina or cardiovascular disease remains flat at 4.2 percent.¹⁰ The 2010 BRFSS reported that 3.3 percent of the Sioux Falls MSA residents indicated a doctor, nurse, or other health care

professional has told them that they have had a heart attack (myocardial infarction).¹¹ This represents a slight increase over 2009 BRFSS results of 2.7 percent. The number of the Sioux Falls MSA residents that indicated a doctor, nurse, or other health care professional has told them that they have had a stroke remained constant at 1.8 percent.¹²


Percent of Sioux Falls MSA Populations That Have Been Told They Have Angina/Coronary Heart Disease



Percent of Sioux Falls MSA Populations That Have Been Told They Have had a Stroke



Percent of Populations That Have Been Told They Have had a Heart Attack



Risk Factors of Cardiovascular Disease

Hypertension is the term used to describe high blood pressure. Often, there are no symptoms, which is why it is referred to as a “Silent Killer”. For most patients, high blood pressure is found when they visit their health care provider or have it checked elsewhere. Because there are no symptoms, people can develop heart disease and kidney problems without knowing they have high blood pressure. The most current 2009 BRFSS data indicates that the number of people living in the Sioux Falls MSA that have been told they have high blood pressure has continued to increase since 2003.¹³

76.4 million U.S. adults have been diagnosed with high blood pressure, and approximately 33 percent of them do not know they have it.¹⁴ Clinical preventive services, such as routine screenings for hypertension, are key to reducing death and disability and improving the nation’s health. These services both prevent and detect illnesses and diseases at more treatable stages.


In 2010, The Big Squeeze initiative was introduced to Sioux Falls through a partnership that includes many Live Well Sioux Falls Coalition members. This month-long initiative focuses on performing blood pressure screenings and delivering education to Sioux Falls residents. The mission of The Big Squeeze is to increase awareness of hypertension (high blood pressure) and the need for screenings throughout the Sioux Falls community. By participating in a screening,

2012 Big Squeeze Results

Normal	At Risk	High
Systolic less than 120	Systolic 120-139	Systolic 140+
Diastolic less than 80	Diastolic 80-89	Diastolic 90+
35%	48%	17%

Sioux Falls residents have the opportunity to determine whether their blood pressure is in a normal range and, if it is not, to then take action and see their health care provider. The initiative also works with health care providers to ensure that patients receive education and tools to manage blood pressure when it is above the normal range. While it is a "Silent Killer," it can be controlled. In 2012 the goal of 5,000 screenings was exceeded to a total of 5,350 total screenings performed. Of those 5,350 screened, 65 percent had at risk (120-139/80-89) or high (>140/>90) blood pressure readings.

Percent of Sioux Falls MSA Population That Have Been Told They Have High Blood Pressure



Did You Know?

The Big Squeeze

The Big Squeeze is an annual month-long initiative where a group of public and private partners work together to screen as many blood pressures in Sioux Falls as possible.

High blood pressure is a serious health concern that can cause heart attacks, strokes, and heart failure. The worst part about high blood pressure is that it is a "silent killer." There aren't any symptoms until it is too late and someone experiences a serious medical problem.

Anyone can be part of the annual Big Squeeze event. All it takes is for someone in an organization to care about their own health and the health of their coworkers to get this great event started. For more information, contact Jen Johnson at jjjohnson@siouxfalls.org or 367-8031.

Cholesterol

High blood cholesterol is also a significant contributing factor for cardiovascular disease. Cholesterol is a waxy substance that's found in the fats (lipids) in your blood. While your body

needs cholesterol to continue building healthy cells, having high cholesterol can increase your risk of heart disease.

When you have high cholesterol, you may develop fatty deposits in your blood vessels. Eventually, these deposits make it difficult for enough blood


to flow through your arteries. Your heart may not get as much oxygen-rich blood as it needs, which increases the risk of a heart attack. Decreased blood flow to your brain can cause a stroke.¹⁵

Diabetes


Diabetes is a disease in which your blood glucose or sugar levels are too high. Glucose comes from the foods that we consume. Insulin is a hormone that assists the glucose to get into your cells, providing the cells with an energy source. With type 1 diabetes, the body does not produce insulin. With type 2 diabetes (more common), your body does not use the circulation insulin properly. With both types of diabetes, the glucose stays in your blood stream and cannot be used properly by your body.¹⁶

Gestational diabetes is a common complication of pregnancy. Gestational diabetes can lead to perinatal complications in mother and child and substantially increases the likelihood of cesarean section. Gestational diabetes is also a risk factor for subsequent development of type 2 diabetes after pregnancy.¹⁷ A number of types of diabetes exist with type 2 being the most common form.


Percent of Adults Who Have Been Told That They Have High Blood Cholesterol




Percent of People in the Sioux Falls MSA That Have Been Told By A Doctor That They Have Prediabetes



Percent of People in the Sioux Falls MSA That Have Been Told By A Doctor That They Have Pregnancy Related Diabetes



County Level Estimates of Diagnosed Diabetes Percentage of Adults in South Dakota (2009)²³



The Diabetes Prevention program showed that people at high risk for type 2 diabetes could sharply lower their chances of developing the disorder through diet and exercise.¹⁸


Diabetes contributes to an increase in cardiovascular disease risk by 2 to 4 times, as well as peripheral vascular disease and kidney disease. In the United States, diabetes is the leading cause of nontraumatic amputations, blindness among working-aged adults, and end-stage renal disease.¹⁹ Diabetes can also cause emotional distress and impair self-care. It is not uncommon for those with diabetes to become overwhelmed because of their care needs. Not surprisingly, depression, anxiety, and other mental health disorders are more prevalent among people with diabetes.

According to the Centers for Disease Control and Prevention (CDC) 25.8 million people of all ages, or 8.3 percent of the U.S. population, have diabetes. Another 18.8 million people have been given a diagnosis and another 7 million people are undiagnosed.²⁰ In 2010, 41,821 or 6.9 percent of South Dakotans over the age of 17 had been told they have type 2 diabetes.²¹ According to the CDC, 35 percent of U.S. adults aged 20 years or older, 59 million Americans, have prediabetes. Based on this formula, South Dakota would have more than 200,000 people with prediabetes.²²

The BRFSS data reported specific to Sioux

Falls, when comparing 2009 to 2010, indicates the percentage of people in the Sioux Falls MSA that have been told by a doctor that they have diabetes and the percentage of people in the Sioux Falls MSA that have been told by a doctor that they have prediabetes have both experienced a slight decline; while the percentage of people

Percent of People in the Sioux Falls MSA That Have Been Told By A Doctor That They Have Diabetes²⁵



in the Sioux Falls MSA that have been told by a doctor that they have pregnancy-related diabetes has increased from .7 percent to 1.7 percent.²⁴

Additional consideration needs to be given to women of childbearing age, as excess weight increases the risk of gestational diabetes mellitus (GDM). Data from the 2010 BRFSS report for the Sioux Falls MSA indicates the following:²⁶

Prediabetes is a condition in which individuals have blood glucose levels higher than normal, but not high enough to be officially classified as a diabetic. People with prediabetes have an increased risk of developing type 2 diabetes, heart disease, and stroke. There are several controllable factors that cause diabetes. These include being overweight/obese, lack of exercise, and not exercising enough.

Disparities in Diabetes Risk

People from minority populations are more frequently affected by type 2 diabetes. Minority groups constitute 25 percent of all adult patients with diabetes in the United States and represent

the majority of children and adolescents with type 2 diabetes. African Americans, Hispanic/Latino Americans, American Indians, and some Asian Americans and Native Hawaiians and other Pacific Islanders are at particularly high risk for the development of type 2 diabetes. Diabetes prevalence rates among American Indians are 2 to 5 times those of whites.²⁷ On average, African American adults are 1.7 times as likely and Mexican Americans and Puerto Ricans are twice as likely to have the disease as non-Hispanic whites of similar age.²⁸

Barriers to Progress in Diabetes Care

Barriers to progress in diabetes care include systems problems (challenges due to the design of health care systems) and the troubling increase in the number of people with diabetes, which may result in a decrease in the attention and resources available per person to treat diabetes.

Did You Know?

Mental Health


Southeastern Behavioral Health is a mental health clinic that is available to all residents. Southeastern Behavioral Health, a private, nonprofit agency, has emphasized the importance of emotional wellness—not only for individuals but also for entire communities, serving the four-county area of Lincoln, McCook, Minnehaha and Turner Counties. Since 1952, Southeastern has listened to the behavioral health care issues facing the Sioux Empire and responded with the appropriate services. Southeastern is one of 11 Community Mental Health Centers (CMHC) in South Dakota and is dedicated to providing the citizens of this state with top quality, professional services to keep our individuals, families, schools, workplaces, and communities emotionally strong and healthy. Today, Southeastern serves more than 4,000 children, adults, and families each year.

Mental Health and Mental Disorders

Mental health is a state of successful performance of mental function, resulting in productive activities, fulfilling relationships with other people, and the ability to adapt to change and to cope with challenges. Mental health is essential to personal well-being, family and interpersonal relationships, and the ability to contribute to community or society.²⁹

As a general health question, the 2010 South Dakota BRFSS asked respondents about the status of their mental health.³⁰ This measure has been tracked through BRFSS since 2000; however, data specific to the Sioux Falls MSA is not available.

Percent of Adult Respondents Reporting Their Mental Health Status as Not Good for 20–30 of the Past Days



Mental health and physical health are closely connected. Mental health plays a major role in people’s ability to maintain good physical health. Mental illnesses, such as depression and anxiety, affect people’s ability to participate in health-promoting behaviors. In turn, problems with physical health, such as chronic diseases, can have a serious impact on mental health and decrease a person’s ability to participate in treatment and recovery.³¹


Depression is an illness that may coexist with other behavior factors, such as substance abuse. Excessive alcohol worsens depression symptoms, thus increasing the severity of the already present depression. Substance abuse associated with depression can lead to treatment noncompliance and can complicate disease treatment. Of Live Well Survey respondents, 23.6 percent indicated they had “depression, anxiety, stress, etc.”

Substance Abuse


2010 BRFSS data specific to alcohol consumption in the Sioux Falls MSA:

Live Well Survey Respondents were asked to rank the top three unhealthy behaviors in the Sioux Falls community, and 45.6 percent of the respondents identified alcohol abuse as the top unhealthy behavior in Sioux Falls. Additionally, when asked to indicate significant problems in the community, 32.9 percent of respondents identified substance abuse (alcohol, drug, prescription use) as a significant problem.


Percent of Sioux Falls MSA Adults Who Say They are Heavy Drinkers



Percent of Sioux Falls MSA Adults Who Say They are Binge Drinkers³²




Percent of Sioux Falls MSA Adults Who Have Had at Least One Drink of Alcohol Within the Past 30 Days



Oral Health Care


Good oral health is essential to overall health and well-being. Oral disease, from cavities to oral cancer, cause pain and disability for many Americans. Health behaviors that can lead to poor oral health include tobacco use, excessive alcohol use, and poor dietary choices.

Percent of Sioux Falls MSA Residents That Report Visiting A Dentist or Dental Clinic Within the Past Year for Any Reason



Barriers that can limit a person's use of preventive interventions and treatment include limited access to and availability of dental services, lack of awareness of the need for care, cost, and fear of dental procedures.³³ There are also social determinants that affect oral health. In general, people with lower levels of education and income, and people from specific racial/ethnic groups, have higher rates of disease. People with disabilities and other health conditions, like diabetes, are more likely to have poor dental health.³⁴

Percent of Sioux Falls MSA Adults Aged 65+ Who Have Had All Their Natural Teeth Extracted



Local Story

Wellmark Blue Cross and Blue Shield of South Dakota

As the health insurance market leader, it's our responsibility to walk the talk when it comes to living a healthful lifestyle. Our employees can earn financial incentives throughout the year by participating in wellness programs, events, and activities, starting with a wellness health screening and completing a well-being assessment each fall.

Wellmark makes it easy to do this with our on-site wellness center as well as a variety of other tools, including challenges, a wellness book club, nutrition and fitness programs, and access to trainers and nutritionists. Wellmark employees use their breaks to work out at the in-house exercise facilities or to walk outside. They also have online resources available to help them reach and maintain their goals.

Information on oral health is not collected annually in BRFSS. The MSA-specific data is limited with only partial data collected every other year beginning in year 2002 and continuing through 2010. BRFSS reported the following information specific to oral health care in the Sioux Falls MSA.³⁵

Comparing the 2008 BRFSS data to 2010 data for the Sioux Falls MSA indicates that adults that have had any permanent teeth extracted, remained flat (35.3 percent to 35.7 percent respectively); Adults aged 65-plus who have had all their natural teeth extracted reflects significant increase (14.8 percent to 21.3 percent respectively); on a more positive side the number reporting they had visited the dentist or dental clinic within the last year for any reason also reflects a significant increase (77.5 percent to 81.2 percent respectively). Respondents who have no oral health/dental care insurance coverage accounted for 17 percent of people who have not visited a dentist or dental clinic within the past 2 years; however, a small percentage of respondents (5.6 percent) with dental insurance coverage reported their last visit to a dentist or dental clinic was within the past 2 years.

Major improvements have occurred in the nation's oral health but oral health still remains a public health concern. Lack of access to dental care for all ages remains a public health challenge.


CHANGE Tool Assets and Needs

Chronic Disease Management Assets identified are:

- Schools are meeting the nutritional needs of students with special health care or dietary requirements (allergies, diabetes, physical disabilities).
- Schools provide chronic disease self-management education to individuals identified with chronic conditions or diseases (diabetes, asthma).

- Most health care providers measure weight and height to calculate body mass index (BMI) for every patient at each visit.
- Most health care providers provide routine follow-up counseling and education to patients to help address chronic diseases and related risk factors.

Percent of Sioux Falls MSA Adults That Have Reported Having Had Permanent Teeth Extracted



- Most employers provide access to chronic disease self-management programs (i.e., Weight Watchers for overweight/obesity).
- Most employers provide access to free or low-cost employee health risk appraisal or health screenings.
- Employers have an emergency response plan to address health emergencies.
- Most provide health insurance to their workforce.

Chronic Disease Management Needs identified are:

- Establish a common curricula or training to raise awareness of the symptoms of heart attacks and strokes.
- Emotional health services are limited and not available in all settings.
- Consistently promote chronic disease prevention (post signs to remind employees to get blood pressure measured, quit smoking or avoid secondhand smoke, encourage fruit and vegetable consumption).

- Expand the availability of employee assistance services to employees and families.
- Implement a common message that is supported by strategies to educate residents on the importance of obesity prevention, controlling high blood pressure, controlling cholesterol, blood sugar or insulin levels, heart attack and stroke symptoms, and preventive care.
- Provide cardiopulmonary resuscitation training to students.
- Develop a citywide approach to chronic disease management to increase patient adherence to chronic disease treatment.

Summary

Based on the CHANGE tool, each of the sectors indicated that policies are at varying stages of development however, even if a policy is not present, overall their environments support chronic disease management activities. Policy development is an opportunity to support systemic environmental stability.

Live Well Means

- ✓ Engage in preventive exams such as blood pressure, cholesterol, BMI, and cardiovascular fitness.
- ✓ Ensure employees/staff are trained in CPR and AED use.
- ✓ Provide access to chronic disease self-management education programs to individuals identified with chronic diseases or conditions.
- ✓ Adopt curricula or training to raise awareness of the signs and symptoms of heart attacks and strokes.
- ✓ Have an emergency response plan (such as an AED) in place.
- ✓ Educate everyone about the importance of calling 9-1-1.

Local Story

Face It TOGETHER® Sioux Falls


Face It TOGETHER® Sioux Falls was established in 2009 as the result of a community-wide town hall process to identify shared solutions to addiction. The organization's vision is a community that understands and treats addiction the same as any other chronic disease.

The nonprofit is dedicated to system change and social transformation around addiction. It serves as a public face and voice for recovery by providing free peer-to-peer recovery support services and leading advocacy and awareness efforts to eliminate stigma and fundamentally transform the way our community deals with this chronic disease. Its programs include a groundbreaking Employer's Initiative that extends recovery support and education into 22 workplaces across Sioux Falls, reaching a third of the area's workforce.

1. www.cdc.gov/chronicdisease/states/pdf/south_dakota.pdf.
2. www.cdc.gov/chronicdisease/states/pdf/south_dakota.pdf.
3. www.cdc.gov/chronicdisease/states/pdf/south_dakota.pdf.
4. www.cdc.gov/chronicdisease/states/pdf/south_dakota.pdf.
5. Care Continuum Alliance. Care Continuum Alliance (CCA) definition of disease management. Retrieved 2011-05-24.
6. Congressional Budget Office. An analysis of the literature on disease management programs. 2004-10-13. Retrieved 2008-10-13.
7. www.healthcare.gov/glossary/c/index/html.
8. www.cdc.gov/nchs/data/nvsr/nvsr61/nvsr61_06.pdf.
9. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
10. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
11. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
12. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
13. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2003 through 2010.
14. www.heart.org/HEARTORG/affiliate/the-Big-Squeeze;on-line_resource.
15. www.mayoclinic.com/health/high-blood-cholesterol/1998-2012 Mayo Foundation for Medical Education and Research (MFMER).
16. United States National Library of Medicine. "Diabetes." Medlineplus Medical Encyclopedia. 2010. Available online at <http://vsearch.nlm.nih.gov/vivisimo/cgi-bin/query-meta?v%3Aproject=medlineplus&query=diabetes>.
17. www.healthypeople.gov/2020/topics/objectives/2020/overview.
18. National Diabetes Information Clearinghouse (NDIC). A service of the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK), National Institutes of Health (NIH).
19. www.heart.org/HEARTORG/Conditions/Diabetes/WhyDiabetesMatters/Why-Diabetes-Matters_UCM_002033_Article.jsp.
20. Centers for Disease Control and Prevention, 1600 Clifton Road, Atlanta, GA 30333, USA; National Center for Chronic Disease Prevention and Health Promotion, Division of Diabetes Translation, May, 2011.
21. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
22. Centers for Disease Control and Prevention. National diabetes fact sheet: national estimates and general information on diabetes and prediabetes in the United States, 2011. Atlanta, GA: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2011.
23. Centers for Disease Control and Prevention: National Diabetes Surveillance System. <http://apps.nccd.cdc.gov/DDTSTRS/default.aspx>. Retrieved 12/2/2012.
24. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
25. <http://apps.nccd.cdc.gov/BRFSS-SMART/CompareMMSARiskchart.asp?MMSA=81&yr2=2010&cat=DB&qkey=1363&MMSAcomp=NONE&yrcomp=2009&SUBMIT1=Go>.
26. <http://apps.nccd.cdc.gov/BRFSS-SMART/CompareMMSARiskchart.asp?MMSA=81&yr2=2010&cat=DB&qkey=1363&MMSAcomp=NONE&yrcomp=2009&SUBMIT1=Go>.
27. <http://apps.nccd.cdc.gov/BRFSS/race.asp?cat=DB&yr=2010&qkey=1363&state=SD>.
28. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
29. www.nimh.nih.gov/index.shtml.
30. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
31. Lando J, Marshall Williams S, Sturgis S, et al. A logic model for the integration of mental health into chronic disease prevention and health promotion. *Prev Chronic Dis*. 2006 April;3(2):A61.
32. <http://apps.nccd.cdc.gov/brfss-smart/SelQuestion.asp?MMSA=81&yr2=2010&VarRepost=&cat=AC#AC>.
33. www.healthypeople.gov/2020/topics/objectives/2020/overview.
34. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.
35. Centers for Disease Control and Prevention (CDC). Behavioral Risk Factor Surveillance System Survey Data. Atlanta, Georgia: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention, 2010.

2012 CHANGE Assessment Results

Leadership



Leadership Overview

A healthy community boasts leaders in organizations of all types who are committed to solving today's and tomorrow's critical public health problems. These leaders support and implement community health improvements necessary to make a community an inviting place to live. Change leadership is the driving force that fuels large-scale transformation and sustainable policies and environmental practices.

Change leaders provide the direction, inspiration, and bring together needed partnerships and resources to ensure success in making Sioux Falls the healthiest community in the region. Leaders also ensure there is an active plan to sustain a community's ongoing ability and commitment to work together to establish, advance, and maintain effective strategies that continuously improve health and quality of life for all.¹

The nature of the CHANGE tool leadership assessment questions is slightly different than the assessment questions for the health topics of nutrition, physical activity, tobacco, and chronic disease. The leadership policy and environmental assessment speaks more to how leadership engages community members where they live, work, worship, play, and learn; the philosophy of how leadership shapes policies and sustainable environments that promote health and quality of life; and the degree to which leadership creates sustainable improvements that address the root causes of chronic disease, just to mention a few. The results of the leadership assessment

Did You Know?

Sioux Area Metro

Sioux Area Metro, otherwise known as SAM, is the public transportation that is available to Sioux Falls residents and visitors. Anyone is allowed to use this service, which helps decrease traffic congestion, decrease gas emissions, and support an active lifestyle. SAM has Flash Cards available that are just like a credit card where you load a dollar or pass value. When you board the bus, wave the card near the fare box—no cash needed! Visit the website at www.siouxfalls.org/sam for more information.

do not have a single national or statewide statistic to measure performance. Our leadership performance is self-reported by sector members and is measured by the results experienced in creating a culture of healthy living at the community level and to effectively impact the burden of chronic disease.

Local Story

City of Sioux Falls Health and Wellness

Employee health is serious business at the City of Sioux Falls. In 2007, the City became the first municipality in South Dakota to hire a full-time staff person solely devoted to the health and well-being of its employee group. Since that time employee wellness has become an integral part of the City's culture:

Leaders implement employee wellness initiatives based on the unique and individual needs of their work group.

Each year nearly 75 percent of the employee group participates in the annual health screening.

In 2011, the City went tobacco-free and a reported 42 employees are now celebrating a tobacco-free life.

Each year more than 50 percent of the employee group participates in wellness activities and events.

In 2012, the Healthy Eating and Staying Active Guidelines were implemented, helping both employees and work groups to make good choices in nutrition and physical activity.

Wellness is becoming an essential component of employee training, reward, and recognition.

Employee health is a recognized important factor in the successful performance of the organization!


CHANGE Tool Assets and Needs

As you review results across the sectors, our leadership performance as defined through the CHANGE tool assessment reflects wide variation. While there are variations of size, complexity, and resource availability in each of the sectors, there are common themes.

Leadership Assets identified are:

- Most all sector participants provide health insurance for their employees; however, very few reimburse employees for health or wellness activities.
- Larger employers generally have a health promotion budget targeted at employees' general health and wellness. This extends to incentives for participating in health screenings and health risk assessments.

Significant Community Problems Identified by Live Well Survey Respondents



- City leadership allocates funding for public shared use paths, public parks and greenways, pedestrian enhancements, and bicycle enhancements.
- There is a safety management program to ensure safe public transportation.
- Most larger sector participants have a health promotion budget, someone responsible for coordinating wellness promotions and the opportunity to gather feedback from employees and/or their constituents.
- Health care sector is focused on educating patients about the importance of healthy lifestyles and the value of good nutrition, adequate physical activity, and eliminating tobacco usage.
- Health care sector has instituted an electronic medical record system and patient registry to provide feedback on a patient's condition and compliance with the prescribed treatment regimen.

Common themes identified through the CHANGE tool assessment are also evident when reviewing the needs across all sectors.

Leadership Needs identified are:

- Few sectors represented participate in community coalitions and partnerships (e.g., food policy council, tobacco-free partnership, neighborhood safety coalition) to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure).
- Few sectors represented participate in the public policy process to highlight the need for community changes to address chronic disease and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure).
- Offer annual cultural competence training for all health workers for optimal care of all patients regardless of race/ethnicity, culture, or background.

Local Story

American Heart Association—Fit-Friendly Work Sites Recognition Program

Adult Americans spend a majority of their waking hours at work, and many are in sedentary careers. With obesity costing American businesses \$12.7 billion per year in medical expenses and \$225.8 billion in health-related productivity losses, any program that increases employee wellness will impact the bottom line.

The American Heart Association's Fit-Friendly Work Sites Recognition program recognizes employers who champion the health of their employees by creating a wellness program within the workplace. To qualify, employers must fulfill criteria such as offering employees physical activity support, increasing healthy eating options at work, and promoting a wellness culture.

Locally, several companies have received Fit-Friendly Work Site designations, including DAKOTACARE, Sioux Steel, the Avera Heart Hospital, LodgeNet, and Wellmark. For more information on the Fit-Friendly Work site program, contact Chrissy Meyer at Chrissy.Meyer@heart.org.

- Adopt organizational or performance objectives pertaining to employee health and well-being.
- Provide office-based incentives (e.g., discounted insurance premiums, gift certificates) to employees participating in health risk assessments, initiatives, or support groups that promote chronic disease prevention measures (e.g., quit smoking, log miles walked, blood pressure or cholesterol screening).
- Enhance access to childhood overweight prevention and treatment services to reduce health disparities.

Live Well Survey

Live Well Survey respondents were also asked to provide their perceptions of significant community problems. Change leadership is required to affect the problem areas Live Well Survey respondents identified. Areas recognized as significant problems in the community include: access to affordable housing (23.8 percent), workforce and job training opportunities (22.5 percent), and crime (neighborhood, schools, parks) (21.7 percent).

Today, chronic disease accounts for 7 in 10 deaths and affects the quality of life of 90 million Americans. The increasing burden of chronic disease and unhealthy lifestyles requires immediate and sustained action from all community members, which requires leadership.²

More than ever, community leaders understand that improving the health and well-being of individuals and families means changing health-related behaviors, which means addressing factors that influence those behaviors. In light of

Live Well Means

- ✓ Provide employees with work site wellness activities.
- ✓ Allow employees to get to their own, or their kids', doctor's appointments.
- ✓ Participate in community coalitions (tobacco cessation, food policy council, blood pressure awareness) to address chronic diseases and associated risk factors.
- ✓ Develop a mission that includes commitment for employee health and well-being in your workplace.
- ✓ Promote mixed land use.
- ✓ Provide employees with a health insurance plan.
- ✓ Provide access to opportunities for professional development or continued education to staff/employers.

Local Story

Sanford Fit Program

Sanford Health takes children's health and well-being very seriously, and the Sanford fit program works to make it seriously fun.

Since starting in 2010, the fit initiative promotes and activates lifelong healthy habits and behaviors for children and families. Like many programs, it informs and educates kids and families on the importance of eating right and moving more, but from there the similarities end.

What makes it truly unique is fit also emphasizes how emotions and attitudes (MOOD) and sleep and energy levels (RECHARGE) have a direct influence on nutritional choices (FOOD) and activity levels (MOVE).

Then, Fit bookends education to Captivate—Educate—Activate kids to make good choices by getting their attention, getting in a nugget of information, and triggering a moment of action using fun and fresh approaches on the web (<http://fit.SanfordHealth.org>) and mobile devices and through child care, schools, and other channels.

changing funding opportunities and increased competition for resources, communities need to ensure they maintain the capacity to work in partnership with Live Well Sioux Falls Coalition Members to identify and address public health challenges, and that their resulting health initiatives can have sustainable impact.³

Sustainability is not just about funding. From the outset, sustainability requires an approach that emphasizes the development of a community coalition to engage partners, and align policies and focus areas. Live Well Sioux Falls has brought together a diverse group of committed community

leaders to form the Live Well Sioux Falls Coalition. They have completed the assessment process and collaboratively defined policy, systems, and environmental strategic initiatives that are to be implemented over a period of years.

Through committed leadership and broad partner involvement, Live Well Sioux Falls will grow our community focus on health promotion, be able to catalyze action across society, and implement the strategic directions and priorities required for Sioux Falls to become the healthiest community in the region.

Summary

The CHANGE tool indicated wide performance variation across all sectors for both policy and

environmental needs. Two areas that are constant across all sectors and are in need of improvement include the level of leadership participation in community coalitions and partnerships to address each of the health topics plus the level of leadership participation in the public policy process that will highlight the need for community changes to address each of the health topics while in some organizations participation in both of these areas may be present, when expanded to address broader systemic change, the level of participation falls off. Strong leadership in these areas and others mentioned throughout the CHANGE tool are fundamental to achieving identified strategies that over time will result in an overall improved health status.



1. CDC's Healthy Communities Program Centers for Disease Control and Prevention National Center for Chronic Disease Prevention and Health Promotion Division of Adult and Community Health, 4770 Buford Highway, NE Mail Stop K-93 Atlanta, GA 30341-3717, www.cdc.gov/healthycommunitiesprogram.
2. www.kaiseredu.org/en/Topics/Costs-and-Spending.aspx.
3. www.cdc.gov/healthycommunitiesprogram/pdf/sustainability_guide.pdf online resource.



Opportunity

Section 4

Healthy Community Design

Goal: To further promote planning and design of the community to make healthy living easy and accessible.

Phase 1 (2013–2014)

Live Well Sioux Falls will make recommendations for imparting healthy community design concepts into the Events Center plans.



Healthy Community Design

Goal: To further promote planning and design of the community to make healthy living easy and accessible.

Phase 1 (2013–2014)

Live Well Sioux Falls will coordinate a Healthy Community Design summit intended for City, county, school, community, and development leaders to evaluate current environmental and policy factors influencing the health habits of residents and facilitate recommendations that improve health and well-being through community design.

Phase 2 (2014–2015)

Live Well Sioux Falls will implement the multi-department Live Well Sioux Falls: Commute Active! grant-funded project to increase the number of Sioux Falls residents who are physically active both for recreation and for active transportation.

Phase 3 (2015–2016)

Live Well Sioux Falls will develop a minimum of one public health goal to be included in the City of Sioux Falls' comprehensive planning that guides the future of our community.



Tobacco-Free Living

Goal: To prevent and reduce tobacco use.

Phase 1 (2013–2014)

Live Well Sioux Falls, in partnership with Sioux Falls Parks and Recreation, will support and promote the implementation of a tobacco-free youth recreation policy for City of Sioux Falls' playgrounds and facilities where youth activities take place.

Phase 2 (2014–2015)

Live Well Sioux Falls will provide advocacy and implementation assistance outdoor public spaces.



High Impact Quality Clinical Preventive Services

Goal: Each Sioux Falls resident will seek out or be provided a health risk assessment.

Phase 1 (2013–2014)

Live Well Sioux Falls will develop LiveWellSiouxFalls.org, a community resource guide for healthy living.

Phase 2 (2014–2015)

Live Well Sioux Falls will provide community level education on the benefits of a health risk assessment and engaging health care professionals in all disciplines regarding patient counseling and promotion on healthy choices.

Phase 3 (2015–2016)

Live Well Sioux Falls will coordinate the development and adoption of a universal health risk assessment to be delivered in the primary care setting to all users of the (universal) health care system.



Nutrition Physical Activity Disease Tobacco Leadership



Community At Large Health Care

High Impact Quality Clinical Preventive Services

Goal: Increase control of high blood pressure and high cholesterol.

Phase 1 (2013–2014)

Live Well Sioux Falls will increase the number of residents who participate in The Big Squeeze events from 5,000 to 7,500.

Phase 2 (2014–2015)

Live Well Sioux Falls will increase the number of residents who participate in The Big Squeeze events from 7,500 to 10,000.

Phase 3 (2015–2016)

Live Well Sioux Falls will increase the number of residents who participate in The Big Squeeze events from 10,000 to 15,000.



Disease



Health Care



Schools



Community At Large



Work Sites



Community Institutions/Organizations

Coalition Management and Advocacy

Goal: Maintain a high level of engagement in the community coalition; encourage, activate, and support their work in public advocacy for healthy community policy and design.

Phase 1 (2013–2014)

Live Well Sioux Falls will gain commitment and coordinate the Live Well coalition to be highly active and effective in shaping the health of our community.

Phase 2 (2014–2015)

Through LiveWellSiouxFalls.org, Live Well Sioux Falls will develop and maintain a resident and community organization toolkit to assist advocates in providing feedback to City officials and community leaders.

Phase 3 (2015–2016)

Through LiveWellSiouxFalls.org, Live Well Sioux Falls will develop and maintain a resource center that links residents to healthy living services and tools offered by various health-related organizations throughout the community.



Leadership

Goal: To develop a sustainability plan for Live Well Sioux Falls that ensures health in all decisions of community shaping and design.

Phase 1 (2013–2014)

Live Well Sioux Falls will form a City Director level steering committee for the purpose of approving multidepartment grant and pilot opportunities, determine the best avenue to include health in all decisions, and determine the long-term sustainability and budgeting plan for Live Well.

Phase 2 (2014–2015)

The City of Sioux Falls Health Department will develop and maintain a division of public health prevention and promotion.



Leadership



Community At Large

Nutrition

Goal: Increase the number of Sioux Falls residents who have access to healthy and affordable food options

Phase 1A (2013–2014)

Live Well Sioux Falls will partner with South Dakota State University School of Nursing to implement a pilot project to reduce childhood obesity.

Phase 1B (2013–2014)

Live Well Sioux Falls will convene an 18-month Food Policy Advisory Group to bring together stakeholders from diverse food-related sectors to examine how the food system is operating and make recommendations to public officials and community leaders in shaping public policy and improving coordination between existing programs.



Work Site Wellness

Goal: Increase the number of community businesses who maintain best in practice work site wellness programming.

Phase 1 (2013–2014)

Live Well Sioux Falls will partner with WorkWell South Dakota to deliver a work site wellness leadership conference and corporate wellness challenge to the business community.

Phase 2 (2014–2015)

Through LiveWellSiouxFalls.org, Live Well Sioux Falls will develop and maintain resources, best practices, training, and networking for implementing work site wellness across the Sioux Falls business community.



Leadership



Work Sites

For more information on how to get involved with Live Well Sioux Falls, please contact the Sioux Falls Health Department at 367-8760.



Live Well
Sioux Falls

Physical Activity

Nutrition

Tobacco

Leadership

Chronic Disease

Demographics

Section 5

District

After School

Live Well Assessment Team Members

Adam Roach
CSF Community Development

***Alicia Collura**
CSF Health

Alicia Luther
CSF Parks & Recreation

Amy Meyers
Augustana College

Bob O'Connell
Chamber of Commerce

Carrie McLeod
Sanford

Christina Heckenlaible
Sioux Empire United Way

Colleen Moran
CSF Attorney

Dave Fleck
Sioux Falls Construction

Deb Schuttloffel
Perkins Restaurants

Diane Cogley
Southeastern Behavioral Health

James Larsen
CSF Police

Jan Clary
CSF Engineering

Janelle Zerr
CSF Finance

Janson Exner
CSF Health

***Jean Reed**
IMPACT Consulting

Jeff DesLauriers
CSF Engineering

Jeff Helm
CSF Fire Rescue

***Jen Johnson**
CSF Health

Jenny McDonald
Sanford

****Jill Franken**
CSF Health

Judy Kendall
CSF Health

Kandy Jamison
Howalt McDowell

Katie Wick
CSF Health

Lonna Jones
CSF Dental

Mark Blackburn
Augustana College

Mary Michaels
American Heart Association

Molly Satter
Sioux Falls School District

Monie Siemonsma
Citibank

Dr. Nalo Johnson
Spectrum SD

Nicole Soles
Regency Hotels

Dr. Paul Amundson
DAKOTACARE

***Rana DeBoer**
CSF Human Resources

Russ Sorenson
CSF Planning and Building
Services

Sam Trebilcock
CSF Planning and Building
Services

Sandra Melstad
South Dakota State Department
of Health

Sara Weber
Chamber of Commerce

Shannon Ausen
CSF Engineering

Teresa Miller
Avera

Trisha Dohn
DAKOTACARE

Vicki Harkness
CSF Health

Key

*Live Well Sioux Falls
Core Team

**City of Sioux Falls Director

***City of Sioux Falls
Multimedia Support

City of Sioux Falls (CSF)

Live Well Contributors

Amy Olson
Avera

Bill Ladwig
Lewis Drug

****Bill O'Toole**
CSF Human Resources

Brad Willie
Novartis

*****Brenda Boyer**
CSF Central Services

Brian Christiaanson
CSF Fire Rescue

Brittney Meyer
South Dakota State University

Chad Huwe
CSF Engineering

Charles Shafer
CSF Health

Cheryl Pitzyl
Avera

Chris Anderson
CSF GIS

Chrissy Meyer
American Heart Association

****Darrin Smith**
CSF Community Development

Dave Huntimer
CSF Police

Dr. Dave Kapaska
Avera

****Dave Pfeifle**
CSF Attorney

Denise Hoffman-Kary
Nichols Media

Denise Kolba
American Cancer Society

****Don Kearney**
CSF Parks and Recreation

Donna Keeler
Urban Indian Health

Doreen Miller
Sanford

****Doug Barthel**
CSF Police

Erik Gaikowskii
American Cancer Society

Evan Nolte
Chamber of Commerce

Fran Rice
Sioux Empire Tobacco-Free
Coalition

Galynn Huber
CSF Street

Gina Rowe
SDSU Extension

Heather Stephenson
CSF Library

Heath Hoftiezer
CSF Engineering

Jeff Rink
Hy-Vee

Janet Kittens-Lalley
HelpLine

Jay Powell
Sioux Empire United Way

Jennifer Stalley
American Cancer Society

Dr. Jerry Walton
Retired—Sanford

Jill Biltoft
CSF Parks & Recreation

****James Sideras**
CSF Fire Rescue

Jodi Fick
CSF Library

Karla Lubben
Sanford Parish Nurse

Kaylee Amundson
Lewis Drug

Kelby Mieras
CSF Parks & Recreation

Kendra Siemonsma
CSF Project Manager

Kira Kimball
Sanford

Kris Graham
Southeastern Behavioral Health

Linda Ahrendt
South Dakota Department of
Health

Linda Redder
American Lung Association

Lyn Schiefelbein
Nichols Media

Maggie Elliot
CSF GIS Mapping

Margarett Hegge
South Dakota State University

Marilee Johnson-Geary
Urban Indian Health

****Mark Cotter**
CSF Public Works

Mary Hitzemann
Facelt TOGETHER Sioux Falls

Live Well Contributors (continued)

****Mary Johns**
CSF Library

Mary Wolf
Avera

Mathew Christensen
South Dakota Department of Health

Matt McGarvey
Wellmark

Megan Myers
American Cancer Society

Michelle Erpenbach
CSF Council

Michelle LaValle
Avera

Mike Begeman
Sanford

****Mike Cooper**
CSF Planning and Building Services

Mike Huether
CSF Mayor

Dr. Pam Homan
Sioux Falls School District

Pat Robinson
Multi-Cultural Center

Randall Beck
Argus Leader

Randolph Troxell
Novartis

Reggan LaBore
Urban Indian Health

Richard Murphy
CSF Production Specialist

Roberta Olson
South Dakota State University

Sara Hicks
Lewis Drug

Sara Jennings
AARP

Stephanie Perry
Wellmark

Steve VanAartsen
CSF GIS

****Sue Quanbeck Etten**
CSF Central Services

Teresa DeBoer
Raven Industries

Teri Roost
Marketing and Media

Tony Tiefenthaler
Sanford

****Tracy Turbak**
CSF Finance

*****Tyler Ahlers**
CSF Central Services

Key
*Live Well Sioux Falls Core Team
**City of Sioux Falls Director
***City of Sioux Falls Multimedia Support
City of Sioux Falls (CSF)





























The City of Sioux Falls Health Department especially thanks:	
• Live Well Core Team	• Multimedia Support
• City of Sioux Falls Directors	• South Dakota Department of Health

The following pages are CHANGE Tool health topic questions for each sector.

Community At Large

Physical Activity





























 Asset
  Room for Growth
  Cannot Influence

To what extent does the community:	Policy Response	Environment Response
1. Require sidewalks to be built for all developments (e.g., housing, schools, commercial)?		
2. Adopt a land use plan?		
3. Require bike facilities (e.g., bike boulevards, bike lanes, bike ways, multiuse paths) to be built for all developments (e.g., housing, schools, commercial)?		
4. Adopt a complete streets plan to support walking and biking infrastructure?		
5. Maintain a network of walking routes (e.g., institute a sidewalk program to fill gaps in the sidewalk)?		
6. Maintain a network of biking routes (e.g., institute a bike lane program to repave bike lanes when necessary)?		
7. Maintain a network of parks (e.g., establish a program to repair and upgrade existing parks and playgrounds)?		
8. Provide access to parks, shared-use paths and trails, or open spaces within reasonable walking distance of most homes?		
9. Institute mixed land use?		
10. Require sidewalks to comply with the Americans with Disabilities Act (ADA) (i.e., all routes accessible for people with disabilities)?		
11. Provide access to public recreation facilities (e.g., parks, play areas, community and wellness centers) for people of all abilities?		
12. Enhance access to public transportation (e.g., bus stops, light rail stops, van pool services, subway stations) within reasonable walking distance?		
13. Provide street traffic calming measures (e.g., road narrowing, central islands, roundabouts, speed bumps) to make areas (e.g., neighborhoods, major intersections) where people are or could be physically active (e.g., walk, bike) safer?		
14. Adopt strategies (e.g., neighborhood crime watch, lights) to enhance personal safety in areas (e.g., playgrounds, parks, bike lanes, walking paths, neighborhoods) where people are or could be physically active (e.g., walk, bike)?		

Community At Large























Nutrition

To what extent does the community:

	Policy Response	Environment Response
1. Adopt strategies to encourage food retailers (e.g., grocery, corner, or convenience stores; bodegas) to provide healthy food and beverage options (e.g., fresh produce) in underserved areas?		
2. Encourage community gardens?		
3. Enhance access to public transportation (e.g., bus stops, light rail stops, van pool services, subway stations) to supermarkets and large grocery stores?		
4. Provide access to farmers' markets?		
5. Accept Women, Infants and Children (WIC) Farmers' Market Nutrition Program vouchers, or Food Stamp Benefits at local farmers' markets?		
6. Connect locally grown foods to local restaurants and food venues?		
7. Promote (e.g., signage, product placement, pricing strategies) the purchase of fruits and vegetables at local restaurants and food venues?		
8. Institute healthy food and beverage options at local restaurants and food venues?		
9. Institute nutritional labeling (e.g., "low fat," "light," "heart healthy," "no trans fat") at local restaurants and food venues?		
10. Provide smaller portion sizes at local restaurants and food venues?		
11. Ban local restaurants and retail food establishments from cooking with trans fats?		
12. Adopt strategies to recruit supermarkets and large grocery stores in underserved areas (e.g., provide financial incentives, lower operating costs, provide job training services)?		
13. Provide comfortable, private spaces for women to nurse or pump in public places (e.g., government buildings, restaurants, retail establishments) to support and encourage residents' ability to breast-feed?		
14. Protect a woman's right to breast-feed in public places?		

Community At large Tobacco



















To what extent does the community:

	Policy Response	Environment Response
1. Institute a smoke-free policy 24/7 for indoor public places?		
2. Institute a tobacco-free policy 24/7 for indoor public places?		
3. Institute a smoke-free policy 24/7 for outdoor public places?		
4. Institute a tobacco-free policy 24/7 for outdoor public places?		
5. Ban tobacco advertisement (e.g., restrict point-of-purchase advertising or product placement)?		
6. Ban tobacco promotions, promotional offers, and prizes?		
7. Regulate the number, location, and density of tobacco retail outlets?		
8. Restrict the placement of tobacco vending machines (including self-service displays)?		
9. Enforce the ban of selling single cigarettes?		
10. Increase the price of tobacco products and generate revenue with a portion of the revenue earmarked for tobacco control efforts (e.g., taxes, mitigation fees)?		
11. Provide access to a referral system for tobacco cessation resources and services, such as a quitline (e.g., 1-800-QUIT-NOW)?		

Community At large













Chronic Disease Management

To what extent does the community:

	Policy Response	Environment Response
1. Enhance access to chronic disease self-management programs (e.g., Weight Watchers for overweight/obesity)?		
2. Adopt strategies to educate its residents on the importance of obesity prevention?		
3. Adopt strategies to educate its residents on the importance of controlling high blood pressure?		
4. Adopt strategies to educate its residents on the importance of controlling cholesterol?		
5. Adopt strategies to educate its residents on the importance of controlling blood sugar or insulin levels?		
6. Adopt strategies to educate its residents on heart attack and stroke symptoms and when to call 9-1-1?		
7. Adopt strategies to educate its residents on the importance of preventive care?		
8. Provide emergency medical services (e.g., 9-1-1, transport system)?		
9. Adopt strategies to address chronic disease health disparities?		

Community At large Leadership

To what extent does the community:






	Policy Response	Environment Response
1. Participate in community coalitions and partnerships (e.g., food policy council, tobacco-free partnership, neighborhood safety coalition) to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		
2. Participate in the public policy process to highlight the need for community changes to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		
3. Finance public shared-use paths or trails (by passing bonds, passing millages, levying taxes, or getting grants)?		
4. Finance public recreation facilities (by passing bonds, passing millages, levying taxes, or getting grants)?		
5. Finance public parks or greenways (by passing bonds, passing millages, levying taxes, or getting grants)?		
6. Finance public sports facilities (by passing bonds, passing millages, levying taxes, or getting grants)?		
7. Finance pedestrian enhancements (e.g., sidewalks, street crossing enhancements)?		
8. Finance bicycle enhancements (e.g., bike lanes, bike parking, road diets)?		
9. Address the community's operating budget to make walking, bicycling, or other physical activities a priority?		
10. Promote mixed land use through regulation or other incentives?		
11. Institute a management program to improve safety within the transportation system?		

Community Institutions and Organizations

Physical Activity



 Asset	 Room for Growth	 Cannot Influence
---	---	--

To what extent does the community:

	Policy Response	Environment Response
1. Promote stairwell use (e.g., make stairs appealing, post motivational signs near stairs to encourage physical activity)?		
2. Provide a safe area outside (e.g., through lighting, signage, crime watch) to walk or be physically active?		
3. Designate a walking path on or near building property?		
4. Encourage non-motorized commutes (e.g., active transportation such as walk or bike) to the facility?		
5. Enhance access to public transportation (e.g., bus stops, light rail stops, van pool services, subway stations) within reasonable walking distance?		
6. Provide access to on-site fitness center, gymnasium, or physical activity classes?		
7. Provide a changing room or locker room with showers?		
8. Provide bicycle parking (e.g., bike rack, shelter) for patrons?		
9. Provide access to a broad range of competitive and noncompetitive physical activities that help to develop the skills needed to participate in lifetime physical activities?		
10. Provide opportunity for unstructured play or leisure-time physical activity?		
11. Prohibit using physical activity as a punishment?		
12. Restrict screen time to less than 2 hours per day for children over 2 years of age?		
13. Provide direct support (e.g., money, land, pavilion, recreational facilities, sponsorship, advertising) for supporting community-wide physical activity opportunities (e.g., sports teams, walking clubs)?		

Community Institutions and Organizations














Nutrition

To what extent does the community:	Policy Response	Environment Response
1. Institute healthy food and beverage options in vending machines?		
2. Institute healthy food and beverage options at institution-sponsored meetings and events?		
3. Institute healthy food and beverage options in on-site cafeteria and food venues?		
4. Institute healthy food purchasing (e.g., to reduce the caloric, sodium, and fat content of foods offered) for cafeteria and on-site food venues?		
5. Institute healthy food preparation practices (e.g., steaming, low fat, low salt, limiting frying) in on-site cafeteria and food venues?		
6. Institute pricing strategies that encourage the purchase of healthy food and beverage options?		
7. Ban marketing (e.g., counter advertisements, posters, other print materials) of less than healthy foods and beverages on-site?		
8. Provide smaller portion sizes in on-site cafeteria and food venues?		
9. Institute nutritional labeling (e.g., "low fat," "light," "heart healthy," "no trans fat") at on-site cafeteria and food venues?		
10. Provide safe, unflavored, cool drinking water at no cost to patrons?		
11. Prohibit using food as a reward or punishment?		
12. Provide direct support (e.g., money, land, pavilion, sponsorship, advertising) for supporting community-wide nutrition opportunities (e.g., farmers' markets, community gardens)?		
13. Provide a comfortable, private space for women to nurse or pump to support and encourage patrons' ability to breast-feed?		

Community Institutions and Organizations

Tobacco

















To what extent does the community:

	Policy Response	Environment Response
1. Institute a smoke-free policy 24/7 for indoor public places?		
2. Institute a tobacco-free policy 24/7 for indoor public places?		
3. Institute a smoke-free policy 24/7 for outdoor public places?		
4. Institute a tobacco-free policy 24/7 for outdoor public places?		
5. Ban tobacco vending machine sales (including self-service displays)?		
6. Ban tobacco promotions, promotional offers, and prizes?		
7. Ban tobacco advertisement (e.g., restrict point-of-purchase advertising, product placement)?		
8. Implement a referral system to help patrons to access tobacco cessation resources and services, such as a quitline (e.g., 1-800-QUIT-NOW)?		

Community Institutions and Organizations

Chronic Disease Management





















To what extent does the community:

	Policy Response	Environment Response
1. Provide access to chronic disease self-management programs (e.g., Weight Watchers for overweight/obesity)?		
2. Provide access to an on-site nurse?		
3. Provide an on-site medical clinic to monitor and address chronic diseases and related risk factors (e.g., high blood pressure, high cholesterol, elevated blood sugar levels)?		
4. Provide routine screening, follow-up counseling and education to patrons to help address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, hypertension, high cholesterol, elevated blood sugar levels, tobacco use and exposure)?		
5. Adopt curricula or training to raise awareness of the signs and symptoms of heart attacks and strokes?		
6. Adopt curricula or training to raise awareness of the importance of calling 9-1-1 immediately when someone is having a heart attack or stroke?		
7. Promote chronic disease prevention to patrons (e.g., post signs reminding patrons to get blood pressure checked, quit smoking, avoid secondhand smoke)?		
8. Have an emergency response plan (e.g., appropriate equipment such as Automatic External Defibrillator or instructions for action) in place?		

Community Institutions and Organizations

Leadership

To what extent does the community:

	Policy Response	Environment Response
1. Provide incentives to patrons participating in chronic disease prevention measures (e.g., quit smoking, log miles walked, blood pressure or cholesterol screening)?		
2. Participate in the public policy process to highlight the need for community changes to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		
3. Have a wellness coordinator?		
4. Have a wellness committee?		
5. Have a health promotion budget?		
6. Have a mission statement (or a written policy statement) that includes the support of or commitment to patron health and well-being?		
7. Implement a needs assessment when planning a health promotion program?		
8. Evaluate health promotion programs?		
9. Provide opportunities for patron feedback (e.g., interest, satisfaction, adherence) about health promotion programs?		
10. Participate in community coalitions and partnerships (e.g., food policy council, tobacco-free partnership, neighborhood safety coalition) to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		

Health Care
Physical Activity

 Asset	 Room for Growth	 Cannot Influence
---	---	--

To what extent does the community:

Policy Response	Environment Response
-----------------	----------------------

1. Promote stairwell use (e.g., make stairs appealing, post motivational signs near stairs to encourage physical activity) to patients, visitors, and staff?



2. Assess patients' physical activity as part of a written checklist or screening used in all routine office visits?



3. Provide regular counseling about the health value of physical activity during all routine office visits?













4. Implement a referral system to help patients access community-based resources or services for physical activity?



Health Care

Nutrition









To what extent does the community:

	Policy Response	Environment Response
1. Implement breastfeeding initiative for future or current moms?		
2. Assess patients' nutrition as part of a written checklist or screening used in all routine office visits?		
3. Provide regular counseling about the health value of good nutrition during all routine office visits?		
4. Provide free or low cost weight management or nutrition programs?		
5. Implement a referral system to help patients access community-based resources or services for nutrition?		
6. Institute healthy food and beverage options in vending machines?		
7. Institute healthy food and beverage options served to their patients?		
8. Institute healthy food and beverage options in the on-site cafeteria and food venues?		
9. Institute pricing strategies that encourage the purchase of healthy food and beverage options?		
10. Institute healthy food purchasing (e.g., to reduce the caloric, sodium, and fat content of foods offered) for cafeteria and on-site food venues?		
11. Institute healthy food preparation practices (e.g., steaming, low fat, low salt, limiting frying) in on-site cafeteria and food venues?		
12. Institute nutritional labeling (e.g., "low fat," "light," "heart healthy," "no trans fat") at the on-site cafeteria and food venues?		
13. Ban marketing (e.g., counter advertisements, posters, other print materials) of less than healthy foods and beverages on-site?		
14. Provide smaller portion sizes in on-site cafeteria and food venues?		

Health Care




















Tobacco

To what extent does the community:

	Policy Response	Environment Response
1. Institute a smoke-free policy 24/7 for indoor public places?		
2. Institute a tobacco-free policy 24/7 for indoor public places?		
3. Institute a smoke-free policy 24/7 for outdoor public places?		
4. Institute a tobacco-free policy 24/7 for outdoor public places?		
5. Assess patients' tobacco use as part of written checklist or screening used in all routine office visits?		
6. Assess patients' exposure to tobacco smoke as part of written checklist or screening used in all routine office visits?		
7. Provide regular counseling about the harm of tobacco use and exposure during all routine office visits?		
8. Implement a referral system to help patients access tobacco cessation resources and services, such as a quitline (e.g., 1-800-QUIT-NOW)?		
9. Provide access to free or low-cost pharmacological quitting aids for their patients?		
10. Implement a provider-reminder system to assess, advise, track, and monitor tobacco use?		

Health Care

























Chronic Disease

To what extent does the community:	Policy Response	Environment Response
1. Implement a referral system to help patients access community-based resources or services for chronic disease management?		
2. Provide routine follow-up counseling and education to patients to help address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, hypertension, high cholesterol, elevated blood sugar levels, tobacco use and exposure)?		
3. Provide screening for chronic diseases in adults with risk factors?		
4. Measure weight and height, and calculate appropriate body mass index (BMI) for every patient at each visit?		
5. Adopt a plan or process to increase patient adherence to chronic disease (e.g., cardiovascular disease, diabetes) treatment?		
6. Institute a systematic approach to the processes of diabetes care?		
7. Institute the latest emergency heart disease and stroke treatment guidelines (e.g., Joint National Committee 7, American Heart Association)?		
8. Provide access to resources and training for using a stroke rating scale?		
9. Provide specialized stroke care units?		
10. Provide specialized heart disease units?		

Health Care

Leadership

To what extent does the community:

	Policy Response	Environment Response
1. Participate in community coalitions and partnerships (e.g., food policy council, tobacco-free partnership, neighborhood safety coalition) to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		
2. Participate in the public policy process to highlight the need for community changes to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		
3. Enhance access to childhood overweight prevention and treatment services to reduce health disparities?		
4. Promote high standards of modifiable risk factor (e.g., poor nutrition, physical inactivity, tobacco use and exposure) practice to health care and provider associations?		
5. Institute standardized treatment and prevention protocols that are consistent with national evidence-based guidelines to prevent heart disease, stroke, and related risk factors?		
6. Institute an electronic medical records system and patient data registries to provide immediate feedback on a patient's condition and compliance with the treatment regimen?		
7. Adopt the Chronic Care Model in hospitals?		
8. Provide patient services using provider care teams that cross specialties (e.g., physician/pharmacist teams)?		
9. Provide access to medical services outside of regular working hours (e.g., late evenings, weekends)?		
10. Promote collaboration between health care professionals (e.g., physicians and specialists) for managing chronic diseases (e.g., cardiovascular disease, diabetes)?		
11. Partner with community agencies to provide free or low-cost chronic disease health screenings, follow-up counseling, and education for those at risk?		
12. Institute annual cultural competence training for all health workers for optimal care of all patients (regardless of their race/ethnicity, culture, or background)?		

School
Physical Activity

 Asset	 Room for Growth	 Cannot Influence
---	---	--

To what extent does the community:

Policy Response	Environment Response
-----------------	----------------------

1. Ban using or withholding physical activity as a punishment?



2. Require that students are physically active during the majority of time in physical education class?



3. Provide access to a broad range of competitive and noncompetitive physical activities that help to develop the skills needed to participate in lifetime physical activities?



4. Implement a walk or bike to school initiative?























5. Ensure the availability of proper equipment and facilities (including playground equipment, physical activity equipment, and athletic or fitness facilities) that meet safety standards?



School

Nutrition

To what extent does the community:



	Policy Response	Environment Response
1. Ensure that students are provided only healthy food and beverage options beyond the school food services (e.g., all vending machines, school stores, and food brought for celebrations)?		
2. Institute school breakfast and lunch programs that meet the U.S. Department of Agriculture School Meal Nutrition Standards?		
3. Ensure that healthy food preparation practices (e.g., steaming, low fat, low salt, limited frying) are always used in the school cafeteria or on-site food services?		
4. Ban marketing (e.g., counter advertisements, posters, other print materials) of less than healthy foods and beverages on-site?		
5. Promote and market (e.g., through counter advertisements, posters or other print materials) only healthy food and beverage options?		
6. Provide adequate time to eat school meals (10 minutes for breakfast/20 minutes for lunch, from the time students are seated)?		
7. Ban using food as a reward or punishment for academic performance or behavior?		
8. Provide safe, unflavored, cool drinking water throughout the school day at no cost to students?		
9. Provide school garden (e.g., access to land, container gardens, raised beds) and related resources (e.g., staff volunteer time, financial incentives)?		
10. Ensure that multiple channels, including classroom, cafeteria and communications with parents, are used to promote healthy eating behaviors?		

School

Tobacco

To what extent does the community:

1. Implement a referral system to help students access tobacco cessation resources or services?

Policy Response	Environment Response
	

School
Chronic Disease

To what extent does the community:

Policy Response	Environment Response
-----------------	----------------------

1. Provide chronic disease self-management education to individuals identified with chronic conditions or diseases (e.g., diabetes, asthma)?



2. Meet the nutritional needs of students with special health care or dietary requirements (e.g., allergies, diabetes, physical disabilities)?



3. Provide opportunities to raise awareness among students of the signs and symptoms of heart attack and stroke?



4. Ensure students are aware of the importance of calling 9-1-1 for emergencies?



5. Ensure cardiopulmonary resuscitation (CPR) training is made available to students?



6. Engage families in the development of school plans (e.g., school diabetes management plans) to effectively manage students with chronic diseases or conditions?



School Leadership

To what extent does the community:	Policy Response	Environment Response
1. Participate in community coalitions and partnerships (e.g., food policy council, tobacco-free partnership, neighborhood safety coalition) to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		
2. Participate in the public policy process to highlight the need for community changes to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		
3. Have a school building health group (e.g., school health committee) comprised of school personnel, parents, students, and community partners that help plan and implement the health activities at the school building?		
4. Have an individual who is responsible for leading school health activities within the school building?		
5. Have a health promotion budget?		
6. Have a written mission or position statement that includes the commitment to student health and well-being?		
7. Recruit teachers (e.g., physical education, health) with appropriate training, education, and background?		
8. Provide training and support to food service and other relevant staff to meet nutrition standards for preparing healthy meals?		
9. Provide access to opportunities for professional development or continued education to staff (e.g., physical education, health, school nurse, food service manager)?		
10. Provide training for all teachers and staff on school physical activity, nutrition, and tobacco prevention policies?		
11. Permit only health-promoting fund raising efforts such as non-food options or only healthy food and beverage options, physical activity-related options (e.g., fun-run), or community service options (e.g., car wash, directing parking at school events)?		

School
After School





















To what extent does the community:

	Policy Response	Environment Response
1. Ban using or withholding physical activity as a punishment?		
2. Ban using food as a reward or punishment for academic performance or behavior?		
3. Provide access to physical activity programs (e.g., intramural, extracurricular, interscholastic)?		
4. Ensure appropriate active time during after-school programs or events?		
5. Institute healthy food and beverage options during after school programs?		
6. Prohibit the sale of sugar-sweetened beverages outside of school hours?		

School

District

To what extent does the community:

	Policy Response	Environment Response
1. Require 225 minutes per week of physical education for all middle school and high school students?		
2. Require 150 minutes per week of physical education for all elementary school students?		
3. Provide 20 minutes of recess daily for students in elementary school?		
4. Ensure that students are not provided waivers or exemptions from participation in physical education for other school and community activities, such as band, chorus, Reserve Officers' Training Corps (ROTC), sports participation, or community volunteering?		
5. Require that either fruits or vegetables or both are available wherever foods and beverages are offered?		
6. Eliminate the sale and distribution of less than healthy foods and beverages during the school day?		
7. Prohibit the sale of sugar-sweetened beverages (can exclude flavored, fat-free milk) during the school day?		
8. Institute a tobacco-free policy 24/7?		
9. Ban tobacco advertising on school property, at school events, and in written educational materials and publications?		
10. Ban tobacco promotions, promotional offers, and prizes on school property, at school events, and in written educational materials and publications?		

School



























District (continued)

To what extent does the community:	Policy Response	Environment Response
11. Ensure access to a full-time, qualified health care provider (e.g., registered school nurse) in every school?		
12. Establish a case management plan for students with identified chronic diseases or conditions (e.g., asthma, diabetes, epilepsy) in consultation with their families, medical providers, and school staff?		
13. Ensure immediate and reliable access to prescribed medications (e.g., inhaler, insulin, epinephrine pen) for chronic disease management throughout school day?		
14. Have a district health group (e.g., school health council) comprised of school personnel, parents, students, and community partners that help plan and implement district health activities?		
15. Have a designated school health coordinator who is responsible for overseeing school health activities across the district?		
16. Monitor schools' compliance with the implementation of the district school wellness policy enacted as a result of the Child Nutrition and WIC Reauthorization Act of 2004 (i.e., requires that all school districts that participate in the National School Lunch Program have local wellness policies)?		
17. Allow the use of school buildings and facilities by the public during nonschool hours (e.g., joint use agreement)?		
18. Adopt a physical education curriculum for all students in grades pre-K to grade 12, as part of a sequential physical education course of study, consistent with state or National Physical Education Standards?		
19. Adopt a nutrition education curriculum, designed to help students adopt healthy eating behaviors, for all students in grades pre-K to grade 12, as part of a sequential health education course of study, consistent with state or National Health Education Standards?		
20. Adopt a tobacco-use prevention curriculum for all students in grades pre-K to grade 12, as part of a sequential health education course of study, consistent with state or National Health Education Standards?		

Work Site

















Physical Activity

 Asset	 Room for Growth	 Cannot Influence
---	---	--

To what extent does the community:	Policy Response	Environment Response
1. Promote stairwell use (e.g., make stairs appealing, post motivational signs near stairs to encourage physical activity)?		
2. Provide flexible work arrangements or break times for employees to engage in physical activity?		
3. Encourage nonmotorized commutes (e.g., active transportation such as walk or bike) to work?		
4. Enhance access to public transportation (e.g., bus stops, light rail stops, van pool services, subway stations) within reasonable walking distance?		
5. Support clubs or groups (e.g., walking, biking, hiking) to encourage physical activity among employees?		
6. Provide a safe area outside (e.g., through lighting, signage, crime watch) to walk or be physically active?		
7. Designate a walking path on or near building property?		
8. Provide access to on-site fitness center, gymnasium, or physical activity classes?		
9. Provide a changing room or locker room with showers?		
10. Provide access to off-site workout facility or subsidized membership to local fitness facility?		
11. Provide bicycle parking (e.g., bike rack, shelter) for employees ?		
12. Implement activity breaks for meetings that are longer than one hour?		
13. Provide direct support (e.g., money, land, pavilion, recreational facilities, sponsorship, advertising) for supporting community-wide physical activity opportunities (e.g., sports teams, walking clubs)?		

Work Site

Nutrition

To what extent does the community:	Policy Response	Environment Response
1. Institute healthy food and beverage options at company-sponsored meetings and events?		
2. Institute healthy food and beverage options in vending machines?		
3. Institute healthy food and beverage options in on-site cafeteria and food venues?		
4. Institute healthy food purchasing practices (e.g., to reduce the caloric, sodium, and fat content of foods offered) for on-site cafeteria and food venues?		
5. Institute healthy food preparation practices (e.g., steaming, low fat, low salt, limiting frying) in on-site cafeteria and food venues?		
6. Ban marketing of less than healthy foods and beverages on site, including through counter advertisements, posters, and other print materials?		
7. Provide smaller portion sizes in on-site cafeteria and food venues?		
8. Provide safe, unflavored, cool drinking water at no cost to employees?		
9. Institute nutritional labeling (e.g., "low fat," "light," "heart healthy," "no trans fat") at the work site's cafeteria and on-site food service?		
10. Institute pricing strategies that encourage the purchase of healthy food and beverage options?		
11. Provide refrigerator access for employees?		
12. Provide microwave access for employees?		
13. Provide a sink with water faucet access for employees?		
14. Provide direct support (e.g., money, land, a pavilion, sponsorship, donated advertising) for community-wide nutrition opportunities (e.g., farmers' markets, community gardens)?		
15. Support breast-feeding by having maternity care practices, including providing a comfortable, private space for employees to nurse or pump?		

Work Site























Tobacco

To what extent does the community:

	Policy Response	Environment Response
1. Institute a smoke-free policy 24/7 for indoor public places?		
2. Institute a tobacco-free policy 24/7 for indoor public places?		
3. Institute a smoke-free policy 24/7 for outdoor public places?		
4. Institute a tobacco-free policy 24/7 for outdoor public places?		
5. Ban tobacco vending machine sales (including self-service displays)?		
6. Provide insurance coverage for tobacco cessation services ?		
7. Provide insurance coverage for tobacco cessation products (e.g., pharmacological quitting aids, medicines)?		
8. Ban tobacco promotions, promotional offers, and prizes?		
9. Ban tobacco advertisements (e.g., restrict point-of-purchase advertising, or product placement)?		
10. Implement a referral system to help employees access tobacco cessation resources or services, such as a quitline (e.g., 1-800-QUIT-NOW)?		



























Work Site

Chronic Disease

To what extent does the community:	Policy Response	Environment Response
1. Provide routine screening, follow-up counseling and education to employees to help address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, hypertension, high cholesterol, elevated blood sugar levels, tobacco use and exposure)?		
2. Provide access to an on-site occupational health nurse?		
3. Provide an on-site medical clinic to monitor and address chronic diseases and related risk factors (e.g., high blood pressure, high cholesterol, elevated blood sugar levels)?		
4. Provide paid time off to attend health promotion programs or classes?		
5. Provide employee insurance coverage for preventive services and quality medical care?		
6. Provide access to a free or low-cost employee health risk appraisal or health screenings?		
7. Provide access to chronic disease self-management programs (e.g., Weight Watchers for overweight/obesity)?		
8. Adopt curricula or training to raise awareness of the signs and symptoms of heart attacks and strokes?		
9. Adopt curricula or training to raise awareness of the importance of calling 9-1-1 immediately when someone is having a heart attack or stroke?		
10. Promote chronic disease prevention (e.g., post signs reminding employees to get blood pressure checked, quit smoking, or avoid secondhand smoke) to employees?		
11. Adopt an emergency response plan (e.g., appropriate equipment such as Automatic External Defibrillator, instructions for employee action)?		

Work Site Leadership

To what extent does the community:

	Policy Response	Environment Response
1. Reimburse employees for preventive health or wellness activities?		
2. Participate in the public policy process to highlight the need for community changes to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		
3. Have a wellness coordinator?		
4. Have a wellness committee?		
5. Have a health promotion budget?		
6. Have a mission statement (or a written policy statement) that includes the support of or commitment to employee health and well-being?		
7. Adopt organizational or performance objectives pertaining to employee health and well-being?		
8. Provide employees with a health insurance plan?		
9. Provide office-based incentives (e.g., discounted insurance premium, gift certificates) to employees participating in health risk assessments, initiatives, or support groups that promote chronic disease prevention measures (e.g., quit smoking, log miles walked, blood pressure or cholesterol screening)?		
10. Implement a needs assessment when planning a health promotion program?		
11. Evaluate company-sponsored health promotion programs?		
12. Provide opportunities for employee feedback (e.g., employee interest, satisfaction, adherence) about health promotion programs?		
13. Participate in community coalitions and partnerships (e.g., food policy council, tobacco-free partnership, neighborhood safety coalition) to address chronic diseases and related risk factors (e.g., poor nutrition, physical inactivity, tobacco use and exposure)?		

We hope this Community Health Needs Assessment is helpful to you.

Should you have questions, need additional information,
or want to become involved with the Live Well Team, please contact:

Sioux Falls Health Department
521 North Main
Sioux Falls, SD 57104
605-367-8760

Ask for the Community Health Needs Assessment Coordinator.

Thank you for your interest and support.

